

HAMPTON

TWO-HANDLE BAR SINK FAUCET WITH BRASS GOOSENECK SPOUT

Style That Works Better




MODEL NUMBER:

2770.712 Centerset Bar Faucet Porcelain lever handles.



→ 2770.732 Centerset Bar Faucet Metal lever handles.





156mm (6-1/8")

GENERAL DESCRIPTION:

Durable brass construction. 1/4 turn washerless ceramic disc valve cartridges - reversible for use with either lever or cross handles. One-half inch male inlet shanks with brass coupling nuts. Brass 22mm (7/8") diameter swivel spout. Brass escutcheon plate (escutcheon size 6-1/8L x 2-1/8D). 2.2 gpm/8.3 L/min. maximum flow rate.

PRODUCT FEATURES:

Brass Construction & Cast Brass Waterway: Durable - Excellent in high use applications. Ideal for prolonged contact with water.

Ceramic Disc Valve Cartridges: Assures a lifetime of drip-free performance.

Larger Spout: Increased spout height, reach and diameter.

Low Lead: Meets NSF Standard 61/Section 9 & Prop 65 lead requirements.

Choice of finishes: Available in a wide range of durable finishes.

SUGGESTED SPECIFICATION:

Two handle centerset bar sink faucet shall feature brass construction with all brass inlet shanks and coupling nuts. Shall also feature 1/4 turn washerless ceramic disc valve cartridges that are reversible for use with cross or lever handles. Fitting shall be American Standard Model # 2770._____.




HAMPTON

TWO-HANDLE BAR SINK FAUCET WITH BRASS GOOSENECK SPOUT

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ASME A112.18.1 CSA B 125 NSF 61/Section 9



			Finish Options		
	Product		Polished Chrome	PVD Polished Brass	PVD Satin Nickel
	Number	Description	002	099	295
٤	2770.712	Centerset bar faucet. Porcelain lever handles.			
Ł	2770.732	Centerset bar faucet. Metal lever handles.			



Meets the American Disabilities Act Guidelines and **ANSI A117.1** Requirements for the physically challenged.