

L O G I C *m e e t*
CONFERENCE SERIES
LIST PRICES EFFECTIVE
M A R C H 1 , 2 0 0 8

L O G I C M E E T



2 0 0 8

HBF 2008 Price List Contents

Effective Date: March 1, 2008

Mailing Address:
HBF/HBF Textiles
PO Box 8
Hickory, NC 28603-0008

Shipping Address:
HBF/HBF Textiles
900-12th Street Drive NW
Hickory, NC 28601-4763

Phone: 828.328.2064
Fax: 828.485.2690
info: info@hbf.com
www.hbf.com
www.hbftextiles.com

CONTENTS


	PAGE		PAGE
LOGICmeet I SPECIFICATIONS		LOGICmeet CABINETRY PRODUCTS	
Base Options	3	Audio/Video Cart, Mobile	34
Base Placement	5	Buffet Cart, Mobile	33
Edge Details	2	Chart Rail	32
Electrical Access Doors	7	Credenzas-Acrylic Doors	26
Electrical Access Grommets	7	Credenzas-Wood Doors	26
Finishe Availability Chart	2	Credenzas-Buffer Shelf	27
Laminate Materials	3	Credenzas-Media Wall	30
Metal Panel Legs	3, 4	Dry Erase Board	32
Perforated Leg Covers	4	Easel, Mobile	33
Power/Data Monuments	5	Lecterns	35
Power/Data Plate	7	Presentation Cabinets, Wall Mounted	32
Solid Surface Materials	3	Projectable Fabric Panel	32
Veneer Options	2	Serving Cart, Mobile	33
Video Conference Metal Panel Legs	6	Tackable Surface Board	32
Video Conference Power Channel	6		
LOGICmeet I PRODUCTS			
Tables-Arched Boat	12		
Tables-Rectangular	9		
Tables-Round	8		
Tables-Square	8		
Tables-Video Conference	15		
LOGICmeet II SPECIFICATIONS			
Acrylic Solid Surface Materials	16		
Base Options	18		
Cladding for Bases	18		
Edge Details	16		
Electric Access Grommets	18		
Finishe Availability Chart	17		
Laminate Materials	16		
Power/Data Plate	18		
Protective Edge Detail	16		
PVC Edge Bands	16		
Teaming Tables-Modesty Panels	18		
Teaming Tables-Power/Data	18		
Veneer Options	16		
LOGICmeet II PRODUCTS			
Cladding for Metal X-Base	20		
Cladding for Metal Trestle Base	21		
Tables-Arched Boat with Metal Trestle Base	21		
Tables-Rectangular with Extruded Aluminum Legs	22		
Tables-Rectangular with Metal Trestle Base	21		
Tables-Round with Extruded Aluminum Legs	22		
Tables-Round with Four Star Base	19		
Tables-Round with Metal X-Base	19		
Tables-Square with Extruded Aluminum Legs	22		
Tables-Square with Metal X-Base	20		
Tables-Teaming with Extruded Aluminum Legs	23		
LOGICmeet CABINETRY SPECIFICATIONS			
A/V Cart-Electrical Access	25		
Credenza Buffet Shelves	24		
Credenza Doors	24		
Credenza Hardware	24		
DVD/CD Drawer	24		
Trash Can Bracket	24		
Lectern-Light	24		
Lectern-Microphone	24		
Lectern-Power/Data	24		

HBF LOGICmeet Series I

Specifications - Materials


Tables with Metal Panel Bases

Top Edge Details




Wood Veneer Tops

Edges are bordered with solid wood edge band



Laminate Tops

Edges are bordered with 3mm thick PVC materials, adhered to table edge and shaped to profile



Solid Surface Tops

Edges are shaped solid surface material

All LOGICmeet conference tables have a finger-pull recessed on the bottom of the edge detail.

Veneer

The following slip matched, plain sliced veneers are available with the finish options as shown below. Pricing for these veneers are shown by veneer grade.

Bamboo: Not a graded veneer and available only on select LOGICmeet tables.

Anigre: Color and grain variations are typical characteristics of anigre veneer. Color may range from light yellow to pale brown, sometimes with a pink tint. The grain pattern of anigre will also vary in frequency and size; grain pattern changes should be expected within a given product or suite of furniture.

Veneer Grade 1

Cherry
Maple
Ligno-Grain
Walnut

Veneer Grade 2

Rift Oak
Sapele

Veneer Grade 3

Anigre

Finish Availability Chart

		Veneer Grade 1				Veneer Grade 2		Veneer Grade 3	(Not Graded)
		Cherry	Maple	Ligno-Grain	Walnut	Rift Oak	Sapele	Anigre	Bamboo
01	Centennial	•		•					•
02	Espresso	•		•					•
03	Imperial	•		•					•
05	Tuscan	•		•					•
06	Amber	•		•			•		•
07	Chestnut	•		•					•
09	Onyx	•		•					•
10	Honey	•		•					•
11	Amazon	•		•					•
12	Wheat		•	•					•
16	Caramel		•	•		•			•
17	Scone						•		
18	Biscotti		M*						
19	Butterscotch							•	
20	Hazelnut		M*						
21	Chai							•	
22	Cider		M*						
23	Mocha					•			
24	Chocolat		M*						
25	Cocoa				•				
26	Latte		M*						
27	Honeycomb				•				
28	Nectar		M*						
29	Nutmeg				•				
30	Toffee		M*						

M* (maple): These finishes are available only on maple seating and occasional table products and allow the specifier to create a finish that is complementary to non-maple veneers available on conference and casegood products. HBF's maple seating and occasional table products can therefore be specified with HBF conference and casegoods constructed with the available non-maple veneers and create an office environment with complementary wood tones. These finishes are not available on conference or casegood products.

18 Biscotti on maple complements 17 Scone on sapele
20 Hazelnut on maple complements 19 Butterscotch on anigre
22 Cider on maple complements 21 Chai on anigre
24 Chocolat on maple complements 23 Mocha on rift oak
26 Latte on maple complements 25 Cocoa on walnut
28 Nectar on maple complements 27 Honeycomb on walnut
30 Toffee on maple complements 29 Nutmeg on walnut

All conference and casegood products are standard with a 30° sheen.

An upcharge of **10% Net** per unit for conference and casegood products, with a minimum upcharge of **\$375 Net** per order will apply for any custom wood finish.

HBF LOGIC*meet* Series I

Specifications - Materials

Tables with Metal Panel Bases

Solid Surface Materials

Solid surface tops are available on all LOGIC*meet* tables except the video conference tables. Solid surface material may also be specified for the suspended buffet shelf offered on credenzas. Mobile carts also have this top option.

Two standard HBF solid surface material colors are available – Alabaster White and Ebony Skies. Other solid surface materials may be specified; contact HBF Customer Service for pricing and lead time information.

Solid surface material “Care Kits” are available. One will ship with each order, additional kits are available for \$42 List per kit.

Laminates

Laminate tops are offered on all LOGIC*meet* tables.

The following Pionite® laminates are HBF standard selections:

Carnation White Suede	SW806	Stonedust Suede	SG224
Eggshell White Suede	SW803	Ingot Gray Suede	SG211
Tawny White Suede	SW812	Nubian Brown Suede	ST604
Ash Gray Suede	SG254	Anigre Suede	WX041
Pumice Suede	SG203	Hardrock Maple Suede	WM791
Folkstone Gray Suede	SG241		

LOGIC*meet* laminate tables can also be specified in any commercially available laminate. Pricing will be determined by the price of the specified laminate, lead time for the table will be based upon the availability of the laminate material. Contact HBF Customer Service for quote.

The edges of LOGIC*meet* laminate tables are formed with a 3mm edge band to create an attractive and very durable edge. This PVC edge band material is available in the following HBF standard colors:

Translucent Ivory	Fog
Sail White	Pepperdust
Graphite	Black

If laminate surface is specified please indicate on order both a surface and a PVC edge band color selection.


Base Options

All LOGIC*meet* bases are metal with a Satin Pewter powder coat finish.


10” Metal Leg

The LOGIC*meet* 10” metal legs are standard on round and square tables, also the 84 x 42 and 96 x 48 rectangular tables.


These legs incorporate a wire management channel and are equipped with wire clips to secure power/data cords.



**10” Metal Leg
with Wire Clip**



**Round Table
Leg Configuration**



**Square Table
Leg Configuration**



**Rectangular Table
Leg Configuration**

HBF LOGIC^{meet} Series I

Specifications - Materials


Tables with Metal Panel Bases

30" Metal Leg


LOGIC^{meet} 30" bases are constructed of two 10" legs that are connected with two horizontal metal bars. The lowest connector bar is 5" above the floor. The connector bars and the void between the two legs are covered with one of two types of removable panels. These removable panels allow easy access to the wiring tract inside the base.

The outside removable metal covers at the ends of all tables are thin profile and the full height of the table base. The inside covers on tables specified without electrical are the same thin profile.

Covers on tables with power and data capabilities can be specified with either the removable thin profile cover or a wider perforated cover. The thin profile and removable perforated leg panels are interchangeable. The perforated leg panel is 4" in width and would be used when the leg must be centered over a floor monument for power/data access.




Thin Cover




Perforated Cover


Note: Additional Perforated Covers
LGPAPC Add **\$355 List** (2 panels)




30" Metal Leg (exploded)
Standard on all rectangular and arched boat tables. 30" leg consists of two 10" leg panels and a 10" metal connector plate/cover




30" Metal Leg (assembly)
(Assembled leg shows the removable perforated leg cover)





Two Thin Covers
 5-3/8"W x 3-3/8"L x 4-1/2"H






One Thin and One Thick Perforated Cover
 5-3/8"W x 6-1/4"L x 4-1/2"H



Two Thick Perforated Covers
 5-3/8"W x 9"L x 4-1/2"H



Base Placement Locations		
Table Dimension	A	B
48" x 96"	22 1/4"	51 1/2"
48" x 108"	15 3/4"	76 1/2"
48" x 120"	21 3/4"	76 1/2"
54" x 144"	20 1/2"	(2) 51 1/2"
54" x 168"	21 1/2"	(2) 62 1/2"
60" x 192"	19 1/2"	(2) 76 1/2"
60" x 216"	26 1/2"	(2) 81 1/2"
66" x 108" AV	22 3/4"	62 1/2"
84" x 144" AV	20 1/2"	(2) 51 1/2"



HBF LOGIC*meet* Series I

Specifications - Materials


Tables with Metal Panel Bases

Metal Legs for Video Conference Tables


The outside removable metal covers at the ends of all LOGIC*meet* video conference tables are thin profile and the full height of the table base. The inside covers on tables specified without electrical are the same thin profile.

Inside covers on electrical tables can be specified with either the thin profile covers or a wider perforated cover. The thin profile and removable perforated leg panels are interchangeable. The perforated leg panel is 4" in width and would be used when the leg must be centered over a floor monument for power/data access.

The LOGIC*meet* video conference tables with two-piece top measuring 108" OW x 66" OD are equipped with two 30" metal legs. The larger video conference table has a three-piece top; the bases consist of two 40" metal legs and one 30" metal leg.





**Two-Piece Top
Leg Configuration**



**Three-Piece Top
Leg Configuration**

Power Channel

The metal power channel is standard on all LOGIC*meet* tables with 30" bases. This horizontal channel connects the 30" bases to supply a large trough to accommodate data/electrical wiring. This power channel provides additional support for the table top and is also included on tables without power/data access.




HBF LOGICmeet Series I

Technology Specifications

Tables with Metal Panel Bases

Electrical Access Grommet



The small LOGICmeet tables with 10" metal legs are available with a compact power/data unit with a removable grommet cover. The round grommet is standard in HBF Satin Pewter powder coat finish. Grommet mounts flush with the top surface.

Power/Data Plate




LOGICmeet conference tables with 10" metal bases specifying power/data capabilities will be equipped with a power/data unit that provides two (2) 110 volt electrical outlets and two (2) Cat.5E data jacks. This unit uses a six foot soft cord with a grounded plug.

The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation, **however it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.** Electrical components meet both Chicago and New York electrical codes.


Additional voice/data inserts are available to replace the standard data jacks. These inserts can be ordered from Doug Mockett & Company (www.mocket.com) and installed as required by the end users data specialist to accommodate specific requirements.

Electrical Access Doors

Metal electrical access doors for LOGICmeet conference tables with 30" metal bases are hinged, and standard in a Satin Pewter powder coat finish. Access doors pivot vertically to provide easy access to the power/data connections and mount flush with the top surface.



Power/Data Plate



All LOGICmeet conference tables with 30" metal bases with power/data access are hardwired and must be installed by a licensed electrician.


The power/data plate provides four (4) 110 volt electrical outlets and two (2) blank voice/data modules. Data and power are separated within the power/data plate. HBF recommends using shielded cable for data/communication applications.

The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation, **however it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.** Electrical components meet both Chicago and New York electrical codes.

Voice/data connections are provided by means of a knockout cover fitted to an opening designed around the AMP FLEXMODE interconnection modules. These can be installed as needed by the end user's data specialist. AMP Incorporated is not connected in any way to HBF and is a nationally used supplier of network, voice and data equipment. for additional information call the AMP Product Information Center (800) 522-6752.

HBF LOGIC^{meet} Series I


Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Round with Four 10" Metal Legs												



LG74B-P	3070	3315	3684	2455	5274					29	48	195
LG74C-P	3377	3648	4053	2762	5581					29	54	210
LG74D-P	3685	3980	4422	3070	6196					29	60	225

Veneer species must be noted on each line item


Round with Four 10" Metal Legs (2 electrical/2 data jacks)



LG74O-PR1	3787	4090	4545	3172	5991					29	48	205
LG74P-PR1	4095	4422	4914	3480	6299					29	54	220
LG74R-PR1	4197	4533	5037	3787	6709					29	60	230

Veneer species must be noted on each line item


Square with Four 10" Metal Legs



LG77B-P	2967	3205	3561	2352	5069	48	48	29				210
LG77C-P	3275	3537	3930	2660	5376	54	54	29				230
LG77D-P	3582	3869	4299	2967	5991	60	60	29				245

Veneer species must be noted on each line item

Square with Four 10" Metal Legs (2 electrical/2 data jacks)



LG77O-PR1	3480	3758	4176	2865	5581	48	48	29				220
LG77P-PR1	3787	4090	4545	3172	5889	54	54	29				240
LG77R-PR1	4095	4422	4914	3480	6504	60	60	29				260


Veneer species must be noted on each line item

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series I


Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Rectangular with Four 10" Metal Legs												



LG78D-P	4395	4747	5274	3070	6709		84	42	29		245
LG78E-P	5025	5427	6030	3685	7324		96	48	29		275

Veneer species must be noted on each line item


Rectangular with Four 10" Metal Legs (4 electrical/4 data jacks)



LG78R-PR2	5395	5827	6474	4095	7734		84	42	29		265
LG78S-PR2	6045	6529	7254	4710	8349		96	48	29		295

Veneer species must be noted on each line item


Rectangular with Two 30" Metal Legs



LG78E-H	6045	6529	7254	4710	8707		96	48	29		360
LG78F-H	6655	7187	7986	5325	9322		108	48	29		380
LG78G-H	7285	7868	8742	5735	9937		120	48	29		395

Veneer species must be noted on each line item

Rectangular with Two 30" Metal Legs and Power Channel (4 electrical/2 blank voice/data modules)



LG78S-HB1	6755	7295	8106	5397	9035		96	48	29		370
LG78T-HB1	7375	7965	8850	6832	10829		108	48	29		390
LG78V-HB1	7985	8624	9582	7242	11444		120	48	29		405


Veneer species must be noted on each line item

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series I


Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Rectangular with Two 30" Metal legs, Two Removable Perforated Leg Panels and Power Channel (4 electrical/2 blank voice/data modules)												



LG78S-AB1	6895	7447	8274	5530	9169		96	48	29			380
LG78T-AB1	7525	8127	9030	6965	10962		108	48	29			395
LG78V-AB1	8125	8775	9750	7375	11577		120	48	29			410

Veneer species must be noted on each line item


Rectangular with Two 30" Metal Legs and Power Channel (8 electrical/4 blank voice/data modules)



LG78S-HB2	7575	8181	9090	6217	9855		96	48	29			380
LG78T-HB2	8185	8840	9822	7652	12469		108	48	29			400
LG78V-HB2	8795	9499	10554	8062	13084		120	48	29			415

Veneer species must be noted on each line item


Rectangular with Two 30" Metal Legs, Two Removable Perforated Leg Panels and Power Channel (8 electrical/4 blank voice/data modules)



LG78S-AB2	7715	8332	9258	6350	9989		96	48	29			390
LG78T-AB2	8335	9002	10002	7785	12602		108	48	29			405
LG78V-AB2	8955	9671	10746	8195	13217		120	48	29			420

Veneer species must be noted on each line item

Rectangular Two-Piece Top with Three 30" Metal Legs




LG78H-H	9395	10147	11274	8195	12295		144	54	29			580
LG78J-H	11526	12448	13831	9732	14755		168	54	29			615
LG78K-H	12551	13555	15061	10757	15780		192	54	29			685
LG78L-H	13576	14662	16291	11782	16805		216	60	29			730

Veneer species must be noted on each line item


Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Rectangular Two-Piece Top with Three 30" Metal Legs and Power Channel (8 electrical/4 blank voice/data modules)												
	LG78W-HB2	11235	12134	13482	9702	13802		144	54	29		600
	LG78X-HB2	13695	14791	16434	11239	16262		168	54	29		635
	LG78Y-HB2	14695	15871	17634	12264	17287		192	54	29		705
	LG78Z-HB2	15695	16951	18834	13289	18312		216	60	29		750


Veneer species must be noted on each line item

Rectangular Two-Piece Top with Three 30" Metal Legs, Two Removable Perforated Leg Panels and Power Channel (8 electrical/4 blank voice/data modules)

	LG78W-AB2	11275	12177	13530	9835	13935		144	54	29		605
	LG78X-AB2	13735	14834	16482	11372	16395		168	54	29		640
	LG78Y-AB2	14760	15941	17712	12397	17420		192	54	29		710
	LG78Z-AB2	15785	17048	18942	13422	18445		216	60	29		755


Veneer species must be noted on each line item

Rectangular Two-Piece Top with Three 30" Metal Legs and Power Channel (16 electrical/8 blank voice/data modules)

	LG78W-HB4	12785	13808	15342	11342	15442		144	54	29		620
	LG78X-HB4	15245	16465	18294	12879	17902		168	54	29		655
	LG78Y-HB4	16265	17566	19518	13904	18927		192	54	29		725
	LG78Z-HB4	17295	18679	20754	14929	19952		216	60	29		770

Veneer species must be noted on each line item

Rectangular Two-Piece Top with Three 30" Metal Legs, Two Removable Perforated Leg Panels and Power Channel (16 electrical/8 blank voice/data modules)


	LG78W-AB4	12915	13948	15498	11475	15575		144	54	29		625
	LG78X-AB4	15375	16605	18450	13012	18035		168	54	29		660
	LG78Y-AB4	16395	17707	19674	14037	19060		192	54	29		730
	LG78Z-AB4	17425	18819	20910	15062	20085		216	60	29		775

Veneer species must be noted on each line item

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		


Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Arched Boat with Two 30" Metal Legs												



LG80G-H	7836	8463	9403	6145	10450		120	48	29			395
----------------	-------------	-------------	-------------	-------------	--------------	--	-----	----	----	--	--	-----

Veneer species must be noted on each line item


Arched Boat with Two 30" Metal Legs and Power Channel (4 electrical/2 blank voice/data modules)												
--	--	--	--	--	--	--	--	--	--	--	--	--



LG80V-HB1	8523	9205	10227	7652	11957		120	48	29			405
------------------	-------------	-------------	--------------	-------------	--------------	--	-----	----	----	--	--	-----

Veneer species must be noted on each line item


Arched Boat with Two 30" Metal Legs, Two Removable Perforated Leg Panels, and Power Channel (4 electrical/2 blank voice/data modules)												
--	--	--	--	--	--	--	--	--	--	--	--	--



LG80V-AB1	8656	9349	10387	7785	12090		120	48	29			410
------------------	-------------	-------------	--------------	-------------	--------------	--	-----	----	----	--	--	-----

Veneer species must be noted on each line item

Arched Boat with Two 30" Metal Legs and Power Channel (8 electrical/4 blank voice/data modules)												
--	--	--	--	--	--	--	--	--	--	--	--	--



LG80V-HB2	9343	10090	11211	9292	13597		120	48	29			415
------------------	-------------	--------------	--------------	-------------	--------------	--	-----	----	----	--	--	-----


Veneer species must be noted on each line item

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series I


Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Arched Boat with Two 30" Metal Legs, Two Removable Perforated Leg Panels and Power Channel (8 electrical/4 blank voice/data modules)												



LG80V-AB2	9476	10234	11371	9425	13730		120	48	29		420
------------------	-------------	--------------	--------------	-------------	--------------	--	-----	----	----	--	-----

Veneer species must be noted on each line item


Arched Boat Two-Piece Top with Three 30" Metal Legs



LG80H-H	10091	10898	12109	8707	12777		144	54	29		580
LG80J-H	12415	13408	14898	10245	15267		168	54	29		615
LG80K-H	13425	14499	16110	11270	16292		192	60	29		685
LG80L-H	14455	15611	17346	12295	17317		216	60	29		730

Veneer species must be noted on each line item


Arched Boat Two-Piece Top with Three 30" Metal Legs and Power Channel (8 electrical/4 blank voice/data modules)



LG80W-HB2	11725	12663	14070	10214	14314		144	54	29		600
LG80X-HB2	14195	15331	17034	11752	16774		168	54	29		635
LG80Y-HB2	15215	16432	18258	12777	17799		192	60	29		705
LG80Z-HB2	16235	17534	19482	13802	18824		216	60	29		750

Veneer species must be noted on each line item

Arched Boat Two-Piece Top with Three 30" Metal Legs, Two Removable Perforated Leg Panels and Power Channel (8 electrical/4 blank voice/data modules)




LG80W-AB2	11855	12803	14226	10347	14447		144	54	29		605
LG80X-AB2	14315	15460	17178	11885	16907		168	54	29		640
LG80Y-AB2	15355	16583	18426	12910	17932		192	60	29		710
LG80Z-AB2	16365	17674	19638	13935	18957		216	60	29		755

Veneer species must be noted on each line item

Veneer species must be noted on each line item


Veneer Grade 1	Veneer Grade 2	Veneer Grade 3
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC*meet* Series I

Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Arched Boat Two-Piece Top with Three 30" Metal Legs and Power Channel (16 electrical/8 blank voice/data modules)												
	LG80W-HB4	13365	14434	16038	11854	15954		144	54	29		620
	LG80X-HB4	15825	17091	18990	13392	18414		168	54	29		655
	LG80Y-HB4	16855	18203	20226	14417	19439		192	60	29		725
	LG80Z-HB4	17875	19305	21450	15442	20464		216	60	29		770

Veneer species must be noted on each line item

Arched Boat Two-Piece Top with Three 30" Metal Legs, Two Removable Perforated Leg Panels and Power Channel (16 electrical/8 blank voice/data modules)





	LG80W-AB4	13495	14575	16194	11987	16087		144	54	29		625
	LG80X-AB4	15965	17242	19158	13525	18547		168	54	29		660
	LG80Y-AB4	16985	18344	20382	14550	19572		192	60	29		730
	LG80Z-AB4	17995	19435	21594	15575	20597		216	60	29		775


Veneer species must be noted on each line item

Veneer species must be noted on each line item


<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series I


	Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Video Conference Table Two-Piece Top with Two 30” Metal Legs													
	LG86F-A	8995	9695	10794	8707	N/A		108	66	29			400
	Veneer species must be noted on each line item												
	Note: 46” wide at smallest end of table												
Video Conference Table Two-Piece Top with Two 30” Metal Legs, Two Removable Perforated Leg Panels and Power Channel (8 electrical/4 blank voice/data modules)													
	LG86T-AB2	10995	11875	13194	10757	N/A		108	66	29			420
	Veneer species must be noted on each line item												
	Note: 46” wide at smallest end of table												
Video Conference Table Three-Piece Top with Two 40” Metal Legs, One 30” Metal Leg													
	LG86H-A	12395	13387	14874	11987	N/A		144	84	29			670
	Veneer species must be noted on each line item												
	Note: 56” wide at smallest end of table												
Video Conference Table Three-Piece Top with Two 40” Metal Legs, One 30” Metal Leg, Two Removable Perforated Leg Panels, and Power Channel (12 electrical/6 blank voice/data modules)													
	LG86W-AB3	14425	15597	17295	14037	N/A		144	84	29			700
	Veneer species must be noted on each line item												
	Note: 56” wide at smallest end of table												
Veneer species must be noted on each line item													
<div><div>Veneer Grade 1</div><div>Cherry</div><div>Maple</div><div>Ligno-Grain</div><div>Walnut</div></div> <div><div>Veneer Grade 2</div><div>Rift Oak</div><div>Sapele</div></div> <div><div>Veneer Grade 3</div><div>Anigre</div></div>													



Edges are bordered with solid wood edge band



Edges are bordered with 3mm thick PVC materials, adhered to table edge and shaped to profile



Edges are shaped solid surface material

All LOGICmeet conference tables have a finger-pull recessed on the bottom of the edge detail.

The durable PVC protective “T” edge detail is limited to all wood veneer tops except Bamboo. This option must be noted on the order by adding the code “T” to the table style number (see bottom of each page).

These protective edge details are available in the following HBF standard colors and must be specified on order: Ivory (T) Fog (T) Black (T)

Solid surface tops are available on most LOGICmeet conference products.

Two standard HBF solid surface material colors are available – Alabaster White and Ebony Skies. Other solid surface materials may be specified; contact HBF Customer Service for pricing and lead time information.

Solid surface “Care Kits” are available. One will ship with each order, additional kits are available for \$42 List per kit.

Plastic laminate tops are offered on most LOGICmeet conference products.

The following Pionite® laminates are HBF standard selections:

Carnation White Suede	SW806	Stonedust Suede	SG224
Eggshell White Suede	SW803	Ingot Gray Suede	SG211
Tawny White Suede	SW812	Nubian Brown Suede	ST604
Ash Gray Suede	SG254	Anigre Suede	WX041
Pumice Suede	SG203	Hardrock Maple Suede	WM791
Folkstone Gray Suede	SG241		

LOGICmeet laminate tables can also be specified in any commercially available laminate. Pricing will be determined by the price of the specified laminate, lead time for the table will be based upon the availability of the laminate material. Contact HBF Customer Service for quote.

The edges of LOGICmeet laminate tables are formed with a 3mm edge band to create an attractive and very durable edge. This PVC edge band material is available in the following HBF standard colors:

Translucent Ivory	Fog
Sail White	Pepperdust
Graphite	Black

If laminate surface is specified, please indicate on order both a surface and a PVC edge band color selection.

The following slip matched, plain sliced veneers are available with the finish options as shown below.

Pricing for these veneers are shown by veneer grade.

Bamboo: Not a graded veneer and available only on select LOGICmeet tables.

Anigre: Color and grain variations are typical characteristics of anigre veneer. Color may range from light yellow to pale brown, sometimes with a pink tint. The grain pattern of anigre will also vary in frequency and size; grain pattern changes should be expected within a given product or suite of furniture.

Cherry
Maple
Ligno-Grain
Walnut

Rift Oak
Sapele

Anigre

HBF Ligno-Grain veneer and Bamboo plywood panels provide an opportunity to specify environmentally friendly products. HBF Ligno-Grain veneer is a high-quality reconstituted wood veneer and Bamboo offers a renewable alternative to hardwood; both produce a textured surface that is not fully filled. (Bamboo is not available on all LOGICmeet products, price list will note N/A).

Wood veneer tops are bordered with a solid wood edge band or a durable PVC protective “T” edge detail may be selected for wood veneer tops (not available on bamboo).

HBF LOGIC^{meet} Series II

Specifications

Tables with Metal X-Base, Metal Trestle Base, Extruded Aluminum Legs

Finish Availability Chart

		Veneer Grade 1				Veneer Grade 2		Veneer Grade 3	(Not Graded)
		Cherry	Maple	Ligno-Grain	Walnut	Rift Oak	Sapele	Anigre	Bamboo
01	Centennial	•		•					•
02	Espresso	•		•					•
03	Imperial	•		•					•
05	Tuscan	•		•					•
06	Amber	•		•			•		•
07	Chestnut	•		•					•
09	Onyx	•		•					•
10	Honey	•		•					•
11	Amazon	•		•					•
12	Wheat		•	•					•
16	Caramel		•	•		•			•
17	Scone						•		
18	Biscotti		M*						
19	Butterscotch							•	
20	Hazelnut		M*						
21	Chai							•	
22	Cider		M*						
23	Mocha					•			
24	Chocolat		M*						
25	Cocoa				•				
26	Latte		M*						
27	Honeycomb				•				
28	Nectar		M*						
29	Nutmeg				•				
30	Toffee		M*						

M* (maple): These finishes are available only on maple seating and occasional table products and allow the specifier to create a finish that is complementary to non-maple veneers available on conference and casegood products. HBF's maple seating and occasional table products can therefore be specified with HBF conference and casegoods constructed with the available non-maple veneers and create an office environment with complementary wood tones. These finishes are not available on conference or casegood products.

18 Biscotti on maple complements 17 Scone on sapele
 20 Hazelnut on maple complements 19 Butterscotch on anigre
 22 Cider on maple complements 21 Chai on anigre
 24 Chocolat on maple complements 23 Mocha on rift oak
 26 Latte on maple complements 25 Cocoa on walnut
 28 Nectar on maple complements 27 Honeycomb on walnut
 30 Toffee on maple complements 29 Nutmeg on walnut

All conference and casegood products are standard with a 30° sheen.

An upcharge of **10% Net** per unit for conference and casegood products, with a minimum upcharge of **\$375 Net** per order will apply for any custom wood finishes.

HBF LOGIC^{meet} Series II


Specifications

Tables with Metal X-Base, Metal Trestle Base, Extruded Aluminum Legs

Bases Depending on size and style, LOGIC^{meet} conference tables are available with metal X-bases or extruded aluminum legs; both standard in HBF Satin Pewter powder coat finish. Locking casters may also be added to the small round and square conference tables, as well as teaming tables, to facilitate relocation. Caster availability will be noted for applicable products and must be specified on the purchase order by adding the code “CC” to the table style number.

Cladding LOGIC^{meet} round and square tables with a metal X-base may be specified with either wood veneer or a perforated metal cladding. LOGIC^{meet} rectangular and boat shaped tables with metal trestle base may be specified with either wood veneer panels or perforated metal cladding. Metal cladding is standard in HBF Satin Pewter powder coat finish. Cladding provides concealment and easy access to wiring. Cladding must be ordered as a separate style number. The open metal base is also available without cladding.

Electrical Access Grommet



LOGIC^{meet} conference tables are available with a compact power/data unit with a removable grommet cover. The round grommet is standard in HBF Satin Pewter powder coat finish. Grommet mounts flush with the top surface.

Power/Data Plate




LOGIC^{meet} conference tables specifying power/data capabilities will be equipped with a power/data unit that provides two (2) 110 volt electrical outlets and two (2) Cat.5E data jacks. This unit may be hardwired or is available with a six foot soft cord with a grounded plug. Hardwired or softwired selection must be noted on the purchase order by adding the appropriate code to the table style number.

The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation; **however it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.** Electrical components meet both Chicago and New York electrical codes.

Additional voice/data inserts are available to replace the standard data jacks. These inserts can be ordered from Doug Mockett & Company (www.mocket.com) and installed as required by the end users data specialist to accommodate specific requirements.

Teaming Table Power



LOGIC^{meet} teaming tables are available with a UL listed power and data center with a rotating face that provides access to two (2) power simplexes and two (2) RJ45 data/voice modules. The AC96M housing is clear anodized aluminum and the unit is standard with a ten foot soft cord and a three prong grounded plug. Unit measures 8 3/8” OW x 4 3/8” OD.

**Teaming Table
Modesty Panels**

LOGIC^{meet} teaming tables are available with an optional modesty panel that is centered between the legs of the table (8 1/2” from each end) and extends 8” below the table top. Modesty panels, mounting brackets and installation instructions are sent as a kit to be installed in the field.

HBF LOGIC^{meet} Series II

	Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Bamboo	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Round with Four-Star Base														



LG74R-X	2865	3094	3438	2865	2045	4812						29	36	155
LG74A-X	3070	3316	3684	3070	2250	5017						29	42	170
LG74B-X	3377	3647	4052	3377	3557	5325						29	48	185

Veneer species must be noted on each line item



Round with Metal X-Base



LG74A	2170	2344	2604	2170	1795	3865						29	42	170
LG74B	2470	2688	2964	2470	2025	4335						29	48	195
LG74C	2770	2992	3324	N/A	2245	4795						29	54	210

Veneer species must be noted on each line item

Notes: See options below for cladding, PVC edge, power/data, casters.

LGB74A-Bamboo (Content 15% post consumer, 11% post industrial)
LGB74B-Bamboo (Content 14% post consumer, 10% post industrial)




PVC Protective Edge
Add -T to style number
Deduct \$200 List
(N/A on Bamboo, Laminate or Acrylic tops)



Hardwired Power/Data
Add -RH1 to style number
Add \$495 List



Softwired Power/Data
Add -RS1 to style number
Add \$495 List




Locking Casters
Add -CC to style number
No Charge

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series II

	Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Bamboo	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Square with Metal X-Base														
	LGP77A	2110	2279	2532	2110	1755	3765		42	42	29			180
	LGP77B	2410	2603	2892	2410	1975	4235		48	48	29			195


Veneer species must be noted on each line item

Notes: See options below for cladding, PVC edge, power/data, casters.

LGB77A-Bamboo (Content 14% post consumer, 10% post industrial)

LGP77B-Bamboo (Content 12% post consumer, 9% post industrial)

Cladding for Metal X-Base

	LGP74C	Add \$165 List	Perforated Metal (4 panels)	25
	LGP74C	Veneer 1: Add \$395 List	Wood Veneer (4 panels)	35
	LGP74C	Veneer 2: Add \$427 List	Wood Veneer (4 panels)	35
	LGP74C	Veneer 3: Add \$474 List	Wood Veneer (4 panels)	35

Veneer species must be noted on each line item

Notes: Wood veneer cladding not available in Bamboo.



PVC Protective Edge
Add -T to style number
Deduct \$200 List
(N/A on Bamboo, Laminate or Acrylic tops)



Hardwired Power/Data
Add -RH1 to style number
Add \$495 List



Softwired Power/Data
Add -RS1 to style number
Add \$495 List



Locking Casters
Add -CC to style number
No Charge

Veneer species must be noted on each line item

Veneer Grade 1

Cherry
Maple
Ligno-Grain
Walnut

Veneer Grade 2


Rift Oak
Sapele

Veneer Grade 3

Anigre

HBF LOGIC^{meet} Series II

	Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Bamboo	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Rectangular with Metal Trestle Base														




LG78E-G	4795	5179	5754	4795	3545	7035			96	48	29			325
LG78G-G	5695	6151	6834	N/A	4185	8295			120	48	29			365

Veneer species must be noted on each line item

Notes: See options below for cladding, PVC edge, power/data.

LGB78E-G-Bamboo (Content 13% post consumer, 10% post industrial)

Arched Boat with Metal Trestle Base




LG80E-G	5395	5827	6474	5395	3895	7745			96	48	29			305
LG80G-G	6395	6907	7674	N/A	4615	9145			120	48	29			345

Veneer species must be noted on each line item

Notes: See options below for cladding, PVC edge, power/data.

LGB80E-G-Bamboo (Content 14% post consumer, 10% post industrial)

Cladding for Metal Trestle Base



LGP78C	Add \$245 List	Perforated Metal (2 enclosures)		30
LGP78C	Veneer 1: Add \$795 List	Wood Veneer (4 panels)		65
LGP78C	Veneer 2: Add \$859 List	Wood Veneer (4 panels)		65
LGP78C	Veneer 3: Add \$954 List	Wood Veneer (4 panels)		65

Veneer species must be noted on each line item

Notes: Wood veneer cladding not available in Bamboo.



PVC Protective Edge
Add -T to style number
Deduct \$200 List
(N/A on Bamboo, Laminate or Acrylic tops)



Hardwired Power/Data
Add -RH2 (two units)
to style number
Add \$990 List




Softwired Power/Data
Add -RS2 (two units)
to style number
Add \$495 List

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series II

	Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Round with Extruded Aluminum Legs													




LG74R-F	1725	1863	2070	1375	N/A						29	36	85
LG74A-F	2025	2187	2430	1585	N/A						29	42	105
LG74B-F	2325	2511	2790	1795	N/A						29	48	125

Veneer species must be noted on each line item

Notes: See options below for PVC edge, power/data (RS1).

Square with Extruded Aluminum Legs




LG77R-F	1665	1798	1998	1325	N/A		36	36	29				95
LG77A-F	1965	2122	2358	1545	N/A		42	42	29				115
LG77B-F	2265	2446	2718	1755	N/A		48	48	29				135

Veneer species must be noted on each line item

Notes: See options below for PVC edge, power/data (RS1).

Rectangular with Extruded Aluminum Legs



LG78D-F	3495	3775	4194	2625	N/A		84	42	29				155
LG78E-F	3895	4207	4674	2915	N/A		96	48	29				175

Veneer species must be noted on each line item

Notes: See options below for PVC edge, power/data (RS1 or RS2). Tables have six extruded aluminum legs; casters are not available on these tables.



PVC Protective Edge
Add -T to style number
Deduct \$200 List
(N/A on Bamboo or Laminate tops)



Softwired Power/Data
Add -RS1 to style number
for one unit,
Add \$495 List
Add -RS2 to style number
for two units,
Add \$990 List



Locking Casters
Add -CC to style number
No Charge
(N/A on rectangular tables with extruded aluminum legs)

Veneer species must be noted on each line item

Veneer Grade 1

Cherry
Maple
Ligno-Grain
Walnut


Veneer Grade 2

Rift Oak
Sapele

Veneer Grade 3

Anigre

HBF LOGIC^{meet} Series II


	Style Number	List Prices	Veneer 1	Veneer 2	Veneer 3	Laminate	Solid Surface	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Rectangular Teaming Table with Four Extruded Aluminum Legs													
	LG81A-F	2045	2209	2454	1665	N/A		54	30	29			115
	LG81B-F	2305	2489	2766	1855	N/A		60	30	29			120
	LG81C-F	2565	2770	3078	2035	N/A		66	30	29			125
	LG81D-F	2825	3051	3390	2225	N/A		72	30	29			130
	LG81E-F	2895	3127	3474	2275	N/A		72	36	29			135

Veneer species must be noted on each line item

Notes: See options below for PVC edge, power/data, modesty panel, casters. Power/data unit is centered and mounted 6" from back edge of table.



PVC Protective Edge
Add -T to style number
Deduct \$200 List
(N/A on Bamboo, Laminate or Acrylic tops)



Softwired Power/Data
Indicate AC96M on order
Add \$325 List



Modesty Panel
Add -MOD to style number
Add \$395 List
(Available only on Teaming Tables)



Locking Casters
Add -CC to style number
No Charge

Veneer species must be noted on each line item

Veneer Grade 1

Cherry
Maple
Ligno-Grain
Walnut

Veneer Grade 2

Rift Oak
Sapele

Veneer Grade 3

Anigre

HBF LOGIC*meet* Series Cabinetry

Specifications - Materials

Conference Cabinetry

Credenza Buffet Shelves Credenzas are available with optional glass buffet shelf in addition to wood, laminate and acrylic. This glass is tempered 1/2" thick, white back-painted, with a frosted top surface.

Credenza Doors LOGIC*meet* credenzas are available with wood and acrylic doors. Wood doors are standard with locks. Acrylic doors are frosted, semi-transparent material.


Credenza Hardware All metal components for LOGIC*meet* conference products are HBF Satin Pewter powder coat finish.

LOGIC*meet* oval pull is standard on all credenzas with acrylic doors.

The LOGIC*meet* horizontal bar pull is standard on all credenzas with wood doors.



Oval Pull



Bar Pull


DVD/CD Drawer Drawer can accommodate up to 90 standard jewel cases and has a load capacity of 65 lbs. Drawer can be mounted inside to bottom of media wall credenza top and is equipped with full extension under-mount slides. Drawer, hardware and installation instructions are sent as a kit to be installed in the field. Drawer requires a minimum clearance of 16 1/2" OW x 15 1/2" OD x 6 3/4" OH.

Trash Can Bracket Trash Can Bracket is designed to attach to the inside of a credenza door and can be installed on any LOGIC*meet* standard wood credenza with wood doors or 29 1/2" high media wall. Note that use of this option will displace any shelf that may be in that component. A standard black Rubbermaid thirteen quart trash can, 11 3/8" OW x 8 1/4" OD x 12 1/8" OH, is included with the bracket. Trash can, bracket hardware and installation instructions are sent as a kit to be installed in the field.

Lectern Light/Microphone A Lite L-18-LED Light is available with the lectern and has an 18" gooseneck. The light has a built in switch and is supplied with a transformer so that it can be plugged into the power strip inside the lectern.

The Microphone available with the lectern is an Audio Technica U857QL Cardioid Condenser quick-mount gooseneck unit with a AT8314-6 XLR cord with an IN/OUT connector. The microphone also includes a AT8314-6 microphone shock-mount.

Lectern Power




LOGIC*meet* lecterns are available with a UL listed power and data center with a rotating face that provides access to two (2) power simplexes and two (2) RJ45 data/voice modules. The AC96M housing is clear anodized aluminum and the unit is standard with a ten foot soft cord and a three prong grounded plug. Unit measures 8 3/8" OW x 4 3/8" OD.

HBF LOGIC*meet* Series Cabinetry

Technology Specifications

Conference Cabinetry

Mobile Audio/Video Cart Electrical Access



The LOGIC*meet* mobile audio/video carts may be specified with a power/data unit that can be mounted to any surface on the cart. The unit is standard in a satin pewter finish and will be supplied for the end user to mount as needed to meet their specific requirements. Specify **AC96NP**, add **\$295** List.

This power/data unit provides two (2) 110 volt electrical outlets and two data jacks. The unit uses a soft cord with grounded plug.

The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation, **however it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.** Electrical components meet both Chicago and New York electrical codes.


HBF LOGIC*meet* Series Cabinetry

Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Credenzas with Wood Doors											
LG53R-XW		2595	2803	3114			36	19 ¹ / ₂	29 ¹ / ₈		190
LG53B-XW		3795	4099	4554			49	19 ¹ / ₂	29 ¹ / ₈		245



Veneer species must be noted on each line item

Notes: Interior has one adjustable shelf.



Credenza with Wood Doors

LG53E-XW		6350	6858	7620			72	19 ¹ / ₂	29 ¹ / ₈		350
----------	--	------	------	------	--	--	----	--------------------------------	--------------------------------	--	-----



Veneer species must be noted on each line item

Note: Wood doors are standard with locks. Interior has two partitions and three adjustable shelves.




Credenza with Wood Doors

LG53J-XW		7631	8242	9157			96	19 ¹ / ₂	29 ¹ / ₈		470
----------	--	------	------	------	--	--	----	--------------------------------	--------------------------------	--	-----



Veneer species must be noted on each line item

Note: Wood doors are standard with locks. Interior has two partitions and three adjustable shelves.




Credenzas with Acrylic Doors

LG53R-XA		2885	3116	3462			36	19 ¹ / ₂	29 ¹ / ₈		175
LG53B-XA		4195	4531	5034			49	19 ¹ / ₂	29 ¹ / ₈		230



Veneer species must be noted on each line item

Notes: Interior has one adjustable shelf.




Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Credenza with Acrylic Doors											
LG53E-XA		6862	7411	8235			72	19 ¹ / ₂	29 ¹ / ₈		330



Veneer species must be noted on each line item




Note: Interior has two partitions and three adjustable shelves. Acrylic doors are frosted, semi-transparent material.

LG53J-XA		8144	8795	9772			96	19 ¹ / ₂	29 ¹ / ₈		440
-----------------	--	-------------	-------------	-------------	--	--	----	--------------------------------	--------------------------------	--	-----



Veneer species must be noted on each line item




Note: Interior has two partitions and three adjustable shelves. Acrylic doors are frosted, semi-transparent material.

LG53R-AW	acrylic shelf	4175	4509	5010			40	21 ¹ / ₂	34 ¹ / ₁₆		255
LG53B-AW	acrylic shelf	6045	6529	7254			53	21 ¹ / ₂	34 ¹ / ₁₆		320
LG53R-GW	glass shelf	3395	3667	4074			40	21 ¹ / ₂	33 ⁹ / ₁₆		245
LG53B-GW	glass shelf	4935	5330	5922			53	21 ¹ / ₂	33 ⁹ / ₁₆		310
LG53R-LW	laminate shelf	3145	3397	3774			40	21 ¹ / ₂	34 ¹ / ₁₆		240
LG53B-LW	laminate shelf	4575	4941	5490			53	21 ¹ / ₂	34 ¹ / ₁₆		305
LG53R-WW	wood shelf	3215	3472	3858			40	21 ¹ / ₂	34 ¹ / ₁₆		240
LG53B-WW	wood shelf	4675	5049	5610			53	21 ¹ / ₂	34 ¹ / ₁₆		305



Veneer species must be noted on each line item



Notes: Interior has one adjustable shelf.


<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series Cabinetry

Style Number	Description	List Prices				Dimensions					Cartoned Weight (lbs.)
			Veneer 1	Veneer 2	Veneer 3		OW	OD	OH	DIA	
Credenzas with Suspended Buffet Shelf, Wood Doors											
LG53E-AW	acrylic shelf	10040	10843	12048		76	21½	34⅙		465	
LG53E-GW	glass shelf	8195	8850	9834		76	21½	33⅞		435	
LG53E-LW	laminate shelf	7580	8186	9096		76	21½	34⅙		430	
LG53E-WW	wood shelf	7682	8297	9219		76	21½	34⅙		430	



Veneer species must be noted on each line item




Note: Wood doors are standard with locks. Interior has two partitions and three adjustable shelves.

Credenzas With Suspended Buffet Shelf, Wood Doors

LG53J-AW	acrylic shelf	11680	12614	14016			100	21 ^{1/2}	34 ^{1/16}		610
LG53J-GW	glass shelf	9835	10622	11802			100	21 ^{1/2}	33 ^{9/16}		565
LG53J-LW	laminate shelf	9117	9847	10941			100	21 ^{1/2}	34 ^{1/16}		540
LG53J-WW	wood shelf	9220	9957	11064			100	21 ^{1/2}	34 ^{1/16}		540



Veneer species must be noted on each line item




Note: Wood doors are standard with locks. Interior has two partitions and three adjustable shelves.

Credenzas with Suspended Buffet Shelf, Acrylic Doors

LG53R-AA	acrylic shelf	4525	4887	5430			40	21 ^{1/2}	34 ^{1/16}		240
LG53B-AA	acrylic shelf	6545	7069	7854			53	21 ^{1/2}	34 ^{1/16}		305
LG53R-GA	glass shelf	3745	4045	4494			40	21 ^{1/2}	33 ^{9/16}		230
LG53B-GA	glass shelf	5435	5870	6522			53	21 ^{1/2}	33 ^{9/16}		295
LG53R-LA	laminate shelf	3495	3775	4194			40	21 ^{1/2}	34 ^{1/16}		225
LG53B-LA	laminate shelf	5075	5481	6090			53	21 ^{1/2}	34 ^{1/16}		290
LG53R-WA	wood shelf	3565	3850	4278			40	21 ^{1/2}	34 ^{1/16}		225
LG53B-WA	wood shelf	5175	5589	6210			53	21 ^{1/2}	34 ^{1/16}		290



Veneer species must be noted on each line item



Notes: Interior has one adjustable shelf.

Veneer species must be noted on each line item


<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series Cabinetry

Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Credenzas with Suspended Buffet Shelf, Acrylic Doors											
LG53E-AA	acrylic shelf	10552	11397	12663			76	21 ^{1/2}	34 ^{1/16}		445
LG53E-GA	glass shelf	8707	9404	10449			76	21 ^{1/2}	33 ^{9/16}		415
LG53E-LA	laminate shelf	8092	8740	9711			76	21 ^{1/2}	34 ^{1/16}		410
LG53E-WA	wood shelf	8195	8850	9834			76	21 ^{1/2}	34 ^{1/16}		410



Veneer species must be noted on each line item




Note: Interior has two partitions and three adjustable shelves. Acrylic doors are frosted, semi-transparent material

Credenzas With Suspended Buffet Shelf, Acrylic Doors											
LG53J-AA	acrylic shelf	12192	13168	14631			100	21 ^{1/2}	34 ^{1/16}		585
LG53J-GA	glass shelf	10347	11175	12417			100	21 ^{1/2}	33 ^{9/16}		535
LG53J-LA	laminate shelf	9630	10400	11556			100	21 ^{1/2}	34 ^{1/16}		510
LG53J-WA	wood shelf	9732	10511	11679			100	21 ^{1/2}	34 ^{1/16}		510



Veneer species must be noted on each line item




Note: Interior has two partitions and three adjustable shelves. Acrylic doors are frosted, semi-transparent material.

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series Cabinetry

Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Media Wall with Credenza, Wood Doors											
LG53BL-XW	low credenza	4790	5173	5748			48	24 1/2	60		320
LG53EL-XW	low credenza	7250	7830	8700			72	24 1/2	60		465
LG53JL-XW	low credenza	9335	10082	11202			96	24 1/2	60		675



Veneer species must be noted on each line item


Notes: 1. Low credenza is 20 1/2" high. Credenza has two partitions and three adjustable shelves.

2. Height of media wall above credenza is 39 1/2".

3. Height of flat screen TV should not exceed height of media wall above credenza case, width of TV should not exceed width of credenza case. Weight of TV should not exceed 200 pounds. Mounting brackets to be provided by installer.

Media Wall with Credenza, Wood Doors

LG53BH-XW	high credenza	6990	7549	8388			48	24 1/2	72		385
LG53EH-XW	high credenza	9450	10206	11340			72	24 1/2	72		560
LG53JH-XW	high credenza	11235	12134	13482			96	24 1/2	72		815




Veneer species must be noted on each line item

Notes: 1. High credenza is 29 1/2" high. Credenza has two partitions and three adjustable shelves.

2. Height of media wall above credenza is 42 1/2".

3. Height of flat screen TV should not exceed height of media wall above credenza case, width of TV should not exceed width of credenza case. Weight of TV should not exceed 200 pounds. Mounting brackets to be provided by installer.



Veneer species must be noted on each line item

Veneer Grade 1

Cherry
Maple
Ligno-Grain
Walnut

Veneer Grade 2


Rift Oak
Sapele

Veneer Grade 3

Anigre

HBF LOGIC^{meet} Series Cabinetry

Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Media Wall with Credenza, Acrylic Doors											
LG53BL-XA	low credenza	4990	5389	5988			48	24 1/2	60		290
LG53EL-XA	low credenza	7440	8035	8928			72	24 1/2	60		435
LG53JL-XA	low credenza	9835	10622	11802			96	24 1/2	60		645



Veneer species must be noted on each line item


Notes: 1. Low credenza is 20 1/2" high. Credenza has two partitions and three adjustable shelves.

2. Height of media wall above credenza is 39 1/2".

3. Height of flat screen TV should not exceed height of media wall above credenza case, width of TV should not exceed width of credenza case. Weight of TV should not exceed 200 pounds. Mounting brackets to be provided by installer.

Media Wall with Credenza, Acrylic Doors

LG53BH-XA	high credenza	7495	8095	8994			48	24 1/2	72		355
LG53EH-XA	high credenza	9965	10762	11958			72	24 1/2	72		530
LG53JH-XA	high credenza	11735	12674	14082			96	24 1/2	72		785



Veneer species must be noted on each line item

Notes: 1. High credenza is 29 1/2" high. Credenza has two partitions and three adjustable shelves.

2. Height of media wall above credenza is 42 1/2".

3. Height of flat screen TV should not exceed height of media wall above credenza case, width of TV should not exceed width of credenza case. Weight of TV should not exceed 200 pounds. Mounting brackets to be provided by installer.



Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC*meet* Series Cabinetry


Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Projectable Fabric Panel											
LGF53BL-PF		675					47	1 1/2	39		70
LGF53BH-PF		695					47	1 1/2	42		75
LGF53EL-PF		725					71	1 1/2	39		90
LGF53EH-PF		745					71	1 1/2	42		100
LGF53JL-PF		775					95	1 1/2	39		120
LGF53JH-PF		795					95	1 1/2	42		135



Notes: Projectable fabric panels are intended to mount on LOGIC*meet* Media Wall units. Projectable fabric is a 100% Polyester Dazian fabric. Panels, hardware and installation instructions are shipped for field installation.

Wall Mount Presentation Cabinet

LG37M	3685	3980	4422	48	5 3/4	48	160
-------	------	------	------	----	-------	----	-----



Veneer species must be noted on each line item

Note: Standard with dry erase white marker board (markers and eraser included), pull down projection screen, black marker/eraser tray. Sliding wood doors, overall open dimensions are 92" x 48", open area is 43" x 48".

Chart Rail

AC97R96	445	96" length	96	5	2	35
AC97R120	500	120" length	120	5	2	50
AC97RREC	45	Additional End Caps (set of two)				10



Notes: Extruded aluminum rail with full length wall mount bracket, standard with two end caps. Rail and mounting unit supplied in two standard sizes and may be field cut to desired length. Additional end caps are necessary if cut rail is intended to be used in two separate sections.

Dry Erase Board/Tackable Surface

AC97T	30" x 42"	395				25
-------	-----------	-----	--	--	--	----






Notes: Two-sided unit with dry erase surface on one side and tackable cork material on the reverse. Board intended for use with the LOGIC*meet* Chart Rail.

Veneer species must be noted on each line item

Veneer Grade 1	Veneer Grade 2	Veneer Grade 3
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		


Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Mobile Easel											
LGX37L		3070					27	20 ¹ / ₂	77 ³ / ₈		100



Note: The white dry erase, reversible board supplied with the LOGIC*meet* conference easel is easily interchangeable with either a vertical or horizontal mount. The back of the easel is designed to accommodate a standard paper flip pad. Two metal trays are provided for marker and eraser storage.

Mobile Serving Cart

LG53A-AXX	acrylic solid surface top	3275	3537	3930		28 ⁵ / ₈	21 ⁵ / ₈	34		105
LG53A-LXX	laminate top	2250	2430	2700		28 ⁵ / ₈	21 ⁵ / ₈	34		95
LG53A-WXX	wood top	2455	2651	2946		28 ⁵ / ₈	21 ⁵ / ₈	34		95




Veneer species must be noted on each line item

Note: Unit has open front and back, adjustable shelf.

Mobile Buffet Cart

LG53A-W	wood veneer top	3495	3775	4194		42	21 ⁵ / ₈	35 ³ / ₄		145
LG53A-L	laminate top	3095	3343	3714		42	21 ⁵ / ₈	35 ³ / ₄		125
LG53A-A	acrylic solid surface top	4495	4855	5394		42	21 ⁵ / ₈	35 ³ / ₄		125




Notes: Wood doors standard with lock, two slideout chrome wire baskets, full finished wood back.

Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC^{meet} Series Cabinetry

Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Mobile Audio/Video Cart											
LG53A-AXM	acrylic solid surface top	3721	4018	4465		28 ⁵ / ₈	21 ⁵ / ₈	34			115
LG53A-LXM	laminate top	2286	2469	2743		28 ⁵ / ₈	21 ⁵ / ₈	34			105
LG53A-WXM	wood top	2696	2911	3235		28 ⁵ / ₈	21 ⁵ / ₈	34			105




Veneer species must be noted on each line item

Unit has open front and perforated metal back, recessed 1" at top and bottom for wire passage, adjustable shelf. Power/data unit available, see Technology Specifications. Specify **AC96NP**, add **\$295** List.


Mobile Audio/Video Cart

LG53A-AWM	acrylic solid surface top	4331	4677	5197		28 ⁵ / ₈	21 ⁵ / ₈	34			125
LG53A-LWM	laminate top	2896	3127	3475		28 ⁵ / ₈	21 ⁵ / ₈	34			115
LG53A-WWM	wood top	3306	3570	3967		28 ⁵ / ₈	21 ⁵ / ₈	34			115



Veneer species must be noted on each line item

Note: Wood doors standard with lock, one adjustable shelf, perforated metal back, recessed 1" top and bottom for wire passage. Power/data unit available, see Technology Specifications. Specify **AC96NP**, add **\$295** List.



Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		

HBF LOGIC*meet* Series Cabinetry

Style Number	Description	List Prices	Veneer 1	Veneer 2	Veneer 3	Dimensions	OW	OD	OH	DIA	Cartoned Weight (lbs.)
Lectern											
LG53E-X		3795	4099	4554			25 ³ / ₄	26 ¹ / ₂	39 ¹ / ₂		125





Notes: Lectern has a sloped wood worksurface with an integrated satin pewter pencil stop and a slideout satin pewter cupholder. An open storage area with fixed shelf is provided below the worksurface. The enclosed storage area contains a four outlet power unit with fifteen foot soft cord.

Lectern with Shroud

LG53E-V	Wood Veneer Shroud	4745	5125	5694			29 ¹ / ₄	27	45 ¹ / ₂		155
LG53E-A	White Acrylic Shroud	5555	5999	6666			29 ¹ / ₄	27	45 ¹ / ₂		185



Notes: Lectern has a sloped wood worksurface with an integrated satin pewter pencil stop and a slideout satin pewter cupholder. An open storage area with fixed shelf is provided below the worksurface. The enclosed storage area contains a four outlet power unit with fifteen foot soft cord.



Veneer species must be noted on each line item

<u>Veneer Grade 1</u>	<u>Veneer Grade 2</u>	<u>Veneer Grade 3</u>
Cherry	Rift Oak	Anigre
Maple	Sapele	
Ligno-Grain		
Walnut		