

# HBF Horizons Conference Table Series

## Photograph 01



Number	Description	Quantity	Unit Price	Total
<b>HZC79V-Y</b>	<b>Horizons Conference Table</b> 120 x 54 x 29, Ellipse with power	<b>1</b>	\$13,897.00	\$13,897.00
Add	Arch Base Molding			\$ 995.00
			<b>Total:</b>	<b>\$ 14,892.00</b>
<b>HZC53D</b>	<b>Horizons A/V Cabinet</b> 38 x 31 <sup>1</sup> / <sub>8</sub> x 72, Pocket doors, turntable, shelves, power access	<b>1</b>	\$ 7,387.00	\$ 7,387.00
Add	Arch Base Molding	<b>1</b>		\$ 470.00
			<b>Total:</b>	<b>\$ 7,857.00</b>
<b>HZC53C</b>	<b>Horizons Vertical Storage Units,</b> 36 x 31 <sup>1</sup> / <sub>8</sub> x 72, Four adjustable shelves	<b>2</b>	\$ 5,350.00	\$10,700.00
Add	Arch Base Molding	<b>2</b>	\$ 470.00	\$ 940.00
			<b>Total:</b>	<b>\$ 11,640.00</b>

**Photograph 01 Total** **\$34,389.00**



# HBF Horizons Conference Table Series

## Photograph 02



Number	Description	Quantity	Unit Price	Total
HZC80W-Y	<b>Horizons Conference Table</b> 144 x 54 x 29, Boat two-piece top, power	1	\$15,104.00	\$15,104.00
Add	Arch Base Molding			\$ 1,565.00
<b>Photograph 02 Total</b>				<b>\$16,669.00</b>



# HBF Horizons Conference Table Series

## Photograph 04



Number	Description	Quantity	Unit Price	Total
HZC31E-FF	<b>Horizons Credenza,</b> 72 x 24 <sup>7</sup> / <sub>8</sub> x 29, Two 36" door cabinets, two adjustable shelves	1	\$ 4,530.00	\$ 4,530.00
Add	Metal Feet			\$ 390.00
			<b>Total:</b>	<b>\$ 4,920.00</b>
HZC53A	<b>Horizons Mobile AV Cart</b> 36 x 24 <sup>7</sup> / <sub>8</sub> x 29, Open shelf, one adjustable shelf behind lower door unit, power, casters	1	\$ 3,103.00	\$ 3,103.00
HZC740-X	<b>Horizons Conference Table</b> 48" diameter wood x-base with arched metal support, power	1	\$ 6,368.00	\$ 6,368.00
Add	Casters			\$ 75.00
			<b>Total:</b>	<b>\$ 6,443.00</b>

**Photograph 04 Total** **\$14,466.00**



# HBF Horizons Conference Table Series

## Photograph 09



Number	Description	Quantity	Unit Price	Total
HZM78S-ER2	<b>Horizons Conference Table</b> 96 x 48 x 29, Rectangular, metal x-bases, two power/data round grommets	1	\$ 7,387.00	\$ 7,387.00

**Photograph 09 Total** **\$7,387.00**



# HBF Horizons Conference Table Series

## Photograph 11



Number	Description	Quantity	Unit Price	Total
HZM80V-S02	<b>Horizons Conference Table</b> 120 x 48 x 29, Boat top, metal I-bases, two power/data oval grommets	1	\$ 9,382.00	<b>\$ 9,382.00</b>

**Photograph 11 Total** **\$9,382.00**



# HBF Horizons Conference Table Series

## Photograph 12



Number	Description	Quantity	Unit Price	Total
HZM81AS-S (60)	Horizons Teaming/Training Tables 60 x 30 <sup>7</sup> / <sub>8</sub> x 29, Coved back for wire/plug passage, two metal I-bases	2	\$ 2,567.00	\$ 5,134.00

**Photograph 12 Total** **\$5,134.00**



# HBF Horizons Conference Table Series

## Photograph 13



Number	Description	Quantity	Unit Price	Total
HZM740-ER1	Horizons Conference Table 48" diameter, metal X-base, power/data round grommet	1	\$ 4,090.00	\$ 4,090.00

**Photograph 13 Total** **\$4,090.00**



# HBH Horizons Conference Table Series

## Photograph 14



Number	Description	Quantity	Unit Price	Total
HZM85A1-S	Horizons Teaming/Training Square Corner Tables 30 <sup>7</sup> / <sub>8</sub> x 34 <sup>3</sup> / <sub>4</sub> x 34 <sup>3</sup> / <sub>4</sub> , Edge detail one side	2	\$ 1,780.00	\$ 3,560.00
HZM81A1-S (60)	Horizons Teaming/Training Tables 60 x 30 <sup>7</sup> / <sub>8</sub> , Edge detail one side	2	\$ 2,410.00	\$ 4,820.00
HZM81B1-S (72)	Horizons Teaming/Training Table 72 x 30 <sup>7</sup> / <sub>8</sub> , Edge detail one side	1	\$ 2,620.00	\$ 2,620.00

**Photograph 14 Total** **\$11,000.00**





# HBF Horizons Conference Table Series

## Photograph 15

H B F

Number	Description	Quantity	Unit Price	Total
HZM83A1-S	<b>Horizons Teaming/Training Round Corner Tables</b> 30 <sup>7</sup> / <sub>8</sub> x 34 <sup>3</sup> / <sub>4</sub> x 34 <sup>3</sup> / <sub>4</sub> , Edge detail one side	2	\$ 1,990.00	\$ 3,980.00
HZM81A1-S (60)	<b>Horizons Teaming/Training Tables</b> 60 x 30 <sup>7</sup> / <sub>8</sub> , Edge detail one side	2	\$ 2,410.00	\$ 4,820.00
HZM81B1-S (72)	<b>Horizons Teaming/Training Table</b> 72 x 30 <sup>7</sup> / <sub>8</sub> , Edge detail one side	1	\$ 2,620.00	\$ 2,620.00

**Photograph 15 Total**

**\$11,420.00**



# HBF Horizons Conference Table Series

## Photograph 16



Number	Description	Quantity	Unit Price	Total
HZM84A2-S	Horizons Teaming/Training Elbow Corner Tables 31 <sup>3</sup> / <sub>4</sub> x 56x 56, Edge detail two sides	2	\$ 2,305.00	\$ 4,610.00
HZM81A2-S (60)	Horizons Teaming/Training Tables 60 x 31 <sup>3</sup> / <sub>4</sub> , Edge detail two sides	2	\$ 2,725.00	\$ 5,450.00

**Photograph 16 Total** **\$10,060.00**



# HBF Horizons Conference Table Series

## Photograph 17

H B F

Number	Description	Quantity	Unit Price	Total
HZM82A1	<b>Horizons Teaming/Training Wedge Top</b> 30 <sup>7</sup> / <sub>8</sub> x 26 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>4</sub> , Edge detail one side	2	\$ 1,360.00	\$ 2,720.00
HZM81A1-S (60)	<b>Horizons Teaming/Training Tables</b> 60 x 30 <sup>7</sup> / <sub>8</sub> , Edge detail one side	2	\$ 2,410.00	\$ 4,820.00
HZM81B1-S (72)	<b>Horizons Teaming/Training Table</b> 72 x 30 <sup>7</sup> / <sub>8</sub> , Edge detail one side	1	\$ 2,620.00	\$ 2,620.00

**Photograph 17 Total**

**\$10,160.00**



# HBF Horizons Conference Table Specifications

---

## Tables with Metal Bases

**Veneer** Premium grade cherry or maple flat cut veneer tops. Edges are bordered with solid cherry or maple. Slip match, plain sliced cherry veneer is standard.

---

## Top Edge Detail



**Ellipse**




**Coved Ellipse**


Horizons Conferencing product offers two (2) different profile edge details. A profile edge selection must accompany all orders.

---


## Base Options




**Metal X-Base  
for Round Tables**




**Metal X-Base  
for Square Tables**




**Metal I-Bases  
for Rectangular Tables**



**Metal X-Bases  
for Rectangular Tables**



**Metal I-Bases  
for Boat Shape Tables**



**Metal X-Bases  
for Boat Shape Tables**

---


## Table Top Electrical

Electrical access grommets for Horizons Conference Tables with metal bases are available in two shapes. The round metal grommet has a removable metal cover. The oval metal grommet has a hinged cover. Both grommets are standard in HBF Satin Pewter powder coat finish.

# HBF Horizons Conference Table Specifications

---

## Round Metal Grommet Power/Data Plate



Horizons Conference Tables with metal bases specifying this round grommet will be equipped with a power/data unit that provides two (2) 110 volt electrical outlets and two (2) Cat.5E data jacks. This unit uses a six foot soft cord with a grounded plug.




The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation, however ***it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.*** Electrical components meet both Chicago and New York electrical codes.


Additional voice/data inserts are available to replace the standard data jacks. These inserts can be ordered from Doug Mockett & Company ([www.mockett.com](http://www.mockett.com)) and installed as required by the end user's data specialist to accommodate specific requirements.

---

## Oval Metal Grommet Power Data Plate



Horizons Conference Tables with metal bases specifying this oval grommet will be equipped with a power/data unit that provides four (4) 110 volt electrical outlets and six (6) Cat.5E data jacks. This unit uses a six foot soft cord with a grounded plug.



The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation, however ***it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.*** Electrical components meet both Chicago and New York electrical codes.

Additional voice/data inserts are available to replace the standard data jacks. These inserts can be ordered from Doug Mockett & Company ([www.mockett.com](http://www.mockett.com)) and installed as required by the end user's data specialist to accommodate specific requirements.

---

## Metal Bases

Metal bases are available in an I-Base or an X-Base. These bases are standard in HBF Satin Pewter powder coat finish. Refer to individual styles to determine base shape available on particular conference tables. Metal bases for tables specifying power/data capabilities incorporate wire management channels with spring loaded access doors.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		Weight	
			OD	OH		DIA
HZ♦74A-E	3040			29	42	125
HZ♦74B-E	3355			29	48	140
HZ♦74C-E	3880			29	54	155
HZ♦74D-E	4405			29	60	170


♦: indicate C for Cherry or M for Maple



Metal X-Base, Satin Pewter finish.

HZ♦74N-ER1	2 electrical / 2 data jacks	3775		29	42	130
HZ♦74O-ER1	2 electrical / 2 data jacks	4090		29	48	145
HZ♦74P-ER1	2 electrical / 2 data jacks	4615		29	54	160
HZ♦74R-ER1	2 electrical / 2 data jacks	5140		29	60	175


♦: indicate C for Cherry or M for Maple



Metal X-Base, round electrical access grommet, Satin Pewter finish.

HZ♦77A-E		2935	42	42	29	140
HZ♦77B-E		3250	48	48	29	155
HZ♦77C-E		3670	54	54	29	175


♦: indicate C for Cherry or M for Maple



Metal X-Base, Satin Pewter finish.

HZ♦77N-ER1	2 electrical / 2 data jacks	3670	42	42	29	145
HZ♦77O-ER1	2 electrical / 2 data jacks	3985	48	48	29	160
HZ♦77P-ER1	2 electrical / 2 data jacks	4405	54	54	29	180

♦: indicate C for Cherry or M for Maple




Metal X-Base, round electrical access grommet, Satin Pewter finish.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		DIA	End of Table to Center of First Base	Weight
			OD	OH			
HZ♦78C-S	3869	72	36	29		15	190
HZ♦78D-S	4447	84	42	29		18	220
HZ♦78E-S	5077	96	48	29		24	260
HZ♦78F-S	6022	108	48	29		24	280
HZ♦78G-S	7177	120	48	29		24	300


♦: indicate C for Cherry or M for Maple



Metal I-Bases, Satin Pewter finish.

HZ♦78P-SR2	4 electrical / 4 data jacks	5759	72	36	29	15	200
HZ♦78R-SR2	4 electrical / 4 data jacks	6337	84	42	29	18	230
HZ♦78S-SR2	4 electrical / 4 data jacks	6967	96	48	29	24	270
HZ♦78T-SR2	4 electrical / 4 data jacks	7912	108	48	29	24	290
HZ♦78V-SR2	4 electrical / 4 data jacks	8647	120	48	29	24	310


♦: indicate C for Cherry or M for Maple



Metal I-Bases, two round electrical access grommets, Satin Pewter finish.

HZ♦78P-SO1	4 electrical / 6 data jacks	5024	72	36	29	15	195
HZ♦78R-SO1	4 electrical / 6 data jacks	5602	84	42	29	18	225
HZ♦78S-SO1	4 electrical / 6 data jacks	6232	96	48	29	24	265
HZ♦78T-SO1	4 electrical / 6 data jacks	7177	108	48	29	24	285
HZ♦78V-SO1	4 electrical / 6 data jacks	7912	120	48	29	24	305


♦: indicate C for Cherry or M for Maple



Metal I-Bases, oval electrical access grommet, Satin Pewter finish.

HZ♦78V-SO2	8 electrical / 12 data jacks	9067	120	48	29	24	310
------------	------------------------------	------	-----	----	----	----	-----

♦: indicate C for Cherry or M for Maple




Metal I-Bases, two oval electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		DIA	End of Table to Center of First Base	Weight
			OD	OH			
HZ♦78C-E	4709	72	36	29		15	230
HZ♦78D-E	5287	84	42	29		18	260
HZ♦78E-E	5917	96	48	29		24	295
HZ♦78F-E	6862	108	48	29		24	320
HZ♦78G-E	7597	120	48	29		24	335


♦: indicate C for Cherry or M for Maple



Metal X-Bases, Satin Pewter finish.

HZ♦78P-ER2	4 electrical / 4 data jacks	6179	72	36	29	15	240
HZ♦78R-ER2	4 electrical / 4 data jacks	6757	84	42	29	18	270
HZ♦78S-ER2	4 electrical / 4 data jacks	7387	96	48	29	24	305
HZ♦78T-ER2	4 electrical / 4 data jacks	8332	108	48	29	24	330
HZ♦78V-ER2	4 electrical / 4 data jacks	9067	120	48	29	24	345


♦: indicate C for Cherry or M for Maple



Metal X-Bases, two round electrical access grommets, Satin Pewter finish.

HZ♦78P-EO1	4 electrical / 6 data jacks	5654	72	36	29	15	235
HZ♦78R-EO1	4 electrical / 6 data jacks	6232	84	42	29	18	265
HZ♦78S-EO1	4 electrical / 6 data jacks	6862	96	48	29	24	300
HZ♦78T-EO1	4 electrical / 6 data jacks	7807	108	48	29	24	325
HZ♦78V-EO1	4 electrical / 6 data jacks	8542	120	48	29	24	340


♦: indicate C for Cherry or M for Maple



Metal X-Bases, oval electrical access grommet, Satin Pewter finish.

HZ♦78V-EO2	8 electrical / 12 data jacks	9487	120	48	29	24	345
------------	------------------------------	------	-----	----	----	----	-----

♦: indicate C for Cherry or M for Maple




Metal X-Bases, two oval electrical access grommets, Satin Pewter finish.



# HBF Horizons Conference Tables

	List Price	OW	Dimensions		DIA	End of Table to Center of First Base	Weight
			OD	OH			
HZ♦78H-S	9802	144	54	29		24	420
HZ♦78J-S	10747	168	54	29		24	460


♦: indicate C for Cherry or M for Maple



Two-piece top, metal I-Bases, Satin Pewter finish.

HZ♦78W-SO2	8 electrical / 12 data jacks	11692	144	54	29	24	430
HZ♦78X-SO2	8 electrical / 12 data jacks	12637	168	54	29	24	470


♦: indicate C for Cherry or M for Maple



Two-piece top, metal I-Bases, two oval electrical access grommets, Satin Pewter finish.

HZ♦78H-E		10222	144	54	29	24	475
HZ♦78J-E		11167	168	54	29	24	520


♦: indicate C for Cherry or M for Maple



Two-piece top, metal X-Bases, Satin Pewter finish.

HZ♦78W-EO2	8 electrical / 12 data jacks	12112	144	54	29	24	485
HZ♦78X-EO2	8 electrical / 12 data jacks	13057	168	54	29	24	530

♦: indicate C for Cherry or M for Maple




Two-piece top, metal X-Bases, two oval electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		DIA	End of Table to Center of First Base	Weight
			OD	OH			
HZ♦78K-S	11797	192	54	29	24		585
HZ♦78L-S	13592	216	60	29	24		670


♦: indicate C for Cherry or M for Maple



Two-piece top, metal I-Bases, Satin Pewter finish.

HZ♦78Y-SO2	8 electrical / 12 data jacks	13687	192	54	29	24	595
HZ♦78Z-SO2	8 electrical / 12 data jacks	15482	216	60	29	24	680


♦: indicate C for Cherry or M for Maple



Two-piece top, metal I-Bases, two oval electrical access grommets, Satin Pewter finish.

HZ♦78K-E		12217	192	54	29	24	560
HZ♦78L-E		14012	216	60	29	24	640


♦: indicate C for Cherry or M for Maple



Two-piece top, metal X-Bases, Satin Pewter finish.

HZ♦78Y-EO2	8 electrical / 12 data jacks	14107	192	54	29	24	570
HZ♦78Z-EO2	8 electrical / 12 data jacks	15902	216	60	29	24	650

♦: indicate C for Cherry or M for Maple




Two-piece top, metal X-Bases, two oval electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables

		List Price	OW	Dimensions		End of Table to Center of First Base	Weight
				OD	OH		
<b>HZ♦78Y-SO4</b>	16 electrical / 24 data jacks	<b>15577</b>	192	54	29	24	605
<b>HZ♦78Z-SO4</b>	16 electrical / 24 data jacks	<b>17372</b>	216	60	29	24	690


♦: indicate C for Cherry or M for Maple



Two-piece top, metal I-Bases, four oval electrical access grommets, Satin Pewter finish.

<b>HZ♦78Y-EO4</b>	16 electrical / 24 data jacks	<b>15997</b>	192	54	29	24	580
<b>HZ♦78Z-EO4</b>	16 electrical / 24 data jacks	<b>17792</b>	216	60	29	24	660


♦: indicate C for Cherry or M for Maple



Two-piece top, metal X-Bases, four oval electrical access grommets, Satin Pewter finish.

<b>HZ♦80C-S</b>		<b>4604</b>	72	36	29	15	190
<b>HZ♦80D-S</b>		<b>5182</b>	84	42	29	18	220
<b>HZ♦80E-S</b>		<b>5812</b>	96	48	29	24	260
<b>HZ♦80F-S</b>		<b>6757</b>	108	48	29	24	280
<b>HZ♦80G-S</b>		<b>7492</b>	120	48	29	24	300


♦: indicate C for Cherry or M for Maple



Boat top, metal I-Bases, Satin Pewter finish.

<b>HZ♦80P-SR2</b>	4 electrical / 4 data jacks	<b>6074</b>	72	36	29	15	200
<b>HZ♦80R-SR2</b>	4 electrical / 4 data jacks	<b>6652</b>	84	42	29	18	230
<b>HZ♦80S-SR2</b>	4 electrical / 4 data jacks	<b>7282</b>	96	48	29	24	270
<b>HZ♦80T-SR2</b>	4 electrical / 4 data jacks	<b>8227</b>	108	48	29	24	290
<b>HZ♦80V-SR2</b>	4 electrical / 4 data jacks	<b>8962</b>	120	48	29	24	310

♦: indicate C for Cherry or M for Maple




Boat top, metal I-Bases, two round electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables

		List Price	OW	Dimensions		DIA	End of Table to Center of First Base	Weight
				OD	OH			
<b>HZ♦80P-SO1</b>	4 electrical / 6 data jacks	<b>5549</b>	72	36	29		15	195
<b>HZ♦80R-SO1</b>	4 electrical / 6 data jacks	<b>6127</b>	84	42	29		18	225
<b>HZ♦80S-SO1</b>	4 electrical / 6 data jacks	<b>6757</b>	96	48	29		24	265
<b>HZ♦80T-SO1</b>	4 electrical / 6 data jacks	<b>7702</b>	108	48	29		24	285
<b>HZ♦80V-SO1</b>	4 electrical / 6 data jacks	<b>8437</b>	120	48	29		24	305


♦: indicate C for Cherry or M for Maple



Boat top, metal I-Bases, oval electrical access grommet, Satin Pewter finish.

<b>HZ♦80V-SO2</b>	8 electrical / 12 data jacks	<b>9382</b>	120	48	29		24	310
-------------------	------------------------------	-------------	-----	----	----	--	----	-----


♦: indicate C for Cherry or M for Maple



Boat top, metal I-Bases, two oval electrical access grommets, Satin Pewter finish.

<b>HZ♦80C-E</b>		<b>5024</b>	72	36	29		15	230
<b>HZ♦80D-E</b>		<b>5602</b>	84	42	29		18	260
<b>HZ♦80E-E</b>		<b>6232</b>	96	48	29		24	295
<b>HZ♦80F-E</b>		<b>7177</b>	108	48	29		24	320
<b>HZ♦80G-E</b>		<b>7912</b>	120	48	29		24	335


♦: indicate C for Cherry or M for Maple



Boat top, metal X-Bases, Satin Pewter finish.

<b>HZ♦80P-ER2</b>	4 electrical / 4 data jacks	<b>6494</b>	72	36	29		15	240
<b>HZ♦80R-ER2</b>	4 electrical / 4 data jacks	<b>7072</b>	84	42	29		18	260
<b>HZ♦80S-ER2</b>	4 electrical / 4 data jacks	<b>7702</b>	96	48	29		24	295
<b>HZ♦80T-ER2</b>	4 electrical / 4 data jacks	<b>8647</b>	108	48	29		24	320
<b>HZ♦80V-ER2</b>	4 electrical / 4 data jacks	<b>9382</b>	120	48	29		24	335

♦: indicate C for Cherry or M for Maple




Boat top, metal X-Bases, two round electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables

		List Price	OW	Dimensions		End of Table to	Weight
				OD	OH	Center of First Base	
				DIA			
<b>HZ♦80P-EO1</b>	4 electrical / 6 data jacks	<b>5969</b>	72	36	29	15	235
<b>HZ♦80R-EO1</b>	4 electrical / 6 data jacks	<b>6547</b>	84	42	29	18	265
<b>HZ♦80S-EO1</b>	4 electrical / 6 data jacks	<b>7177</b>	96	48	29	24	300
<b>HZ♦80T-EO1</b>	4 electrical / 6 data jacks	<b>8122</b>	108	48	29	24	325
<b>HZ♦80V-EO1</b>	4 electrical / 6 data jacks	<b>8857</b>	120	48	29	24	340


♦: indicate C for Cherry or M for Maple



Boat top, metal X-Bases, oval electrical access grommet, Satin Pewter finish.

<b>HZ♦80V-EO2</b>	8 electrical / 12 data jacks	<b>9802</b>	120	48	29	24	345
-------------------	------------------------------	-------------	-----	----	----	----	-----


♦: indicate C for Cherry or M for Maple



Boat top, metal X-Bases, two oval electrical access grommets, Satin Pewter finish.

<b>HZ♦80H-S</b>		<b>10117</b>	144	54	29	24	420
<b>HZ♦80J-S</b>		<b>11062</b>	168	54	29	24	460


♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal I-Bases, Satin Pewter finish.

<b>HZ♦80W-SO2</b>	8 electrical / 12 data jacks	<b>12007</b>	144	54	29	24	430
<b>HZ♦80X-SO2</b>	8 electrical / 12 data jacks	<b>12952</b>	168	54	29	24	470

♦: indicate C for Cherry or M for Maple




Boat two-piece top, metal I-Bases, two oval electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		DIA	End of Table to Center of First Base	Weight
			OD	OH			
<b>HZ♦80H-E</b>	<b>10537</b>	144	54	29		24	475
<b>HZ♦80J-E</b>	<b>11482</b>	168	54	29		24	520


♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal X-Bases, Satin Pewter finish.

<b>HZ♦80W-EO2</b>	8 electrical / 12 data jacks	<b>12427</b>	144	54	29	24	485
<b>HZ♦80X-EO2</b>	8 electrical / 12 data jacks	<b>13372</b>	168	54	29	24	530


♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal X-Bases, two oval electrical access grommets, Satin Pewter finish.

<b>HZ♦80K-S</b>		<b>12112</b>	192	60	29	24	585
<b>HZ♦80L-S</b>		<b>13907</b>	216	60	29	24	670


♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal I-Bases, Satin Pewter finish.

<b>HZ♦80K-SO2</b>	8 electrical / 12 data jacks	<b>14002</b>	192	60	29	24	570
<b>HZ♦80L-SO2</b>	8 electrical / 12 data jacks	<b>15797</b>	216	60	29	24	650

♦: indicate C for Cherry or M for Maple




Boat two-piece top, metal I-Bases, two oval electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		End of Table to	Weight
			OD	OH	Center of First Base	
			DIA			
<b>HZ♦80K-E</b>	<b>12532</b>	192	60	29	24	585
<b>HZ♦80L-E</b>	<b>14327</b>	216	60	29	24	670


♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal X-Bases, Satin Pewter finish.

<b>HZ♦80Y-EO2</b>	8 electrical / 12 data jacks	<b>14422</b>	192	54	29	24	595
<b>HZ♦80Z-EO2</b>	8 electrical / 12 data jacks	<b>16217</b>	216	60	29	24	680


♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal X-Bases, two oval electrical access grommets, Satin Pewter finish.

<b>HZ♦80Y-SO4</b>	16 electrical / 24 data jacks	<b>15892</b>	192	60	29	24	580
<b>HZ♦80Z-SO4</b>	16 electrical / 24 data jacks	<b>17687</b>	216	60	29	24	660


♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal I-Bases, four oval electrical access grommets, Satin Pewter finish.

<b>HZ♦80Y-EO4</b>	16 electrical / 24 data jacks	<b>16312</b>	192	60	29	24	580
<b>HZ♦80Z-EO4</b>	16 electrical / 24 data jacks	<b>18107</b>	216	60	29	24	660

♦: indicate C for Cherry or M for Maple



Boat two-piece top, metal X-Bases, four oval electrical access grommets, Satin Pewter finish.

# HBF Horizons Conference Tables Specifications

---

## Teaming/Training System


---

**Teaming/Training System** The Horizons Conference teaming/training system offers the specifier the ability to create numerous reconfigurable work tables. This flexibility is accomplished by offering a variety of table shapes.

**Veneer** Premium grade cherry or maple flat cut veneer tops. Edges are bordered with solid cherry or maple. Slip match, plain sliced cherry is standard.

---

**Important Features** Numerous sizes of rectangular shaped conference tables are available to be teamed with wedge and corner top forms. Rectangular top forms are available in one inch increments from 48" to 78" in width. Tops may be ganged end to end to create any worksurface size and multiple configurations. Ganging mechanisms are integral to the worksurface top and are operated with a 6mm hex key. Teaming/Training tables are available only with the metal I-Base. Horizons teaming/training tables ship as individual components and are field assembled.




**Rectangular Top**




**Wedge Top**



**Round Corner Top**



**Square Corner Top**




**Elbow Corner Top**

---

**Table Top Electrical Access Grommets** The electrical access grommet for Horizons Conference Teaming/Training system tables is a round metal grommet with a removable metal cover, standard in HBF Satin Pewter powder/coat finish.

## Round Metal Grommet Power/Data Plate

Horizons Conference Teaming/Training system tables specified with the optional round grommet will be equipped with a power/data unit that provides two (2) 110 volt electrical outlets and two (2) Cat.5E data jacks. This unit uses a six foot soft cord with a grounded plug. **Add \$575 List** for each round metal grommet power/data plate specified.



Bases for tables with the specified round metal grommet power/data plate incorporate a wire management channel with spring loaded access door.

The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulations; however **it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.** Electrical components meet both Chicago and New York electrical codes.

Additional voice/data inserts are available to replace the standard data jacks. These inserts can be ordered from Doug Mockett & Company ([www.mockett.com](http://www.mockett.com)) and installed as required by the end user's data specialist to accommodate specific requirements.

## Round Metal Grommet Power/Data Plate Location

Optional round metal grommet specified for Horizons Conference Teaming/Training system tables will be located on table top as follows:

Wedge top with no base – optional grommet will be centered in top.







Round and Square Corner tops – optional grommet will be centered over single base.

Elbow Corner top and Rectangular tops – optional grommet will be centered over base(s). Order must specify location of grommet (i.e. left base, right base, or both bases).






If standard grommet placement locations do not provide suitable accessibility, a formal drawing of top with specified grommet location(s), showing exact dimensions, must accompany the order.



# HBF Horizons Conference Tables

Teaming/Training System	Edge Detail	List Price	Interface	Dimensions			Weight
				OW	OD	OH	
<b>HZ♦82A1</b>	1	<b>1360</b>	30 7/8	26 5/8	31 1/4	1 3/8	25
♦: indicate C for Cherry or M for Maple							
	Wedge top, no base.						
<b>HZ♦82A2</b>	2	<b>1517</b>	31 3/4	26 5/8	32 1/8	1 3/8	25
♦: indicate C for Cherry or M for Maple							
	Wedge top, no base.						
<b>HZ♦85A1-S</b>	1	<b>1780</b>	30 7/8	34 3/4	34 3/4	29	90
♦: indicate C for Cherry or M for Maple							
	Square corner top, metal I-Base centered under top.						
<b>HZ♦85A2-S</b>	2	<b>1990</b>	31 3/4	34 3/4	34 3/4	29	90
♦: indicate C for Cherry or M for Maple							
	Square corner top, metal I-Base centered under top.						
<b>HZ♦83A1-S</b>	1	<b>1990</b>	30 7/8	34 3/4	34 3/4	29	80
♦: indicate C for Cherry or M for Maple							
	Round corner top, metal I-Base centered under top.						
<b>HZ♦83A2-S</b>	2	<b>2147</b>	31 3/4	34 3/4	34 3/4	29	80
♦: indicate C for Cherry or M for Maple							
	Round corner top, metal I-Base centered under top.						


# HBF Horizons Conference Tables

Teaming/Training System	Edge Detail	List Price	Interface	Dimensions			Weight
				OW	OD	OH	
<b>HZ♦84A1-S</b>	1	<b>2147</b>	30 7/8	56	56	29	160
♦: indicate C for Cherry or M for Maple							
	Elbow corner top, two metal I-Bases centered 12" from each end of top.						
<b>HZ♦84A2-S</b>	2	<b>2305</b>	31 3/4	56	56	29	160
♦: indicate C for Cherry or M for Maple							
	Elbow corner top, two metal I-Bases centered 12" from each end of top.						
<b>HZ♦81AS-S (48-60)</b>	1	<b>2567</b>	48-60	30 7/8	29	164	
<b>HZ♦81BS-S (61-78)</b>	1	<b>2777</b>	61-78	30 7/8	29	186	
♦: indicate C for Cherry or M for Maple							
	Rectangular top available in one inch increments from 48" to 78". Back edge of this Horizons teaming/training table is coved to allow for wire and plug passage. Two metal I-Bases are centered 12" from each end.						
<b>HZ♦81A1-S (48-60)</b>	1	<b>2410</b>	48-60	30 7/8	29	164	
<b>HZ♦81B1-S (61-78)</b>	1	<b>2620</b>	61-78	30 7/8	29	186	
♦: indicate C for Cherry or M for Maple							
	Rectangular top available in one inch increments from 48" to 78". Back edge of this Horizons teaming/training table is flat. Two metal I-Bases are centered 12" from each end.						
<b>HZ♦81A2-S (48-60)</b>	2	<b>2725</b>	48-60	31 3/4	29	164	
<b>HZ♦81B2-S (61-78)</b>	2	<b>2935</b>	61-78	31 3/4	29	186	
♦: indicate C for Cherry or M for Maple							
	Rectangular top available in one inch increments from 48" to 78". Both front and back edges of this Horizons teaming/training table have the Horizons edge profile. Two metal I-Bases are centered 12" from each end.						

# HBF Horizons Conference Cabinetry

	List Price	OW	Dimensions		DIA	Weight
			OD	OH		
<b>HZ♦53A</b>	<b>3103</b>	36	24 7/8	29		192


♦: indicate C for Cherry or M for Maple



Audio/Video cart with open shelf for VCR. Lower storage compartment has one adjustable shelf, back is fully finished, casters. Power/communication strip mounted in back of cabinet, includes four electrical outlets and one cable line.

<b>HZ♦53B</b>	<b>5770</b>	72	24 7/8	29		465
---------------	-------------	----	--------	----	--	-----


♦: indicate C for Cherry or M for Maple



Mobile buffet credenza, each 36" double door cabinet includes one adjustable shelf, lock for each compartment. Back is fully finished, casters.

<b>HZ♦53C</b>	<b>5350</b>	36	31 1/8	72		262
---------------	-------------	----	--------	----	--	-----


♦: indicate C for Cherry or M for Maple



Vertical storage cabinet, four adjustable shelves, standard black unfinished back. Optional arch base molding, add \$470 List. Optional metal feet available, add \$195 List.

<b>HZ♦53D</b>	<b>7387</b>	38	31 1/8	72		271
---------------	-------------	----	--------	----	--	-----

♦: indicate C for Cherry or M for Maple




Audio/Video vertical storage cabinet, standard black unfinished back. Power/communication strip mounted in back of cabinet and includes four electrical outlets and one cable line. Upper storage area accessed through pocket doors. The extendable turntable supports up to 200 lbs., interior dimensions of upper storage area are 31" OW x 29" OD x 40 1/4 OH. Optional arch base molding, add \$470 List. Optional metal feet available, add \$195 List.

<b>HZ♦37M</b>	<b>2872</b>	48	7 1/4	50 1/2		210
---------------	-------------	----	-------	--------	--	-----

<b>HZ♦37N</b>	<b>3617</b>	60	7 1/4	50 1/2		245
---------------	-------------	----	-------	--------	--	-----

♦: indicate C for Cherry or M for Maple



Wall mounted presentation cabinet, white marker board (markers and eraser included), pull down projection screen, wood pencil/marker tray. Fabric covered tackboards on inside of each door, fabric requirement is 3 yards per unit. List price includes application of COM, COM must be acrylic backed prior to shipment to HBF. For specification of any HBF Textiles product, add 5% List.

# HBF Horizons Conference Table Specifications

## Tables with Wood Bases

**Veneer** Premium grade cherry or maple flat cut veneer tops. Edges are bordered with solid cherry or maple.

## Top Edge Detail




Ellipse




Coved Ellipse

Horizons Conferencing product offers two (2) different profile edge details. A profile edge selection must accompany all orders.


## Base Options




Wood Column Base Round




Wood Column with Arch Base Round




Wood X-Base with Arched Metal Support, Metal Feet



Wood Column Base Square



Wood Column with Arch Base Square




Wood X-Base with Arched Metal Support, Casters

## Round and Square Tables with Single Wood Base

**Table Top Electrical Access Doors** Electrical access doors in Horizons Conference Tables with a single wood base are made of metal and are available in satin nickel or black powder coat finish. Power and data connections are accessed by lifting the metal door and pivoting it to the side.

**Power/Data Plate** Horizons single base conference tables specified with a wood X-base and arched metal support will be supplied with a power/data plate with a soft cord and a grounded plug. Horizons single base conference tables specified with a round or square wood column base will be supplied with a power/data plate that must be field hard-wired by a licensed electrician.



Power/data plate provides four (4) 110 volt electrical outlets and one (1) blank voice/data module. Data and power are separated within the power/data plate in order to comply with NEC (National Electrical Codes). HBF recommends using shielded cable for data/communication applications.


The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation, however **it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.** Electrical components meet both Chicago and New York electrical codes.

Voice/data connections are provided by means of a knockout cover fitted to an opening designed around the AMP FLEX-MODE interconnection modules. These can be installed as needed by the end user's data specialist. AMP Incorporated is not connected in anyway to HBF and is a nationally used supplier of network, voice, and data equipment. For additional information call the AMP Product Information Center (800) 522-6752.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		Weight	
			OD	OH		DIA
HZ♦74A-Y	4006			29	42	120
HZ♦74B-Y	4279			29	48	133
HZ♦74C-Y	4604			29	54	149
HZ♦74D-Y	4972			29	60	165


♦: indicate C for Cherry or M for Maple



Wood column base, optional arch base molding, add \$495 List.

HZ♦74A-X	5077			29	42	175
HZ♦74B-X	5350			29	48	188
HZ♦74C-X	5560			29	54	204
HZ♦74D-X	5896			29	60	220


♦: indicate C for Cherry or M for Maple



Wood x-base with arched metal support, metal feet. Optional casters, add \$75 List. (The addition of casters must be noted on the order.)

HZ♦74N-Y	4 electrical / 1 blank voice/data module	5024		29	42	130
HZ♦74O-Y	4 electrical / 1 blank voice/data module	5297		29	48	143
HZ♦74P-Y	4 electrical / 1 blank voice/data module	5612		29	54	159
HZ♦74R-Y	4 electrical / 1 blank voice/data module	5980		29	60	175


♦: indicate C for Cherry or M for Maple



Wood column base, optional arch base molding, add \$495 List.

HZ♦74N-X	4 electrical / 1 blank voice/data module	6085		29	42	185
HZ♦74O-X	4 electrical / 1 blank voice/data module	6368		29	48	198
HZ♦74P-X	4 electrical / 1 blank voice/data module	6589		29	54	214
HZ♦74R-X	4 electrical / 1 blank voice/data module	6904		29	60	230

♦: indicate C for Cherry or M for Maple




Wood x-base with arched metal support, metal feet. Optional casters, add \$75 List. (The addition of casters must be noted on the order.)

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		Weight
			OD	OH	
HZ♦77A-I	3659	42	42	29	132
HZ♦77B-I	3932	48	48	29	148
HZ♦77C-I	4247	54	54	29	168
HZ♦77D-I	4604	60	60	29	182


♦: indicate C for Cherry or M for Maple



Wood column base, optional arch base molding, add \$345 List.

HZ♦77A-X	4720	42	42	29	187
HZ♦77B-X	5014	48	48	29	203


♦: indicate C for Cherry or M for Maple



Wood x-base with arched metal support, metal feet. Optional casters, add \$75 List. (The addition of casters must be noted on the order.)

HZ♦77N-I	4 electrical / 1 blank voice/data module	4678	42	42	29	142
HZ♦77O-I	4 electrical / 1 blank voice/data module	4961	48	48	29	158
HZ♦77P-I	4 electrical / 1 blank voice/data module	5276	54	54	29	178
HZ♦77R-I	4 electrical / 1 blank voice/data module	5654	60	60	29	192


♦: indicate C for Cherry or M for Maple



Wood column base, optional arch base molding, add \$345 List.

HZ♦77N-X	4 electrical / 1 blank voice/data module	5749	42	42	29	197
HZ♦77O-X	4 electrical / 1 blank voice/data module	6022	48	48	29	213

♦: indicate C for Cherry or M for Maple



Wood x-base with arched metal support, metal feet. Optional casters, add \$75 List. (The addition of casters must be noted on the order.)

# HBF Horizons Conference Table Specifications


## Rectangular, Boat and Elliptical Tables with Multiple Wood Bases

### Table Top Electrical Access Doors

Electrical access doors in Horizons Conference Tables with multiple wood column bases are hydraulically dampened, hinged wood doors. These wood doors may be specified in cherry or maple veneer and may vary from the species specified for the table top. Access doors pivot vertically to provide easy access to the power/data connections.

### Power/Data Plate

All Horizons Conference Tables with multiple wood column bases are hardwired and must be installed by a licensed electrician. Power/data plate provides four (4) 110 volt electrical outlets and three (3) blank voice/data modules. Data and power are separated within the power/data plate in order to comply with NEC (National Electrical Codes). HBF recommends using shielded cable for data/communication applications.



The electrical components provided within this group of furniture are engineered and manufactured in compliance with NEC regulation, however **it is the responsibility of the specifier and contracted installer of the furniture to be aware of the local building and electrical restrictions.** Electrical components meet both Chicago and New York electrical codes.

Voice/data connections are provided by means of a knockout cover fitted to an opening designed around the AMP FLEX-MODE interconnection modules. These can be installed as needed by the end user's data specialist. AMP Incorporated is not connected in anyway to HBF and is a nationally used supplier of network, voice, and data equipment. For additional information call the AMP Product Information Center (800) 522-6752.



### Pedestal Bases

Round and square pedestal bases on tables specified with electrical incorporate a hinged door to provide easy access to the inside of the base.

### Wood Column Base Placement

**Note: In style numbers "Y" equals a round base, "I" equals a square base.**


Wood Column Base Placement Locations						
Table Dimension	Top Size Designation		A	B	C	D
	Non-electrical	Electrical				
48" x 96"	E	S	15"	30"	(2) 18"	15"
48" x 108"	F	G	15"	42"	(2) 18"	15"
48" x 120"	G	V	15"	54"	(2) 18"	15"
54" x 120" ellipse	G	V	15"	(2) 25"	(2) 18"	18"
54" x 144"	H	W	17"	(2) 25"	(2) 18" / (1) 24"	15" / 18"
54" / 60" x 168"	J	X	18"	(2) 27"	(2) 24" / (1) 30"	12" / 15"
54" / 60" x 192"	K	Y	21"	(2) 36"	(2) 24" / (1) 30"	12" / 15"
60" x 216"	L	Z	27"	(2) 42"	(2) 24" / (1) 30"	15" / 18"



# HBF Horizons Conference Tables

	List Price	OW	Dimensions		DIA	Weight
			OD	OH		
HZ♦78E-I	6578	96	48	29		320
HZ♦78F-I	7723	108	48	29		335
HZ♦78G-I	8447	120	48	29		353


♦: indicate C for Cherry or M for Maple



Wood column base, optional arch base molding, add \$695 List.

HZ♦78H-I	10652	144	54	29		581
HZ♦78J-I	11744	168	54	29		622
HZ♦78K-I	13571	192	54	29		662
HZ♦78L-I	14296	216	60	29		743


♦: indicate C for Cherry or M for Maple



Two-piece top, wood column base, optional arch base molding, add \$1145 List.

HZ♦78S-I	8 electrical / 6 blank voice/data modules	8521	96	48	29	368
HZ♦78T-I	8 electrical / 6 blank voice/data modules	10022	108	48	29	395
HZ♦78V-I	8 electrical / 6 blank voice/data modules	10967	120	48	29	425


♦: indicate C for Cherry or M for Maple



Wood column bases, optional arched base molding, add \$695 List. Electrical/data access doors available in cherry or maple veneer. If selected door veneer differs from table wood species, add \$300 List. A HBF standard wood finish must be specified for the access doors.

HZ♦78W-I	16 electrical / 12 blank voice/data modules	13834	144	54	29	677
HZ♦78X-I	16 electrical / 12 blank voice/data modules	15241	168	54	29	724
HZ♦78Y-I	16 electrical / 12 blank voice/data modules	17582	192	54	29	782
HZ♦78Z-I	16 electrical / 12 blank voice/data modules	18517	216	60	29	875

♦: indicate C for Cherry or M for Maple




Two-piece top, wood column bases, optional arch base molding, add \$1145 List. Electrical/data access doors available in cherry or maple veneer. If selected door veneer differs from table wood species, add \$300 List. A HBF standard wood finish must be specified for the access doors.



# HBF Horizons Conference Tables

	List Price	OW	Dimensions		DIA	Weight
			OD	OH		
HZ♦80E-Y	7901	96	48	29		298
HZ♦80F-Y	9088	108	48	29		321
HZ♦80G-Y	9854	120	48	29		339


♦: indicate C for Cherry or M for Maple



Boat top, wood column bases, optional arch base molding, add \$995 List.

HZ♦80H-Y	11618	144	54	29		545
HZ♦80J-Y	12721	168	54	29		586
HZ♦80K-Y	14537	192	60	29		626
HZ♦80L-Y	15262	216	60	29		707


♦: indicate C for Cherry or M for Maple



Boat two-piece top, wood column bases, optional arch base molding, add \$1565 List.

HZ♦80S-Y	8 electrical / 6 blank voice/data modules	10264	96	48	29	346
HZ♦80T-Y	8 electrical / 6 blank voice/data modules	11828	108	48	29	381
HZ♦80V-Y	8 electrical / 6 blank voice/data modules	12826	120	48	29	411


♦: indicate C for Cherry or M for Maple



Boat top, wood column bases, optional arch base molding, add \$995 List. Electrical/data access doors available in cherry or maple veneer. If selected door veneer differs from table wood species, add \$300 List. A HBF standard wood finish must be specified for the access doors.

HZ♦80W-Y	16 electrical / 12 blank voice/data modules	15104	144	54	29	641
HZ♦80X-Y	16 electrical / 12 blank voice/data modules	16511	168	54	29	688
HZ♦80Y-Y	16 electrical / 12 blank voice/data modules	18842	192	60	29	746
HZ♦80Z-Y	16 electrical / 12 blank voice/data modules	19787	216	60	29	839

♦: indicate C for Cherry or M for Maple




Boat two-piece top, wood column bases, optional arch base molding, add \$1565 List. Electrical/data access doors available in cherry or maple veneer. If selected door veneer differs from table wood species, add \$300 List. A HBF standard wood finish must be specified for the access doors.

# HBF Horizons Conference Tables

	List Price	OW	Dimensions		Weight
			OD	OH	
HZ♦79E-Y	8783	96	48	29	283
HZ♦79F-Y	9896	108	48	29	305
HZ♦79G-Y	10652	120	54	29	322


♦: indicate C for Cherry or M for Maple



Ellipse top, wood column bases, optional arch base molding, add \$995 List.

HZ♦79H-Y	12427	144	54	29	518
HZ♦79J-Y	13519	168	60	29	557
HZ♦79K-Y	15346	192	60	29	595
HZ♦79L-Y	16060	216	60	29	672


♦: indicate C for Cherry or M for Maple



Two-piece ellipse top, wood column bases, optional arch base molding, add \$1565 List.

HZ♦79S-Y	8 electrical / 6 blank voice/data modules	11356	96	48	29	329
HZ♦79T-Y	8 electrical / 6 blank voice/data modules	12847	108	48	29	362
HZ♦79V-Y	8 electrical / 6 blank voice/data modules	13897	120	54	29	391


♦: indicate C for Cherry or M for Maple



Ellipse top, wood column bases, optional arch base molding, add \$995 List. Electrical/data access doors available in cherry or maple veneer. If selected door veneer differs from table wood species, add \$300 List. A HBF standard wood finish must be specified for the access doors.

HZ♦79W-Y	16 electrical / 12 blank voice/data modules	16207	144	54	29	609
HZ♦79X-Y	16 electrical / 12 blank voice/data modules	17582	168	60	29	654
HZ♦79Y-Y	16 electrical / 12 blank voice/data modules	19924	192	60	29	709
HZ♦79Z-Y	16 electrical / 12 blank voice/data modules	20890	216	60	29	797

♦: indicate C for Cherry or M for Maple



Two-piece ellipse top, wood column bases, optional arch base molding, add \$1565 List. Electrical/data access doors available in cherry or maple veneer. If selected door veneer differs from table wood species, add \$300 List. A HBF standard wood finish must be specified for the access doors.