Artemide

Tolomeo classic floor
Tolomeo mini floor
Tolomeo micro floor
Tolomeo with shade floor
Tolomeo classic LED floor
Tolomeo mini LED floor

Michele De Lucchi, Giancarlo Fassina 2010

Floor standing luminaires for adjustable direct task incandescent, fluorescent, or LED lighting.

- floor support consisting of weighted steel base with stamped aluminum cover and stem in chromed steel, combined with Tolomeo table models for conversion to floor models
- optional set of castors in molded thermoplastic attach to base for easy mobility

Awards

Tolomeo classic floor
Compasso d'Oro / A.D.I.
1989 - Milano (Italia)

Tolomeo classic/mini LED floor



Tolomeo classic/classic LED floor

incandescent source
• 1 x 100W (E26/A19)

or

fluorescent source
• 1 x 13W (GX23-2/T4)

or

LED source
• 5 LEDs/10W supplied



Tolomeo mini/mini LED floor

incandescent source
• 1 x 100W (E26/A19)

or

fluorescent source
• 1 x 13W (GX23-2/T4)

or

LED source
• 5 LEDs/10W supplied



Tolomeo micro floor

incandescent source
• 1 x 60W (E26/G16 ½)



Tolomeo with shade floor

incandescent source
• 1 x 75W (E26/A19)

or

fluorescent source
• 1 x 13W (GX24q-1/T4)

Artemide

www.artemide.us

Artemide

Tolomeo with shade floor

www.artemide.us

Artemide
www.artemide.us