

# Classic Pendants



RIP1012  
Polished Brass  
with Beige Hand-Painted Acrylic Bowl

RIP1004  
Polished Brass  
with Beige Hand-Painted Acrylic Bowl

# 24" 32" 42"

Traditional Trim



RIP1020  
Polished Brass



RIP1028  
Polished Brass

# Classic Pendants-24"

RENAISSANCE


# 24"

## Specifications:


- Trim rings are spun from .063" thick base material (brass or aluminum) or 18 gauge steel (plated or painted).
- Chassis is formed from 18 gauge cold-rolled steel.
- 3/8 IP (.688" dia.) stem.
- Formed acrylic bowl with a minimum wall thickness of .118". Opal finish is standard.
- Integral fluorescent ballasts are HPF electronic with low harmonic distortion.
- H.I.D. ballasts are magnetic HX-HPF for 150 watt and below. Magnetic CWA-HPF ballasts are used for over 150 watts. H.I.D. ballasts are remote mounted.
- Ballasts are thermally protected.
- Fluorescent ballasts have a Class "A" and H.I.D. a Class "B" sound rating.
- Inner steel support bracket attaches to 4" octagonal box.
- 45° swivel canopy is standard and meets all earthquake related codes.
- UL listed (US and Canada) for damp locations. (Not recommended for exterior use.)

Design modification rights reserved.


### Traditional Trim




**RIP1002**



**RIP1010**




**RIP1018**




**RIP1026**


### Stepped Trim




**RIP1042**



**RIP1050**




**RIP1058**




**RIP1066**


### Bullnose Trim




**RIP1082**



**RIP1090**




**RIP1098**



**RIP1106**

(40") Overall Height of fixture with metal halide lamping.



A, D, E  
Symmetrical  
Indirect

Sample model number: **STYLE** **LAMPING** **VOLTAGE** **FINISH** **OPTION**  
RIP1002 - 2F39/1F39 - 120 - BAL - HP02

| Select Style  | Select any Lamping<br>(indirect/bowl illumination)   | Select Voltage         | Select Finish                                  | Select Options |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
|---|--|------------------------|--|----------------|---------|------------------------|--|---|---------|---------------------|----------------------------|---|---------|-----------------------|--|---|---------|-----------------------|--|---|---------|---------------------|----------------------------|---|---------|-----------------------|--|---|---------|--------------|---------------|---|----|--------------|------------------|---|----------|--------------------------------|---------------------------------|---|---------|----------------------------------|---------------------------------|---|----------|--------------------|---------------------------------|---|---------|--------------------|---------------------------------|---|---------|-------------------------------------|---|---|
| <p><b>TRADITIONAL</b></p> <p>RIP1002</p> <p>RIP1010</p> <p>RIP1018</p> <p>RIP1026</p> <p><b>STEPPED</b></p> <p>RIP1042</p> <p>RIP1050</p> <p>RIP1058</p> <p>RIP1066</p> <p><b>BULL NOSE</b></p> <p>RIP1082</p> <p>RIP1090</p> <p>RIP1098</p> <p>RIP1106</p> | <p>Lamping Detail<br/>(indirect - bowl illumination)</p> <table border="1"> <tr><td><b>1M100PSC / 1F40</b></td><td>100W ED17 PULSE START CERAMIC MH - 40W CIRC T5</td><td>A</td><td>E402-17</td></tr> <tr><td><b>1M150PSC / 1F40</b></td><td>150W ED17 PULSE START CERAMIC MH - 40W CIRC T5</td><td>A</td><td>E402-17</td></tr> <tr><td><b>1M250 / 1F40</b></td><td>250W BT28 MH - 40W CIRC T5</td><td>A</td><td>E402-17</td></tr> <tr><td><b>1M250PS / 1F40</b></td><td>250W ED28 PULSE START MH - 40W CIRC T5</td><td>A</td><td>E402-17</td></tr> <tr><td><b>1M350PS / 1F40</b></td><td>350W ED28 PULSE START MH - 40W CIRC T5</td><td>A</td><td>E402-17</td></tr> <tr><td><b>1M400 / 1F40</b></td><td>400W BT28 MH - 40W CIRC T5</td><td>A</td><td>E402-17</td></tr> <tr><td><b>1M400PS / 1F40</b></td><td>400W ED28 PULSE START MH - 40W CIRC T5</td><td>A</td><td>E402-17</td></tr> <tr><td><b>1N300</b></td><td>300W PS30 INC</td><td>B</td><td>NA</td></tr> <tr><td><b>2T250</b></td><td>(2) 250W T10 QTZ</td><td>C</td><td>E433-75R</td></tr> <tr><td><b>2F39 / 1F39<sup>1</sup></b></td><td>(2) FT39W/2G11 - (1) FT39W/2G11</td><td>D</td><td>E433-71</td></tr> <tr><td><b>2F39DM / 1F39<sup>1</sup></b></td><td>(2) FT39W/2G11 - (1) FT39W/2G11</td><td>D</td><td>E433-75R</td></tr> <tr><td><b>4F32 / 1F22</b></td><td>(4) CFTR32W/GX24q - 22W CIRC T5</td><td>E</td><td>E402-20</td></tr> <tr><td><b>4F42 / 1F22</b></td><td>(4) CFTR42W/GX24q - 22W CIRC T5</td><td>E</td><td>E402-20</td></tr> </table> <p>Optical Pkg. Photometry</p> | <b>1M100PSC / 1F40</b> | 100W ED17 PULSE START CERAMIC MH - 40W CIRC T5 | A              | E402-17 | <b>1M150PSC / 1F40</b> | 150W ED17 PULSE START CERAMIC MH - 40W CIRC T5 | A | E402-17 | <b>1M250 / 1F40</b> | 250W BT28 MH - 40W CIRC T5 | A | E402-17 | <b>1M250PS / 1F40</b> | 250W ED28 PULSE START MH - 40W CIRC T5 | A | E402-17 | <b>1M350PS / 1F40</b> | 350W ED28 PULSE START MH - 40W CIRC T5 | A | E402-17 | <b>1M400 / 1F40</b> | 400W BT28 MH - 40W CIRC T5 | A | E402-17 | <b>1M400PS / 1F40</b> | 400W ED28 PULSE START MH - 40W CIRC T5 | A | E402-17 | <b>1N300</b> | 300W PS30 INC | B | NA | <b>2T250</b> | (2) 250W T10 QTZ | C | E433-75R | <b>2F39 / 1F39<sup>1</sup></b> | (2) FT39W/2G11 - (1) FT39W/2G11 | D | E433-71 | <b>2F39DM / 1F39<sup>1</sup></b> | (2) FT39W/2G11 - (1) FT39W/2G11 | D | E433-75R | <b>4F32 / 1F22</b> | (4) CFTR32W/GX24q - 22W CIRC T5 | E | E402-20 | <b>4F42 / 1F22</b> | (4) CFTR42W/GX24q - 22W CIRC T5 | E | E402-20 | <p><b>120</b></p> <p><b>277</b></p> | <p><b>PT</b> Painted. (Include Paint Number.)</p> <p><b>PBR</b> Polished solid brass</p> <p><b>BBR</b> Brushed solid brass</p> <p><b>ABR</b> Antique solid brass</p> <p><b>CPBR</b> Chrome plated polished brass</p> <p><b>BAL</b> Brushed aluminum</p> <p><b>ABST</b> Antique brass over steel</p> <p><b>BBST</b> Brushed brass over steel</p> <p><b>CPST</b> Polished chrome over steel</p> <p><b>PBST</b> Polished brass over steel</p> <p><i>See Finish Selection Guide, pages 268-269.</i></p> | <p><b>OAH</b> Pendant length other than standard. (Provide fixture height in inches.)</p> <p><b>F</b> Fuse option</p> <p><b>RPI</b> Remote ballast support tray</p> <p><b>EMI<sup>1</sup></b> Emergency ballast(s) integral</p> <p><b>EMR</b> Emergency ballast(s) remote</p> <p><b>SBA</b> Sandblasted acrylic</p> <p><b>SAJ</b> Contemporary ballast canopy</p> <p><b>SAV</b> Traditional ballast canopy</p> <p><b>SS</b> Separate switching</p> <p><b>HP01</b> Silver hand-painted acrylic</p> <p><b>HP02</b> Beige hand-painted acrylic</p> <p><b>HP03</b> Amber hand-painted acrylic</p> <p><b>FIN</b> Finial option</p> |
| <b>1M100PSC / 1F40</b>  | 100W ED17 PULSE START CERAMIC MH - 40W CIRC T5   | A                      | E402-17  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>1M150PSC / 1F40</b>  | 150W ED17 PULSE START CERAMIC MH - 40W CIRC T5   | A                      | E402-17  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>1M250 / 1F40</b>   | 250W BT28 MH - 40W CIRC T5   | A                      | E402-17  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>1M250PS / 1F40</b>   | 250W ED28 PULSE START MH - 40W CIRC T5   | A                      | E402-17  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>1M350PS / 1F40</b>   | 350W ED28 PULSE START MH - 40W CIRC T5   | A                      | E402-17  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>1M400 / 1F40</b>   | 400W BT28 MH - 40W CIRC T5   | A                      | E402-17  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>1M400PS / 1F40</b>   | 400W ED28 PULSE START MH - 40W CIRC T5   | A                      | E402-17  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>1N300</b>  | 300W PS30 INC  | B                      | NA   |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>2T250</b>  | (2) 250W T10 QTZ   | C                      | E433-75R                                       |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>2F39 / 1F39<sup>1</sup></b>  | (2) FT39W/2G11 - (1) FT39W/2G11  | D                      | E433-71  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>2F39DM / 1F39<sup>1</sup></b>  | (2) FT39W/2G11 - (1) FT39W/2G11  | D                      | E433-75R                                       |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>4F32 / 1F22</b>  | (4) CFTR32W/GX24q - 22W CIRC T5  | E                      | E402-20  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |
| <b>4F42 / 1F22</b>  | (4) CFTR42W/GX24q - 22W CIRC T5  | E                      | E402-20  |                |         |                        |  |   |         |                     |                            |   |         |                       |  |   |         |                       |  |   |         |                     |                            |   |         |                       |  |   |         |              |               |   |    |              |                  |   |          |                                |                                 |   |         |                                  |                                 |   |          |                    |                                 |   |         |                    |                                 |   |         |                                     |   |   |


DM = Dimming ballast(s) provided

*If Photometry is not available, consult factory for further details.*

<sup>1</sup>Denotes lamping options available with EMI



**OPTICAL PACKAGES**



# Classic Pendants-32"


RENAISSANCE

# 32"


## Specifications:

- Trim rings are spun from .063" thick base material (brass or aluminum) or 18 gauge steel (plated or painted).
- Chassis is formed from 18 gauge cold-rolled steel.
- 3/8 IP (.688" dia.) stem.
- Formed acrylic bowl with a minimum wall thickness of .118". Opal finish is standard.
- Integral fluorescent ballasts are HPF electronic with low harmonic distortion.
- H.I.D. ballasts are magnetic HX-HPF for 150 watt and below. Magnetic CWA-HPF ballasts are used for over 150 watts. H.I.D. ballasts are remote mounted.
- Ballasts are thermally protected.
- Fluorescent ballasts have a Class "A" and H.I.D. a Class "B" sound rating.
- Inner steel support bracket attaches to 4" octagonal box.
- 45° swivel canopy is standard and meets all earthquake related codes.
- UL listed (US and Canada) for damp locations. (Not recommended for exterior use.)


### Traditional Trim




RIP1004



RIP1012




RIP1020




RIP1028


### Stepped Trim




RIP1044



RIP1052




RIP1060




RIP1068


### Bullnose Trim




RIP1084



RIP1092



RIP1100



RIP1108

Design modification rights reserved.



# Classic Pendants-42"


RENAISSANCE

# 42"


## Specifications:

- Trim rings are spun from .063" thick base material (brass or aluminum) or 18 gauge steel (plated or painted).
- Chassis is formed from 18 gauge cold-rolled steel.
- 3/8 IP (.688" dia.) stem.
- Formed acrylic bowl with a minimum wall thickness of .118". Opal finish is standard.
- Integral fluorescent ballasts are HPF electronic with low harmonic distortion.
- H.I.D. ballasts are magnetic HX-HPF for 150 watt and below. Magnetic CWA-HPF ballasts are used for over 150 watts. H.I.D. ballasts are remote mounted.
- Ballasts are thermally protected.
- Fluorescent ballasts have a Class "A" and H.I.D. a Class "B" sound rating.
- Inner steel support bracket attaches to 4" octagonal box.
- 45° swivel canopy is standard and meets all earthquake related codes.
- UL listed (US and Canada) for damp locations. (Not recommended for exterior use.)


### Traditional Trim




RIP1006



RIP1014




RIP1022




RIP1030


### Stepped Trim




RIP1046



RIP1054




RIP1062




RIP1070


### Bullnose Trim




RIP1086



RIP1094




RIP1102




RIP1110

Design modification rights reserved.


Complete photometric data  
on page 254



**A, B, E, F**  
Symmetrical  
Indirect



**G**  
Wide  
Indirect



**H**  
Symmetrical  
Direct

Sample model number: **RIP1006 - 6F55/1F40 - 120 - BAL - HP02**

**Select Style**

**Select any Lamping**  
(indirect/bowl illumination)

**Select Voltage**

**Select Finish**

**Select Options**

TRADITIONAL

STEPPED

BULLNOSE

| Select Style | Select any Lamping<br>(indirect/bowl illumination) | Lamping Detail<br>(indirect - bowl illumination) | Optical Pkg. | Photometry |
|--------------|--|--|--------------|------------|
| RIP1006      | 2M400 / 3F39 <sup>1</sup>                          | (2) 400W ED37 MH - (3) FT39W/2G11                | A            | E411-28    |
| RIP1014      | 2M400PS / 3F39 <sup>1</sup>                        | (2) 400W ED37 PULSE START MH - (3) FT39W/2G11    | A            | E411-28    |
| RIP1022      | 2M350PS / 3F39 <sup>1</sup>                        | (2) 350W ED28 PULSE START MH - (3) FT39W/2G11    | A            | E411-28    |
| RIP1030      | 1M250 / 3F39 <sup>1</sup>                          | 250W ED28 MH - (3) FT39W/2G11                    | B            | E403-27    |
|              | 1M250PS / 3F39 <sup>1</sup>                        | 250W ED28 PULSE START MH - (3) FT39W/2G11        | B            | E403-27    |
| RIP1046      | 1M350PS / 3F39 <sup>1</sup>                        | 350W ED28 PULSE START MH - (3) FT39W/2G11        | B            | E403-27    |
| RIP1054      | 1M400 / 3F39                                       | 400W ED37 MH - (3) FT39W/2G11                    | B            | E403-27    |
| RIP1062      | 1M400PS / 3F39                                     | 400W ED37 PULSE START MH - (3) FT39W/2G11        | B            | E403-27    |
| RIP1070      | 1M1000 / 3F39                                      | 1000W BT37 MH - (3) FT39W/2G11                   | B            | E403-27    |
|              | 3N300  | (3) 300W PS30 INC                                | C            | NA         |
| RIP1086      | 4T350 / 4N40                                       | (4) 350 T3 QTZ - (4) 40W T10 INC                 | D            | NA         |
| RIP1094      | 6F40 / 3F40 <sup>1</sup>                           | (6) FT40W/2G11 - (3) FT40W/2G11                  | E            | E433-73    |
| RIP1102      | 6F40DM / 3F40                                      | (6) FT40W/2G11 - (3) FT40W/2G11                  | E            | E433-73    |
| RIP1110      | 8F40 / 1F40 <sup>1</sup>                           | (8) FT40W/2G11 - 40W CIRC T5                     | E            | E433-88    |
|              | 8F40DM / 1F40                                      | (8) FT40W/2G11 - 40W CIRC T5                     | E            | E433-88    |
|              | 8F55 / 1F40 <sup>1</sup>                           | (8) FT55W/2G11 - 40W CIRC T5                     | F            | E433-88    |
|              | 8F55DM / 1F40                                      | (8) FT55W/2G11 - 40W CIRC T5                     | F            | E433-88    |
|              | 6F55 / 1F40 <sup>1</sup>                           | (6) FT55W/2G11 - 40W CIRC T5                     | G            | NA         |
|              | 6F55DM / 1F40                                      | (6) FT55W/2G11 - 40W CIRC T5                     | G            | NA         |
|              | 3F40 / 6F40  | (3) FT40W/2G11 - (6) FT40W/2G11                  | H            | NA         |

**120**  
**277**

|              |                                  |
|--------------|----------------------------------|
| <b>PT</b> __ | Painted. (Include Paint Number.) |
| <b>PBR</b>   | Polished solid brass             |
| <b>BBR</b>   | Brushed solid brass              |
| <b>ABR</b>   | Antique solid brass              |
| <b>CPBR</b>  | Chrome plated polished brass     |
| <b>BAL</b>   | Brushed aluminum                 |
| <b>ABST</b>  | Antique brass over steel         |
| <b>BBST</b>  | Brushed brass over steel         |
| <b>CPST</b>  | Polished chrome over steel       |
| <b>PBST</b>  | Polished brass over steel        |

*See Finish Selection Guide, pages 268-269.*

|                         |   |
|-------------------------|---|
| <b>OAH</b> __           | Pendant length other than standard. (Provide fixture height in inches.) |
| <b>F</b>                | Fuse option (M and F)   |
| <b>EMI</b> <sup>1</sup> | Emergency ballast(s) integral   |
| <b>EMR</b>              | Emergency ballast(s) remote   |
| <b>SBA</b>              | Sandblasted acrylic   |
| <b>SAJ</b>              | Contemporary ballast canopy   |
| <b>SAV</b>              | Traditional ballast canopy  |
| <b>SS</b>               | Separate switching  |
| <b>HP01</b>             | Silver hand-painted acrylic   |
| <b>HP02</b>             | Beige hand-painted acrylic  |
| <b>HP03</b>             | Amber hand-painted acrylic  |
| <b>FIN</b>              | Finial option   |



For further detail on options, see Technical Notes on page 264.

**DM** = Dimming ballast(s) provided  
<sup>1</sup>Denotes lamping options available with **EMI**  
The lamping is per bowl of the Chandelier.  
*If Photometry is not available, consult factory for further details.*

**OPTICAL PACKAGES**

