

T4 G8.5 Metal Halide Lamp with High Performance Aluminum Reflector

RSA's VERSA TRIMLESS Series is a revolutionary recessed lighting system combining the power of a T4 G8.5 Metal Halide lamp with a sophisticated all aluminum reflector in a trimless housing.



Reflectors are integrated into the housing and are offered in three distributions.

- **15° Narrow reflector**
- **27° Medium reflector**
- **55° Wide reflector**

Trims are available in four different styles.


- **REGRESSED**
- **FLUSH**
- **DEEP REGRESSED SPECULAR**
- **DEEP REGRESSED ULTRA FLAT BLACK**

The VERSA Trimless housing includes an integral electronic metal halide ballast, butterfly brackets for commercial installations and a perforated mesh plaster frame for trimless installations.




VERSA TRIMLESS T4 SERIES - REGRESSED

VERSA TRIMLESS T4 SERIES - REGRESSED



T4 G8.5 Metal Halide Lamp



VERSA Trimless Housing Included

- Plaster mesh plate for application of ceiling mudding compound to the edge of the opening.
- Housing includes electronic metal halide ballast and junction box.
- 120V input. U.L. listed for through branch wiring.
- Housing and plaster frame constructed of 18 gauge CRS with durable powder coat finish.
- Thermal protection provided to guard against overheating and misuse of insulation. Vent holes in housing provide cooler operation.
- Includes adjustable 16 ga. steel hanger bars and butterfly brackets.
- Can accommodate ceilings from 1/2\" to 1\" thick.



VERSA SERIES - REGRESSED TRIMLESS

Item #

CDMRTR VERSA Fixture with Regressed Trimless Insert

Trimless Insert Finish

WH	White
BK	Black
S	Industrial Silver
SS	Stainless Steel (painted)
PM	Primer

Wattage

20	20 watts
39	39 watts
70	70 watts

Distribution

15	15° Narrow reflector
27	27° Medium reflector
55	55° Wide reflector

Voltage

120	120 volts
277	277 volts


Ordering Example


CDMRTR-WH-39-27-120

VERSA Series fixture with Regressed White Trimless Insert, 39 watt T4MH lamp, 27° medium reflector, 120 volts


Trim Features

- Trimless installation in drywall / plaster ceiling offers seamless integration with ceiling surface
- Integrated high-performance aluminum reflector in 15°, 27° or 55° distributions
- Accommodates varying ceiling thicknesses from 1/2\" to 1\"
- Protective glass lens included





T4 G8.5 Metal Halide Lamp



VERSA SERIES - FLUSH TRIMLESS

Item

CDMFTR VERSA Fixture with Flush Trimless Insert

Trimless Insert Finish

WH White
BK Black
S Industrial Silver
SS Stainless Steel (painted)
PM Primer

Wattage

20 20 watts
39 39 watts
70 70 watts

Distribution

15 15° Narrow reflector
27 27° Medium reflector
55 55° Wide reflector

Voltage

120 120 volts
277 277 volts

Ordering Example

CDMFTR-WH-39-27-120

VERSA Series fixture with Flush White Trimless Insert, 39 watt T4MH lamp, 27° medium reflector, 120 volts


VERSA Trimless Housing Included

- Plaster mesh plate for application of ceiling mudding compound to the edge of the opening.
- Housing includes electronic metal halide ballast and junction box.
- 120V input. U.L. listed for through branch wiring.
- Housing and plaster frame constructed of 18 gauge CRS with durable powder coat finish.
- Thermal protection provided to guard against overheating and misuse of insulation. Vent holes in housing provide cooler operation.
- Includes adjustable 16 ga. steel hanger bars and butterfly brackets.
- Can accommodate ceilings from 1/2" to 1" thick.





Trim Features


- Trimless installation in drywall / plaster ceiling offers seamless integration with ceiling surface
- Integrated high-performance aluminum reflector in 15°, 27° or 55° distributions
- Accommodates varying ceiling thicknesses from 1/2" to 1"
- Protective glass lens included



VERSA TRIMLESS T4 SERIES - DEEP REGRESSED



T4 G8.5 Metal Halide Lamp



VERSA Trimless Housing Included

- Plaster mesh plate for application of ceiling mudding compound to the edge of the opening.
- Housing includes electronic metal halide ballast and junction box.
- 120V input. U.L. listed for through branch wiring.
- Housing and plaster frame constructed of 18 gauge CRS with durable powder coat finish.
- Thermal protection provided to guard against overheating and misuse of insulation. Vent holes in housing provide cooler operation.
- Includes adjustable 16 ga. steel hanger bars and butterfly brackets.
- Can accommodate ceilings from 1/2" to 1" thick.



VERSA SERIES - DEEP REGRESSED TRIMLESS

Item

CDMSTR VERSA Fixture with Deep Regressed Trimless Insert
Clear Alzak® Internal Finish

Trim Finish

WH White
BK Black
S Industrial Silver
SS Stainless Steel (painted)
PM Primer

Wattage

20 20 watts
39 39 watts
70 70 watts

Distribution

15 15° Narrow reflector
27 27° Medium reflector
55 55° Wide reflector

Voltage

120 120 volts
277 277 volts



Ordering Example



CDMSTR-S-39-27-120

VERSA Series fixture with Deep Regressed Industrial Silver Trimless Insert with Clear Alzak® internal finish, 39 watt T4MH lamp, 27° medium reflector, 120 volts


Trim Features

- Trimless installation in drywall / plaster ceiling offers seamless integration with ceiling surface
- Integrated high-performance aluminum reflector in 15°, 27° or 55° distributions
- Accommodates varying ceiling thicknesses from 1/2" to 1"
- Protective glass lens included





T4 G8.5 Metal Halide Lamp



VERSA Trimless Housing Included

- Plaster mesh plate for application of ceiling mudding compound to the edge of the opening.
- Housing includes electronic metal halide ballast and junction box.
- 120V input. U.L. listed for through branch wiring.
- Housing and plaster frame constructed of 18 gauge CRS with durable powder coat finish.
- Thermal protection provided to guard against overheating and misuse of insulation. Vent holes in housing provide cooler operation.
- Includes adjustable 16 ga. steel hanger bars and butterfly brackets.
- Can accommodate ceilings from 1/2\" to 1\" thick.



VERSA SERIES - DEEP REGRESSED TRIMLESS

Item

CDMBTR VERSA Fixture with Deep Regressed Trimless Insert
Ultra Flat Black Internal Finish

Trim Finish

WH White
BK Black
S Industrial Silver
SS Stainless Steel (painted)
PM Primer

Wattage

20 20 watts
39 39 watts
70 70 watts

Distribution

15 15° Narrow reflector
27 27° Medium reflector
55 55° Wide reflector

Voltage

120 120 volts
277 277 volts



Ordering Example

CDMBTR-S-39-27-120

VERSA Series fixture with Deep Regressed Industrial Silver Trimless Insert with Ultra Flat Black internal finish, 39 watt T4MH lamp, 27° medium reflector, 120 volts

Trim Features

- Trimless installation in drywall / plaster ceiling offers seamless integration with ceiling surface
- Integrated high-performance aluminum reflector in 15°, 27° or 55° distributions
- Accommodates varying ceiling thicknesses from 1/2\" to 1\"
- Protective glass lens included



VERSA ADJUSTABLE T4 SERIES

Integral electronic
metal halide ballast
and thermal protector

Heavy duty butterfly brackets
for commercial installation




Torsion spring retainers for
secure trim installation


Remodel Housing
also available




RSA's VERSA Adjustable Series recessed lighting products are now available in an adjustable version for even more versatility. The CDMA fixture is suitable for downlighting or may be adjusted up to 55° vertically and 359° horizontally for unlimited accent and task lighting possibilities.

VERSA Adjustable is available in standard architectural finishes with reflectors in 15°, 23° and 32° distributions.





NEW



T4 G8.5 Metal Halide Lamp



VERSA ADJUSTABLE T4 SERIES TRIM

Item

CDMA-T4 VERSA Fixture with 55° Adjustable Accent for T4MH lamp.

Trim Finish

WH White
BK Black
S Industrial Silver

Distribution

15 15° Narrow reflector
23 23° Medium reflector
32 32° Medium / Wide reflector

Wattage

20 20 watts
39 39 watts
70 70 watts

Voltage

120 120 volts
277 277 volts

Housing

NC New Construction
RM Remodel

Ordering Example

CDMA-T4-WH-23-39-120-NC

VERSA Adjustable Series fixture with white finish, 39 watt T4MH lamp, 23° medium reflector, 120 volt new construction housing


6" VERSA Housing Included

- For new construction or remodel applications.
- Housing includes electronic metal halide ballast and junction box.
- 120V input U.L. listed for through branch wiring.
- Thermal protection provided to guard against overheating and misuse of insulation.


Trim Features

- Accent with 55° vertical and 359° rotational locking adjustment.
- Integrated high-performance aluminum reflector in 15°, 23° or 32° distributions.
- All die-cast construction with powder coat finish.
- Protective glass lens included.

New Construction Housing




Remodel Housing



VERSA DOWNLIGHT T4 SERIES




Integral electronic
metal halide ballast
and thermal protector

Heavy duty butterfly brackets
for commercial installation




RSA's VERSA Downlight Series recessed lighting fixtures are fixed position downlight trims with a small 5.25" diameter / 3.25" aperture. They include an integral high performance aluminum reflector for use with a T4MH lamp.

VERSA Downlight is available in standard architectural finishes with reflectors in 15°, 23° and 32° distributions.





NEW



T4 G8.5 Metal Halide Lamp



VERSA DOWNLIGHT T4 SERIES TRIM

Item

CDMD-T4 VERSA Fixture with 55° Adjustable Accent for T4MH lamp

Trim Finish

WH White
BK Black
S Industrial Silver

Distribution

15 15° Narrow reflector
23 23° Medium reflector
32 32° Medium / Wide reflector

Wattage

20 20 watts
39 39 watts
70 70 watts

Voltage

120 120 volts
277 277 volts

Housing

NC New Construction
RM Remodel

Ordering Example

CDMD-T4-WH-23-39-120-NC

VERSA Downlight Series fixture with white finish, 39 watt T4MH lamp, 23° medium reflector, 120 volt new construction housing



4" VERSA Housing Included

- For new construction applications.
- Housing includes electronic metal halide ballast and junction box.
- 120V input U.L. listed for through branch wiring.
- Thermal protection provided to guard against overheating and misuse of insulation.

Trim Features

- Fixed downlight trim with die-cast faceplate.
- Integrated high-performance aluminum reflector in 15°, 23° or 32° distributions.
- Protective glass lens included

New Construction Housing



VERSA ADJUSTABLE PAR20MH SERIES

Integral electronic
metal halide ballast
and thermal protector

Heavy duty butterfly brackets
for commercial installation


Torsion spring retainers for
secure trim installation


Remodel Housing
also available



RSA's VERSA Series recessed lighting products are now available in an adjustable version for even more versatility. The VERSA Adjustable PAR20MH Series fixture is suitable for downlighting or may be adjusted up to 55° vertically and 359° horizontally for unlimited accent and task lighting possibilities.

VERSA Adjustable PAR20MH Series is available in standard architectural finishes and includes an integral stepped baffle.





PAR20 Metal Halide Lamp



VERSA ADJUSTABLE PAR20MH SERIES TRIM

Item

CDMA-P2 VERSA Fixture with 55° Adjustable Accent for PAR20MH lamp

Trim Finish

WH White
BK Black
S Industrial Silver

Wattage

20 PAR20MH 20 watts (G.E. lamp only)
39 PAR20MH 39 watts (G.E. lamp only)

Voltage

120 120 volts
277 277 volts

Housing

NC New Construction
RM Remodel

Ordering Example

CDMA-P2-WH-39-120-NC

VERSA Adjustable Series fixture with white finish, 39 watt PAR20MH lamp, 120 volt new construction housing


6" VERSA Housing Included

- For new construction or remodel applications.
- Housing includes electronic metal halide ballast and junction box.
- 120V input U.L. listed for through branch wiring.
- Thermal protection provided to guard against overheating and misuse of insulation.


Trim Features

- Accent with 55° vertical and 359° rotational locking adjustment.
- Integral stepped baffle.
- All die-cast construction with powder coat finish.

New Construction Housing




Remodel Housing



VERSA DOWNLIGHT PAR20MH SERIES

Integral electronic
metal halide ballast
and thermal protector

Heavy duty butterfly brackets
for commercial installation




RSA's VERSA Downlight PAR20MH Series recessed lighting fixtures are fixed position downlight trims with a small 5.25" diameter / 3.25" aperture.

VERSA Downlight PAR20MH Series is available in standard architectural finishes and includes an integral stepped baffle.



NEW



PAR20 Metal Halide Lamp



VERSA DOWNLIGHT PAR20MH SERIES TRIM

Item

CDMD-P2 VERSA Fixture with 55° Adjustable Accent for PAR20MH lamp

Trim Finish

WH White
BK Black
S Industrial Silver

Wattage

20 PAR20MH 20 watts
39 PAR20MH 39 watts

Voltage

120 120 volts
277 277 volts

Ordering Example

CDMD-P2-WH-39-120

VERSA Downlight Series fixture with white finish, 39 watt PAR20MH lamp, 120 volt new construction housing



4" VERSA Housing Included

- For new construction applications.
- Housing includes electronic metal halide ballast and junction box.
- 120V input U.L. listed for through branch wiring.
- Thermal protection provided to guard against overheating and misuse of insulation.

Trim Features

- Fixed downlight trim with die-cast faceplate.
- Regressed stepped baffle.
- Protective glass lens included

New Construction Housing



VERSA ACCENT PAR30MH SERIES

Integral electronic
metal halide ballast
and thermal protector

Heavy duty butterfly brackets
for commercial installation


Torsion spring retainers for
secure trim installation

Remodel Housing
also available



RSA's VERSA Series recessed lighting products are now available in an adjustable version for even more versatility. The VERSA Accent PAR30MH Series fixture is suitable for down-lighting or may be adjusted from 0° to 30° vertically and 359° horizontally for unlimited accent and task lighting possibilities.



VERSA Accent PAR30MH Series is available in standard architectural finishes and includes an integral stepped baffle.



NEW



PAR30 Metal Halide Lamp



6" VERSA Housing Included

- For new construction or remodel applications.
- Housing includes electronic metal halide ballast and junction box.
- 120V input U.L. listed for through branch wiring.
- Thermal protection provided to guard against overheating and misuse of insulation.


VERSA ACCENT PAR30MH SERIES TRIM

Item #	
CDMC-P3	VERSA Fixture with 30° Adjustable Accent for PAR30MH lamp
Trim Finish	
WH	White
BK	Black
S	Industrial Silver
Wattage	
39	39 watts
70	70 watts
Voltage	
120	120 volts
277	277 volts
Housing	
NC	New Construction
RM	Remodel
Ordering Example	
CDMC-P3-WH-39-120-NC	
VERSA Accent Series fixture with white finish, 39 watt PAR30MH lamp, 120 volt new construction housing	


Trim Features

- Accent with 30° vertical and 359° rotational locking adjustment.
- Regressed stepped baffle.
- All die-cast construction with powder coat finish.


New Construction Housing



Remodel Housing




VERSA ACCENT CDMR111 SERIES



RSA's VERSA Series recessed lighting products are now available in an adjustable version for even more versatility. The VERSA Accent CDMR111 Series fixture is suitable for down-lighting or may be adjusted from 0° to 30° vertically and 359° horizontally for unlimited accent and task lighting possibilities.


VERSA Accent CDMR111 Series is available in standard architectural finishes and includes an integral stepped baffle.



NEW



CDMR111 Metal Halide Lamp



6" VERSA Housing Included

- For new construction or remodel applications.
- Housing includes electronic metal halide ballast and junction box.
- 120V input U.L. listed for through branch wiring.
- Thermal protection provided to guard against overheating and misuse of insulation.

VERSA ACCENT CDMR111 SERIES TRIM

Item

CDMC-C1 VERSA Fixture with 30° Adjustable Accent for CDMR111 lamp

Trim Finish

WH White
BK Black
S Industrial Silver

Wattage

39 39 watts

Voltage

120 120 volts
277 277 volts

Housing

NC New Construction
RM Remodel

Ordering Example


CDMC-C1-WH-39-120-NC

VERSA Accent Series fixture with white finish, 39 watt CDMR111 lamp, 120 volt new construction housing


Trim Features

- Accent with 30° vertical and 359° rotational locking adjustment.
- Regressed stepped baffle.
- All die-cast construction with powder coat finish.

New Construction Housing



Remodel Housing



VERSA ACCENT AR111 SERIES

Integral electronic
low voltage transformer
and thermal protector

Heavy duty butterfly brackets
for commercial installation


Torsion spring retainers for
secure trim installation

Remodel Housing
also available




RSA's VERSA Series recessed lighting products are available in an adjustable version for even more versatility. The VERSA Accent AR111 Series fixture is suitable for downlighting or may be adjusted from 0° to 30° vertically and 359° horizontally for unlimited accent and task lighting possibilities.


VERSA Accent AR111 Series is available in standard architectural finishes and includes an integral stepped baffle.



NEW



**AR111 Low Voltage
Halogen Lamp**



6" VERSA Housing Included

- For new construction or remodel applications.
- Housing includes a low voltage electronic transformer and junction box.
- 120V input U.L. listed for through branch wiring.
- Thermal protection provided to guard against overheating and misuse of insulation.

VERSA ACCENT AR111 SERIES TRIM

Item

CDMC-A1 VERSA Fixture with 30° Adjustable Accent for 12V AR111 lamp

Trim Finish

WH White
BK Black
S Industrial Silver

Wattage

35 35 watts
50 50 watts
75 75 watts
100 100 watts

Voltage

120 120 volts
277 277 volts

Housing

NC New Construction
RM Remodel

Ordering Example


CDMC-A1-WH-35-120-NC

VERSA Accent Series fixture with white finish, 35 watt AR111 lamp, 120 volt new construction housing

Trim Features

- Accent with 30° vertical and 359° rotational locking adjustment.
- Regressed stepped baffle.
- All die-cast construction with powder coat finish.

New Construction Housing



Remodel Housing

