



STILE™

Contemporary Lighting Solutions



STILE
A BRAND OF SPI LIGHTING INC.





STILE EXPANSION


Lynk is a unique new product from STILE with the versatility to give any project a contemporary edge and European feel. This inspirational STILE brochure is designed to stimulate creativity, but only touches the limitless possibilities. Lynk was designed to maximize efficiency, while delivering the flexibility to lend itself to practically any lighting application. This highly efficient fixture provides the ability to meet ASHRAE and LEED lighting requirements.

A versatile family, Lynk features durable components, contemporary accessories, efficient fluorescent lampings and long-lasting LEDs. Lynk is designed to provide energy-efficient illumination and features:

- T5, T5HO and LEDs
- 2, 3 and 4 Lamp Versions
- Decorative Panels
- Designer Bulkheads
- Lamp Shielding
- Customization Options

Inspired by the drive to push the lighting design barrier, STILE delivers versatile, modern components creating a foundation upon which unique lighting designs can develop.

STILE




LYNK PENDANT

Based on multiple unique bulkheads, Lynk pendants can light a wide variety of applications as a pendant or continuous row system.

Features:

- LED, T5 and T5HO
- Dimming and Emergency
- Adjustable Mounting Centers
- Continuous Row Capabilities
- Multiple Bulkhead Designs
- Decorative Panels
- Shielding Options
- Color Gels

Pages 4 - 13



LYNK SCONCE

With a clean, modern look, Lynk sconces provide illumination with decorative accents that complement Lynk pendants.

Features:

- T5 and T5HO
- Dimming
- Sconce and Ceiling
- Decorative Panels
- Color Accents
- ADA Compliant (2" Projection)
- Color Gels
- Shielding

Pages 14 - 17



BEAM

A sleek, award-winning fixture, Beam has the versatility to light the wall or ceiling plane, highlight an object or accent any design.

Features:

- LED, T5 and T5HO
- Dimming and Emergency
- Wall, Ceiling and Pendant
- ADA Compliant Capabilities
- Integral and Remote Versions
- Shielding Options
- Continuous Row

Pages 18 - 19



BOW

An ultra low-profile fixture with minimal bracketry and a clean appearance, Bow provides quality supplemental light to a space.

Features:

- LED, T5 and T5HO
- Dimming and Emergency
- Wall and Ceiling
- Remote Ballast
- ADA Compliant
- Shielding Options

Pages 20 - 21




BRACE

A wet location wall sconce, Brace brings a consistent look to any application carrying a lighting design throughout a project.

Features:

- T5 and T5HO
- Dimming and Emergency
- Wall
- ADA Compliant Versions
- Shielding Options
- Integral and Remote Versions
- UL Wet Location Listed

Pages 22 - 23




STILE


LYNK

Design and Features

- A** Two, Three and Four Lamp Versions
- B** Standard Bulkhead Designs
- C** Continuous Row Capabilities
- D** Optional Vertical Orientation
- E** Panel Options
- F** Shielding Options



A Two, Three and Four Lamp Versions



B Standard Bulkheads Designs




C Continuous Row Capabilities




D Optional Vertical Orientation



E Panel Options



F Shielding Options



STILE

LYNK PENDANT

Designer Bulkheads

Lynk's multiple bulkhead designs define the family. Powder coat painted aluminum bulkheads add color and style to a space, while the fixture's structural flexibility allows unlimited creativity and design possibilities. Contact our factory to design your own bulkhead.

Various Lamp Versions


Stile Lynk offers efficient linear fluorescent and long-lasting LED light sources in two, three and four lamp pendant sections. While each lamp and shield combination produces different light levels, all feature adjustable mounting centers, which ease the installation process. Contact our factory to create a Lynk system that delivers the light levels you need.



B - 4



C - 4



V - 4




X - 4




W - 4



Z - 4



I - 2



Y - 3



B - 2



C - 2



V - 2



X - 2



W - 2



Z - 2

STILE

LYNK PENDANT

Controlling Maximized Output


STILE Lynk is available with various shielding options to conceal the lamp and direct light to where it is needed. Designed to assist in meeting ASHRAE-LEED requirements, all shielding is field-adjustable to optimize efficiency and control. Lynk's flexible design allows for the integration of other shielding options. Use your imagination and let us create your custom design.



CT - Cutoff Tube

SSR - Symmetric Solid







SPS - Symmetric Perforated



74% Total Luminaire Efficiency

85% Total Luminaire Efficiency



93% Total Luminaire Efficiency




Standard




98% Total Luminaire Efficiency




VR - Variable Reflector







85% Total Luminaire Efficiency



85% Total Luminaire Efficiency



85% Total Luminaire Efficiency




STILE

LYNK PENDANT

Decorative Panels

Panels with modern designs transform Lynk by adding an accessory with a contemporary look. Curved or flat, decorative panels accent Lynk's streamline design by adding a detailed element that enhances the fixture and adds color. The decorative panels can be specified with any of our powder coat paint finishes, while the frosted acrylic panels also feature a brushed aluminum option. Another creative element can be added by choosing a standard or custom color gel to accent the fixture through the panel design.




SIP 11054



SIP 11050



SIP 11052




SIP 11048




SIP 11055



SIP 11051




SIP 11053




SIP 11049

Panel Finishes with STILE


Modern panel designs define Lynk's distinct look. Decorative panels enhance its sleek design by adding color and unique detailing. Flat, clear acrylic panels add a modern look and enhance a space with unique frosted illumination. The acrylic panels offer standard, center cutout options, but are versatile enough to incorporate your custom design. Powder coat painted, Lynk's aluminum panels have a curved or flat profile. The flat panel adds a sleek, streamlined feel while the curved panel gives a clean, contemporary look.




SIP 11047



SIP 11043



SIP 11045




STILE

LYNK PENDANT


Continuous Row Systems

Developed to break design barriers, STILE Lynk provides an opportunity for creative design with efficient fluorescent sources. Without maximum length limitations, Lynk continuous rows can glide throughout a project producing environmentally appropriate lighting. Designed with energy conservation in mind, this system offers a controlled optimization of light. Individual lamp aiming and shielding options, combined with two, three and four lamp modules and unlit spacer sections, produce the appropriate light levels along the entire system. The unlit spacer sections provide layout versatility, as well as a wireway between lamped sections. Aircraft cables with adjustable mounting centers ease the installation of Lynk pendants and systems.


Design Features



Adjustable Aircraft Mounting Centers



Direction and Elevation Changes




2, 3 and 4 Lamp Configurations

Customized Flexibility


The modular design's flexibility allows Lynk to adapt to any application, from those requiring thousands of feet, turning corners and changing elevations to ones satisfied by an independently hung section. Two, three and four lamp modules can be strategically placed with unlit spacer sections, within the same system, to allow illumination variation. Each T5 lamp can be shielded and independently aimed, adjusting the uplight and downlight components that a space requires. Lighting designs utilizing Lynk's effective continuous row systems can be completed with the complementary Lynk sconces.

Contact SPI's Applications Department to customize Lynk. Select a bulkhead, or design your own, and work with our experienced team to determine the lamping, length and layout necessary for your project.



STILE

LYNK SCONCE




Design Flexibility

A low-profile luminaire with clean lines, Lynk sconces do more than accent a space. Efficient T5 fluorescent lampings provide functional lighting, while decorative panels carry contemporary designs.

Curved or flat decorative panels and a wide variety of color options. Featuring a minimal 2" wall projection, Lynk sconces complement the pendants low-profile design. Lynk offers the flexibility available throughout the STILE brand, with the ability to customize color beyond the standard and the versatility to mount sconces vertically, horizontally or as a ceiling fixture.

Horizontal Orientation



Translucent Shielding

The sleek Lynk design creates a streamline look that effectively illuminates a space in a low-profile fixture. Proving the utmost attention was given to its design details, Lynk features frosted acrylic diffusers that add a uniquely lit perimeter accent, concealing the lamp image. This translucent shield option is available on the sconces with flat panels. The variety of options was purposefully designed to inspire creativity.




STILE

LYNK SCONCE

Decorative Panels


Modern designs define Lynk's distinct look. Decorative panels enhance its sleek design by adding color and unique detailing. Patterned aluminum panels add style, while frosted acrylic panels add a European feel and feature clear side illumination. Lynk sconce's decorative panels directly reflect the sleek styling of the STILE Lynk pendant and also incorporate the option of standard or customized color gels. Use these complementary fixtures to create your own unique, lighting design.



SIW 11037




SIW 11038



SIW 11035



SIW 11040




SIW 11033

Finishes with STILE

Brushed or powder coat painted, Lynk's detailed aluminum panels have a curved or flat profile. The flat panel adds a sleek, streamlined feel while the curved panel provides a clean, contemporary look.

Flat, clear acrylic panels add a modern style with a unique frosted accent. A centered aluminum rectangle can be painted or brushed and feature standard cutouts or your custom design.


To meet the demands of modern design, Lynk has the ability to add another element of color by filling the cutout with standard or custom color gels.



SIW 11039



SIW 11041



SIW 11039



SIW 11041

STILE

BEAM

Award-Winning STILE

Beam delivers quality illumination to creative lighting designs in an award-winning fixture. Featuring long-lasting LEDs and efficient T5 and T5HOs, it has the versatility to be mounted on the wall or ceiling. Its standard 18" projection can be shortened to meet ADA requirements and is offered with integral or remote ballast options. Beam's UL damp location listing and multiple shielding options enable this low-profile fixture to adapt to any application.



Remote Ballast



Miniature Canopy



Switch Box Cover

Integral Ballast




Surface Mount



Standard J-Box Cover

Beam Shielding Options

- A** Symmetric Perforated Screen
- B** Asymmetric Perforated Screen
- C** Translucent Shield
- D** Perforated Lamp Screen



Shielding Options



STILE

BOW

Simply STILE-ish

Bow delivers performance level lighting and quality accents with efficient T5 and long-lasting LED options. ADA compliant, this UL damp location fixture mounts discreetly to either stubbed conduit or factory-supplied anchors. Ideal for wall mount applications, but also able to be mounted to drywall ceilings, Bow offers remote ballasts and various shielding options. This luminaire's clean appearance and minimal wall bracketry provide the supplemental illumination needed in a stylish, low-profile fixture.



Remote Ballast



Conduit Mount




Miniature Canopy



Bow Shielding Options

- A** Symmetric Perforated Screen
- B** Asymmetric Perforated Screen
- C** Translucent Shield
- D** Perforated Lamp Screen



Shielding Options



A SPS




B APS




C TS




D PLS




SPS Shield



APS Shield



TS Shield




PLS Shield

STILE

BRACE



Versatile STILE

Brace delivers maximized light output, as well as way-finding, column accents and entrance highlighting. It creates an inviting and comfortable space utilizing efficient T5 and T5HO lamp sources. UL listed for wet locations, Brace is available in a wall mount and offers remote or integral ballasts with various shielding options. Available in two distinct looks, this sleek luminaire presents versions satisfying ADA requirements. It has the ability to coordinate with any project, interior or exterior, and to add the finishing touch to sleek and modern lighting designs.




Brace Shielding Options


- A** Asymmetric Opal Shield
- B** Asymmetric Perforated Screen
- C** Asymmetric Solid Reflector
- D** Symmetric Opal Shield
- E** Symmetric Perforated Screen
- F** Symmetric Solid Reflector




AOS Shield



APS and ASR Shields




SOS Shield



SPS and SSR Shields

Shielding Options



STILE


The STILE Brand

Joining Beam, Bow and Brace, Lynk is the newest addition to the STILE brand. STILE's contemporary designs deliver in any application. With various mounts, continuous row systems, interior and exterior versions, this brand provides maximized lighting for energy-conscious designers.

Be Inspired.

The products illustrated are only a hint of STILE's possibilities. The fixtures shown in this brochure are available as standard, but the ability to modify them is endless. Lynk can integrate dimming, emergency, custom designs, continuous rows and other inspirations and design visions. Contact us or see our Web site for more information.

We receive our inspiration from a variety of different places. Mechanics, nature and our hobbies are just a few things that spark our imagination and influence our designs. We understand your inspiration comes from different places and that is why STILE Lynk was designed to be flexible. We can incorporate your inspiration into the product, so do not let the standard designs limit your imagination. Be bold. Be inspired. Create your vision.







STILE™

10400 North Enterprise Drive
Mequon, WI 53092

www.specstile.com
262-242-1420
contact@spilighting.com

STILE™ A BRAND OF SPI LIGHTING INC.

1000-23