

GENERAL

Highest quality sink formed of #18 (1.2mm) gauge, type 304 (18-8) nickel bearing stainless steel. Top mount.

DESIGN FEATURES

LR(Q) Bowl Depth: 8" (203mm) (LR[Q]2521), 7-1/2" (191mm) (LR[Q]1919), 7-5/8" (194mm) (all others).

Coved Corners: 1-3/4" (44mm) vertical and horizontal radius.

Bowl and Faucet Deck Recess: $3/16^{\shortparallel}$ (5mm) below outside edge of sink.

Finish: Exposed surfaces are hand blended to a lustrous satin finish.

Underside: Fully undercoated to dampen sound and prevent condensation. LR(Q)2521 is fully protected by heavy duty Sound Guard[®] undercoating.

OTHER

Drain Opening: 3-1/2" (89mm).

NOTE: Unless otherwise specified, models with one, two, three or OS4 faucet hole option are furnished with 3 faucet holes as shown; models with choice of one, two, three, four or five faucet hole option are furnished with 4 faucet holes standard.

These sinks comply with ASME A112.19.3.

These sinks are listed by the International Association of Plumbing and Mechanical Officials as meeting the requirements of the Uniform Plumbing Code.

HOLE DRILLING CONFIGURATIONS


4" (102mm)


2 4" 4" (102mm)(102mm)

3 4" 4" 4" (102mm)(102mm)(102mm)


OS4


Æ













Model LR(Q)22193

Quick-Clip® Mounting System



U-Channel Type Mounting System



In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkayusa.com for most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overloaked.


2222 Camden Court Oak Brook, IL 60523




SINK DIMENSIONS*

| U-Channel Model Number | Quick-Clip® Model Number | Overall | | Inside Bowl | | | Cutout in Countertop [11/2" (38mm) | | No. of 1 ¹ /2" (38mm) | |
|------------------------------|--------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|--|--|-------------------------------|----------------------------------|--------------------|
| | | L W | | L W | | D | Radius Corners] | | Dia. Faucet Holes 4" (102mm) | Minimum Cabinet |
| | | A | В | C | D | E | L | W | Center | Size |
| LR1316 | LRQ1316 | 13 (330mm) | 16 (406mm) | 10 (254mm) | 10 (254mm) | 7 ^{5/} 8 (194mm) | 12 ^{3/} 8 (321mm) | 15 ^{3/} 8 (391mm) | 1, 2, MR2 or 3 | 18 (457mm) |
| LR1517 | LRQ1517 | 15 (381mm) | 17 ^{1/} 2 (445mm) | 12 (305mm) | 12 (305mm) | 7 ^{5/} 8 (194mm) | 14 ^{3/} 8 (371mm) | 16 ^{7/} 8 (429mm) | 1, 2, MR2 or 3 | 18 (457mm) |
| LR1522 | LRQ1522 | 15 (381mm) | 22 (559mm) | 11 ^{1/} 2 (292mm) | 16 (406mm) | 7 ^{5/} 8 (194mm) | 14 ^{3/} 8 (371mm) | 21 ^{3/} 8 (543mm) | 1, 2, MR2 or 3 | 18 (457mm) |
| LR1716 | LRQ1716 | 17 (432mm) | 16 (406mm) | 14 (356mm) | 10 (254mm) | 7 ^{5/} 8 (194mm) | 16 ^{3/} 8 (422mm) | 15 ^{3/} 8 (391mm) | 1, 2, MR2, 3 or OS4 | 21 (533mm) |
| LR1720 | LRQ1720 | 17 (432mm) | 20 (508mm) | 14 (356mm) | 14 (356mm) | 7 ^{5/} 8 (194mm) | 16 ^{3/} 8 (422mm) | 19 ^{3/} 8 (492mm) | 1, 2, MR2, 3 or OS4 | 21 (533mm) |
| LR1722 | LRQ1722 | 17 (432mm) | 22 (559mm) | 13 ^{1/} 2 (343mm) | 16 (406mm) | 7 ⁵ /8 (194mm) | 16 ^{3/} 8 (422mm) | 21 ^{3/} 8 (543mm) | 1, 2, MR2, 3 or OS4 | 21 (533mm) |
| LR1918 | LRQ1918 | 19 (483mm) | 18 (457mm) | 16 (406mm) | 11 ^{1/2} (292mm) | 7 ^{5/} 8 (194mm) | 18 ^{3/} 8 (467mm) | 17 ^{3/} 8 (441mm) | 1, 2, MR2, 3 or OS4 | 24 (610mm) |
| LR1919 | LRQ1919 | 19 ¹ /2 (495mm) | 19 (483mm) | 16 (406mm) | 13 ^{1/2} (343mm) | 7 ¹ / ₂ (190mm) | 18 ^{7/} 8 (479mm) | 18 ^{3/} 8 (467mm) | 1, 2, MR2, 3 or OS4 | 24 (610mm) |
| LR2022 | LRQ2022 | 19 ¹ /2 (495mm) | 22 (559mm) | 16 (406mm) | 16 (406mm) | 7 ^{5/8} (194mm) | 18 ^{7/} 8 (479mm) | 21 ^{3/} 8 (543mm) | 1, 2, MR2, 3 or OS4 | 24 (610mm) |
| LR2219 | LRQ2219 | 22 (559mm) | 19 ^{1/2} (495mm) | 18 (457mm) | 14 (356mm) | 7 ^{5/8} (194mm) | 21 ^{3/} 8 (543mm) | 18 ^{7/} 8 (479mm) | 1, 2, MR2, 3, 4 or 5 | 27 (686mm) |
| LR2222 | LRQ2222 | 22 (559mm) | 22 (559mm) | 19 (483mm) | 16 (406mm) | 7 ^{5/8} (194mm) | 21 ^{3/} 8 (543mm) | 21 ^{3/} 8 (543mm) | 1, 2, MR2, 3, 4 or 5 | 27 (686mm) |
| LR2521 | LRQ2521 | 25 (635mm) | 21 ^{1/4} (540mm) | 21 (533mm) | 15 ^{3/4} (400mm) | 8 (203mm) | 24 ^{3/8} (619mm) | 20 ⁵ /8 (524mm) | 1, 2, MR2, 3, 4 or 5 | 30 (762mm) |
| LR3122 | LRQ3122 | 31 (787mm) | 22 (559mm) | 28 (711mm) | 16 (406mm) | 7 ⁵ /8 (194mm) | 30 ^{3/8} (772mm) | 21 ^{3/} 8 (543mm) | 1, 2, MR2, 3, 4 or 5 | 36 (914mm) |
| LRS3322 | LRSQ3322 | 33 (838mm) | 22 (559mm) | 28 (711mm) | 16 (406mm) | 7 ^{5/} 8 (194mm) | 32 ^{3/} 8 (822mm) | 21 ^{3/} 8 (543mm) | 1, 2, MR2, 3, 4 or 5 | 36 (914mm) |

*Length is left to right. Width is front to back.





LRQ Series Illustrated