


STANDARD



CONTROLLER SIZE:

24" HEIGHT, 18" WIDTH, 8" DEPTH


PUMP UNIT SIZE:

32 1/2" HEIGHT, 30 1/2" WIDTH, 14" DEPTH


NOTES:

1. LOCAL, STATE, & NATIONAL CODES MUST ALWAYS BE FOLLOWED.
2. 3'-0" MIN. CLEARANCE IN FRONT OF CONTROLLER PANEL REQUIRED PER N.E.C.
3. FUSED DISCONNECT SWITCH AND LIGHT SWITCH TO BE LOCATED ON STRIKE JAMB SIDE OF MACHINE ROOM DOOR.
4. REQUIRED OIL TYPE AW-32, AMOUNT 34.2 GAL.

CONTROLLER MOUNTED ABOVE AND FLUSH WITH FRONT OF PUMP



STANDARD



CONTROLLER SIZE:
24" HEIGHT, 18" WIDTH, 8" DEPTH


PUMP UNIT SIZE:
32 1/2" HEIGHT, 30 1/2" WIDTH, 14" DEPTH

NOTES:

1. LOCAL, STATE, & NATIONAL CODES MUST ALWAYS BE FOLLOWED.
2. 3'-0" MIN. CLEARANCE IN FRONT OF CONTROLLER PANEL REQUIRED PER N.E.C.
3. FUSED DISCONNECT SWITCH AND LIGHT SWITCH TO BE LOCATED ON STRIKE JAMB SIDE OF MACHINE ROOM DOOR.
4. REQUIRED OIL TYPE AW-32, AMOUNT 34.2 GAL.

REVISIONS			
LETTER:	DESCRIPTION:	DATE:	BY:
C			

CONTROLLER MOUNTED ABOVE AND FLUSH WITH FRONT OF PUMP



1726 North Ballard Road
Appleton, WI 54911
Phone: 800-238-8739

W **E** WAUPACA
ELEVATOR CO., INC.

Residential Elevators * Wheelchair-Compatible Elevators
RESIDENTIAL AND COMMERCIAL DUMBWAITERS
CUSTOMER:

CONTRACTOR:

TITLE:
**PACA RYDE
MACHINE ROOM LAYOUT**

QUOTE NUMBER:

DRAWN BY:	SCALE:	DWG. NO.
APPD:	DATE:	C-002621