

# BRETFORD BASICS™

## QUATTRO COMPUTER TABLES

Quattro Computer Tables are great for multi-purpose rooms and can be used for nearly any type of computer classroom application.



### FEATURES


- Work surface is adjustable in one inch increments from 24" to 32" high and tables meet ADA requirements.
- Sturdy 1" thick laminate top with steel skirt and base provide a sturdy work surface for the heaviest of equipment, Quattro tables meet ANSI-BIFMA safety and quality standards.
- Reinforced leg design is constructed from 12- and 14-gauge steel providing superior strength and stability.
- Table also features a J-channel, cord management bin for organizing wires and cords.
- 36", 42" and 48"W tables have one grommet hole and are designed for one computer.
- 60" and 72"W tables have two grommet holes and are designed for two computers.
- 84"W table has three grommet holes and is designed for three computers.
- Tables come with adjustable floor glides, 3" twin wheel casters are available to replace glides.
- Optional CPU holder mounts to the underside of the work surface and adjusts to hold towers 6-1/2" to 11-1/2" w x 20-3/8"h. The 60", 72" and 84" tables can hold two CPU holders.
- Optional power includes the ECF6 6-outlet electrical unit with on/off switch and 20 foot power cord and the Juice Power System. Both attach to pre-drilled holes in the cord management bin.
- Work surface uses a substrate that is comprised of a minimal 40% and average 70% recycled materials and the base is constructed with "prime" steel which is constructed with 25%-35% post-consumer recycled steel.
- Complies with the GREENGUARD Environmental Institute's GREENGUARD Children & Schools Indoor Air Quality standards, contributing to points toward Leadership in Energy and Environmental Design (LEED) Certification.



## STANDARD COLOR/FINISH

Base/Tabletops: Grey Mist powder paint/Grey Mist laminate (-GM\_) or Black powder paint and trim/Wild Cherry laminate (-CY.)

Trim, Toe Caps & Grommet Holes (on Grey Mist tables only): Available in Cardinal (GMC), Topaz (GMT), Polo (GML) and Quartz (GMQ)



## TABLE ACCESSORIES

QWTCPU	Standard CPU holder for towers 6-1/2" to 11-1/2"W
QWTMTC	Slim CPU holder for towers 3-1/2" to 5-3/4"W
CT3CP	3" twin plastic stem caster pack

## SOFTWARED POWER OPTION

ECF6 6-Outlet Power Strip (1 each table)



ECF6 Power Strip

## JUICE SOFTWARE POWER SYSTEM OPTION

DPCF4	Juice 4-Outlet Power Strip (1 each table)
DPP120	Juice Power In-Feed Cable (1 each row)
DPJ38	Juice Power Jumper Cable 38"L (36"w to 36"w tables)
DPJ42	Juice Power Jumper Cable 42"L (42"w to 42"w tables)
DPJ54	Juice Power Jumper Cable 54"L (36"w to 60"w and 72"w; and 48"w to 42"w, 48"w and 60"w tables)
DPJ62	Juice Power Jumper Cable 62"L (60"w to 60"w; 36"w to 84"w; and 48"w to 72"w tables)
DPJ74	Juice Power Jumper Cable 74"L (72"w to 60"w and 72"w; and 60"w to 84"w tables)
DPJ86	Juice Power Jumper Cable 86"L (84"w to 72"w and 84"w tables)



Juice Power System

## LEGROOM WHEN CPU HOLDERS ARE USED

CPU holders mount 5" from the table edge when mounted to the outside of the table. When two CPUs are mounted subtract 10" from the table width and then subtract the actual CPU tower width to get the available leg room.

## SUGGESTED SPECIFICATIONS

Quattro Computer Tables are height adjustable from 24" to 32" in 1" increments. Available in 24" and 30" depths by 36", 42", 48", 60", 72" and 84" widths depending on the model specified. Laminate table top is made from 1" thick, 45 lb. density particle board and 3mm thick vinyl T-molding. Table top incorporates a 14-gauge steel apron around the table edge for maximum strength and durability. Telescoping legs are constructed from 1-1/4" 12-gauge steel and 1" 14-gauge steel tubing and attach to the top using a unique hex/tie bolt assembly. Cord management bin runs the width of the table, is constructed of 18-gauge steel and is secured to the table apron and leg with (2) 10-32 screws. Each table comes standard with grommet holes: 36", 42", and 48" width tables have one center grommet; 60" and 72" width tables have two grommets; and 84" width tables have three grommets. Table is available in a Wild Cherry wood grain laminate with Black T-molding and Black powder paint base or with a Grey Mist laminate with Quartz, Cardinal, Polo or Topaz T-molding and a Grey Mist powder paint base. All steel components are constructed with "prime" steel which features 25% to 35% post-consumer recycled content. Tables are GREENGUARD INDOOR AIR QUALITY CERTIFIED®.

## MADE IN THE USA

All Quattro series tables are made at one of Bretford's Chicago area manufacturing facilities using union labor.



Reinforced Leg Design

## OVERALL DIMENSIONS

Leg Space: Leg space is always 6" less then the overall table width  
24"d Rectangular Computer Tables

QWTCP2436-\_: 36"W x 24"d x 24-32"h

QWTCP2442-\_: 42"w x 24"d x 24-32"h

QWTCP2448-\_: 48"w x 24"d x 24-32"h

QWTCP2460-\_: 60"w x 24"d x 24-32"h

QWTCP2472-\_: 72"w x 24"d x 24-32"h

QWTCP2484-\_: 84"w x 24"d x 24-32"h

30"d Rectangular Computer Tables

QWTCP3036-\_: 30"w x 30"d x 24-32"h

QWTCP3042-\_: 42"w x 30"d x 24-32"h

QWTCP3048-\_: 48"w x 30"d x 24-32"h

QWTCP3060-\_: 60"w x 30"d x 24-32"h

QWTCP3072-\_: 72"w x 30"d x 24-32"h

QWTCP3084-\_: 84"w x 30"d x 24-32"h

## WEIGHT AND FREIGHT CLASS

All ship ready to assemble in two carton packs.

Model QWTCP2436-\_: 64.5 lbs., Freight class 70 UPS.

Box 1 "QWTCP2436TOP-\_" - 44"l x 28"w x 4.5"h

Box 2 "QWT36BIN-\_" - 32"l x 7.75"w x 4.5"h

Model QWTCP2442-\_: 71 lbs., Freight class 70 UPS.

Box 1 "QWTCP2442TOP-\_" - 50"l x 28"w x 4.5"h

Box 2 "QWT42BIN-\_" - 38"l x 7.75"w x 4.5"h

Model QWTCP2448-\_: 78 lbs., Freight class 70 UPS.

Box 1 "QWTCP2448TOP-\_" - 56"l x 28"w x 4.5"h

Box 2 "QWT48BIN-\_" - 45"l x 7.75"w x 4.5"h

Model QWTCP2460-\_: 91 lbs., Freight class 70.

Box 1 "QWTCP2460TOP-\_" - 68"l x 28"w x 4.5"h

Box 2 "QWT60BIN-\_" - 56"l x 7.75"w x 4.5"h

Model QWTCP2472-\_: 111 lbs., Freight class 70.

Box 1 "QWTCP2472TOP-\_" - 80"l x 34"w x 4.5"h

Box 2 "QWT72BIN-\_" - 70"l x 7.75"w x 4.5"h

Model QWTCP2484-\_: 116 lbs., Freight class 70.

Box 1 "QWTCP2484TOP-\_" - 92"l x 28"w x 4.5"h

Box 2 "QWT84BIN-\_" - 80"l x 7.75"w x 4.5"h

Model QWTCP3036-\_: 72 lbs., Freight class 70 UPS.

Box 1 "QWTCP3036TOP-\_" - 44"l x 34"w x 4.5"h

Box 2 "QWT36BIN-\_" - 32"l x 7.75"w x 4.5"h

Model QWTCP3042-\_: 81 lbs., Freight class 70 UPS.

Box 1 "QWTCP3042TOP-\_" - 50"l x 34"w x 4.5"h

Box 2 "QWT42BIN-\_" - 38"l x 7.75"w x 4.5"h

Model QWTCP3048-\_: 88.5 lbs., Freight class 70.

Box 1 "QWTCP3048TOP-\_" - 56"l x 34"w x 4.5"h

Box 2 "QWT48BIN-\_" - 45"l x 7.75"w x 4.5"h

Model QWTCP3060-\_: 105 lbs., Freight class 70.

Box 1 "QWTCP3060TOP-\_" - 68"l x 34"w x 4.5"h

Box 2 "QWT60BIN-\_" - 56"l x 7.75"w x 4.5"h

Model QWTCP3072-\_: 121 lbs., Freight class 70.

Box 1 "QWTCP3072TOP-\_" - 80"l x 34"w x 4.5"h

Box 2 "QWT72BIN-\_" - 70"l x 7.75"w x 4.5"h

Model QWTCP3084-\_: 135 lbs., Freight class 70.

Box 1 "QWTCP3084TOP-\_" - 92"l x 34"w x 4.5"h

Box 2 "QWT84BIN-\_" - 80"l x 7.75"w x 4.5"h



11000 SEYMOUR AVENUE  
FRANKLIN PARK, ILLINOIS 60131 USA  
TOLL FREE PHONE 800-521-9614  
PHONE 847-678-2545  
TOLL FREE FAX 800-343-1779  
FAX 847-678-0852  
WWW.BRETTFORD.COM