

BRETFORD BASICS™

CONNECTIONS FLAT SCREEN WORK CENTERS

The Connections Flat Screen Work Centers were specifically designed to accommodate a flat screen computer monitor. These tables are great for classroom use since the monitors are slightly recessed allowing students to see the teacher at the front of the room.



FEATURES

- When space is an issue choose a 24" deep work surface which requires less room, allowing five rows of tables to fit in a space that would hold four 30" deep tables. Choose a 30" deep work surface when using larger equipment and more space is required on the monitor shelf.
- A separate work surface for the flat screen monitor allows you to adjust the height to best suit your needs.
- The monitor work surface on 24"D tables measures 9-1/2"D and on 30"D tables 15-1/2"D. The monitor work surface adjusts in height from 23-31" in 1" increments allowing for the monitor to be lowered below the keyboard work surface.
- The keyboard work surface measures 13"D, is adjustable from 24-32" in 1" increments so the keyboard can be set at the perfect typing height.
- A CPU holder comes with each table, 72"W table includes two CPU holders. Standard CPU tower holders adjust for computers 6-1/2" to 11-1/2"W x 17"D, no taller than 19". Slim CPU tower holders (MT models) adjust for computers 3-1/2" to 5-3/4"W x 17"D, no taller than 19".
- The Flat Panel Work Centers are available in 36" (one computer) and 72" widths (two computers.)
- Attractive Grey laminate tabletop trimmed with bullnose edge band in your choice of four trim colors, Quartz grey, Cardinal red, Polo green, or Topaz blue. Also available for special order in any Bretford paint, trim and laminate option.
- Tops feature metal threaded inserts on the underside to attach the leg assemblies to for a metal to metal connection that adds strength and greatly reduces the possibility screws will strip or fall out over time.
- Bases are constructed of 14-gauge steel tubing which consists of 30% post-consumer recycled content and finished in an environmentally friendly grey powder paint which withstands years of use.
- Complies with the GREENGUARD Environmental Institute's GREENGUARD Children & Schools Indoor Air Quality standards, contributing to points toward Leadership in Energy and Environmental Design (LEED) Certification.
- A perforated cord management bin also acts as a modesty panel which runs the entire width of the table under the monitor work surface.
- A metal stiffener is located under the keyboard work surface and all connections on the table are metal to metal.
- Two integrated security points are built into the table allowing for the use of a security device to secure your monitor to the table.

A HIGHER FORM OF FUNCTION




BRETFORD

STANDARD COLOR/FINISH

Base/Tabletops: Grey powder paint/Grey melamine

Trim & Toe Caps: Available in Cardinal (GMC), Topaz (GMT),

Polo (GML) and Quartz (GMQ)



Quartz
-GMQ

Cardinal
-GMC

Polo
-GML

Topaz
-GMT

PREMIUM COLOR/FINISH OPTIONS

Connections tables may be special ordered in any of Bretford's premium finish offerings. For a complete listing of premium finishes please visit us on the web at www.bretford.com.

SOFTWARED POWER OPTION

ECF6 6-Outlet Power Strip (1 each table)

JUICE SOFTWARE POWER SYSTEM OPTION

DPCF4 Juice 4-Outlet Power Strip (1 each table)

DPP120 Juice Power In-Feed Cable (1 each row)

DPJ38 Juice Power Jumper Cable 38"L (36"w to 36"w tables)

DPJ54 Juice Power Jumper Cable 54"L (36"w to 72"w tables)

DPJ74 Juice Power Jumper Cable 74"L (72"w to 72"w tables)

SUGGESTED SPECIFICATIONS

Keyboard work surface is height adjustable from 24-32" in 1" increments. The monitor work surface is height adjustable from 23-31". The width is 36"w or 72"w depending on the model. Table tops are constructed from 1" thick laminate furniture board, 45 pound density. Metal threaded inserts are installed into the underside of each top so the base is attached with a metal to metal connection. The modesty panel/cord management bin is made from 18-gauge steel. It runs the width of the table. Table frame is constructed of 14-gauge steel tubing. The upright panel is welded to 14-gauge steel tube top support. The CPU Harness is constructed from steel and mounts under the table work surface. All steel parts are constructed with "prime" steel which has a 25% to 35% post-consumer recycled content. Laminate substrate consists of an average 70% post-consumer recycled content. Table shall be GREENGUARD INDOOR AIR QUALITY CERTIFIED®. 36"w unit comes with one CPU Holder except the 72"w models which come with two. Standard CPU Holder supports computers 6-1/2"-11-1/4"w x 19"h, Slim CPU Holder (MT models) supports computers 3-1/2"-5-3/4"w x 19"h. Models are finished in an environmentally friendly Grey Mist powder paint, and ship ready to assemble.

MADE IN THE USA

All Connections series tables are made at one of Bretford's Chicago area manufacturing facilities using union labor.



Shown in premium finish options



Easy cord management keeps things neat.

OVERALL DIMENSIONS

35FS69 & 35FS69MT: 36"w x 24"d x 24-32"h

35FS21 & 35FS21MT: 36"w x 30"d x 24-32"h

35FS65 & 35FS65MT: 72"w x 24"d x 24-32"h

35FS67 & 35FS67MT: 72"w x 30"d x 24-32"h

STANDARD EQUIPMENT

Front/Keyboard Table top (1)

Back/Monitor Table top (1)

Right front leg assembly (1)

Right back leg assembly (1)

Left front leg assembly (1)

Left back leg assembly (1)

Cord management bin/modesty panel (1)

CPU Holder (1); 72"w unit has (2)

Adjustable floor glides (4)

Integrated Security Points (2)

CARTON UPC CODES

35FS69-GMC - 0 96633 22956 7

35FS69-GML - 0 96633 22957 4

35FS69-GMQ - 0 96633 22958 1

35FS69-GMT - 0 96633 22959 8

35FS21-GMC - 0 96633 22960 4

35FS21-GML - 0 96633 22961 1

35FS21-GMQ - 0 96633 22962 8

35FS21-GMT - 0 96633 22963 5

35FS65-GMC - 0 96633 22952 9

35FS65-GML - 0 96633 22953 6

35FS65-GMQ - 0 96633 22954 3

35FS65-GMT - 0 96633 22955 0

35FS67-GMC - 0 96633 22964 2

35FS67-GML - 0 96633 22965 9

35FS67-GMQ - 0 96633 22966 6

35FS67-GMT - 0 96633 22967 3

35FS69MT-GMC - 0 96633 30594 0

35FS69MT-GML - 0 96633 30595 7

35FS69MT-GMQ - 0 96633 30596 4

35FS69MT-GMT - 0 96633 30597 1

35FS21MT-GMC - 0 96633 30600 8

35FS21MT-GML - 0 96633 30601 5

35FS21MT-GMQ - 0 96633 30602 2

35FS21MT-GMT - 0 96633 30603 9

35FS65MT-GMC - 0 96633 30586 5

35FS65MT-GML - 0 96633 30587 2

35FS65MT-GMQ - 0 96633 30588 9

35FS65MT-GMT - 0 96633 30589 6

35FS67MT-GMC - 0 96633 30590 2

35FS67MT-GML - 0 96633 30591 9

35FS67MT-GMQ - 0 96633 30592 6

35FS67MT-GMT - 0 96633 30593 3

CARTON DIMENSIONS

35FS69 & 35FS69MT: 38"l x 26.5"w x 11.5"d

79 lbs., 6.7 cubes, Freight class 70 UPS or LTL

35FS21 & 35FS21MT: 38"l x 26.5"w x 11.5"d

87 lbs., 6.7 cubes, Freight class 70 UPS or LTL


35FS65 & 35FS65MT: 74"l x 26.5"w x 11.5"d

155 lbs., 13.1 cubes, Freight class 70 LTL

35FS67 & 35FS67MT: 74"l x 26.5"w x 11.5"d

168 lbs., 13.1 cubes, Freight class 70 LTL

All ship ready to assemble in one carton.



BRETFORD

11000 SEYMOUR AVENUE
FRANKLIN PARK, ILLINOIS 60131 USA
TOLL FREE PHONE 800-521-9614
PHONE 847-678-2545
TOLL FREE FAX 800-343-1779
FAX 847-678-0852
WWW.BRETFORD.COM