



Upholstery Fabrics by

Morbern and Momentum

Grade 2 & Grade 4



Upholstery Vinyl

GRADE 2 - Morbern Ambassador Select



Ambassador
VLR Imperial Blue



Ambassador
VVT American Beauty



Ambassador
VRL Yew Green



Ambassador
VSJ Forest



Ambassador
VAO Royal Blue



Ambassador
VLH Dove



Ambassador
VLF Black


GRADE 4 - Momentum Cashmere



Cashmere
VMA Dove *E*



Cashmere
VMC Bone *E*




Cashmere
VUW Acorn *E*



Cashmere
VMD Straw *E*




Cashmere
VME Maple *E*



Cashmere
VMB Taupe *E*



Cashmere
VMG Chestnut *E*



Cashmere
VMF Clay *E*



Cashmere
VMT Plum *E*



Cashmere
VMH Raspberry *E*



Cashmere
VMJ Flame *E*



Cashmere
VMK Wine *E*


GRADE 4 - Momentum Cashmere



Cashmere
VMM Fennel *E*



Cashmere
VUT Olive *E*



Cashmere
VML Pool *E*



Cashmere
VMP Seashore *E*



Cashmere
VMQ Bottle *E*



Cashmere
VR5 Nile *E*



Cashmere
VMS Norse *E*



Cashmere
VU9 Yacht *E*




Cashmere
VMR Ocean *E*



Cashmere
VMU Grape *E*



Cashmere
VMW Smoke *E*



Cashmere
VMV Heather *E*



Cashmere
VUX Ebony *E*

Grade 2

Customer's Own Material (COM)

Customers may specify COM fabric for use on American Seating products. Samples of the COM line must be submitted to American Seating prior to order placement. Your American Seating sales representative or dealer can provide exact procedures for approval of a COM fabric.

Dye Lot Variance

American Seating employs specific quality control procedures in the acceptance of all fabric lines. Industry-wide color tolerances allow for slight dye lot variations among fabric runs.

AMBASSADOR SELECT VINYL

Grade Level 2

100% Vinyl

| | |
|------------------------|---|
| Weight | 34.0 oz. per linear yard |
| Width | 54" |
| Directional | No |
| Backing | Yes |
| Flammability | CA Tech Bulletin 117 Sec. E BIFMA Class A, UFAC Class 1 FMVSS 302, NFPA 701-89 and 701-99 Small scale test |
| Abrasion Resistance | 200,000 double rubs with #8 cotton duck Wyzenbeek |
| Light Fastness | AATCC-16A; 120 hours |
| Surface Finish | Anti-bacterial/Anti-microbial treatments and Anti-static finish |
| Cleaning Code | W |

W - Water based cleaning agents or foam may be used.

The printed colors on these pages are representative of our fabric offering. Actual material samples should be requested for final fabric selection. Ambassador memo samples available online at morbern.com or call 1-888-667-2376.

Grade 4

Essentials® Program

All fabrics in this collection are available for **Essentials**, American Seating's quick-ship program, denoted with an E.

Customer's Own Material (COM)

Customers may specify COM fabric for use on American Seating products. Samples of the COM line must be submitted to American Seating prior to order placement. Your American Seating sales representative or dealer can provide exact procedures for approval of a COM fabric.

Dye Lot Variance

American Seating employs specific quality control procedures in the acceptance of all fabric lines. Industry-wide color tolerances allow for slight dye lot variations among fabric runs.

CASHMERE VINYL

Grade Level 4

100% Vinyl

| | |
|------------------------|------------------------------------|
| Weight | 1.55 oz. per linear yard |
| Width | 54" |
| Directional | No |
| Backing | Yes - Knit |
| Flammability | CA 117-E, DOT-MVSS 302 UFAC CL1 |
| Abrasion Resistance | 100,000 double rubs |
| Cleaning Code | L |

L- Clean with warm water and mild soap. Using clean cloth, clean as soon as possible.

The printed colors on these pages are representative of our fabric offering. Actual material samples should be requested for final fabric selection. Cashmere vinyl memo samples for projects are available online at memosamples.com or call 1-800-366-6839.



401 American Seating Center
Grand Rapids, MI 49504-4499
Phone 616-732-6600 800-748-0268
FAX 616-732-6401
americanseating.com