



Panel Fabrics by

Guilford of Maine

Grade 3



Panel Fabrics

GRADE 3



Coastline
ND3 Meringue *E*



Coastline
ND0 Beach Glass *E*



Crosstown
JBE Ray *E*



Crosstown
JBC Buff *E*



Crosstown
JBA Stucco *E*



Drift
NDQ Chamois *E*



Drift
NDU Mocha *E*



Groove
NDG Froth *E*



Groove
NDH Winter *E*



Groove
NDE Rum *E*



Groove
NDJ Marigold *E*



Groove
NDL Mocha *E*



Drift
NDR Alabaster *E*



Coastline
ND1 Sand *E*



Coastline
ND2 Coral *E*



Coastline
ND4 Sunset *E*



Coastline
ND8 Bluff *E*



Drift
NDW Sprout *E*



Crosstown
JBF Cement *E*



Groove
NDK Mist *E*



Groove
NDM Spring *E*



Coastline
ND7 Limeade *E*



Crosstown
JBD Sterling *E*



Crosstown
JBB Fieldstone *E*



Crosstown
JBG Waterfront *E*



Drift
NDV Dusty Miller *E*



Drift
NDX Slate *E*



Groove
NDF Smoke *E*



Groove
NDP Starlight *E*



Coastline
ND9 Bluegrass *E*



Coastline
NEA Vapor *E*



Coastline
ND5 Gull *E*



Coastline
ND6 Lilac *E*



Coastline
NEB Dove *E*



Coastline
NEC Seal *E*




Drift
NDT Pebble *E*



Drift
NDY Graphite *E*



Drift
NDZ Storm *E*



Groove
NDN Graphite *E*

Grade 3

Essentials® Program

All fabrics in this collection are available for **Essentials**, American Seating's quick-ship program, denoted with an *E*.

Customer's Own Material (COM)

Customers may specify COM fabric for use on American Seating products. Samples of the COM line must be submitted to American Seating prior to order placement. Your American Seating sales representative or dealer can provide exact procedures for approval of a COM fabric.

Dye Lot Variance

American Seating employs specific quality control procedures in the acceptance of all fabric lines. Industry-wide color tolerances allow for slight dye lot variations among fabric runs.

GROOVE

Grade Level 3

100% Recycled Polyester

Weight 15.0 oz. per linear yard
Width 66"
Directional Yes
Flammability ASTM E-84 Class 1/A
Light Fastness AATCC 16 Option 3;
40 hours
Cleaning Code WS

WS - Clean with water-based cleaning agent, foam or pure, water-free solvents. Vacuuming or light brushing is recommended to prevent dust and soil build-up.

The printed colors on these pages are representative of our fabric offering. Actual material samples should be requested for final fabric selection.

For samples call 1.800.544.0200.

DRIFT

Grade Level 3

100% Recycled Polyester

Weight 12.0 oz. per linear yard
Width 66"
Directional Yes
Flammability ASTM E-84 Class 1/A
Light Fastness AATCC 16 Option 3;
40 hours
Cleaning Code WS

CROSTOWN

Grade Level 3

100% Recycled Polyester

Type of Weave Jacquard
Weight 13.6 oz. per linear yard
Width 66"
Directional Yes
Flammability ASTM E-84 Class 1/A
California 117 Sec. E
(CS-191-53)
NFPA-701 Large
Scale-1989
Light Fastness AATCC 16E; 40 hours
Cleaning Code WS

COASTLINE

Grade Level 3

100% Recycled Polyester

Weight 12.2 oz. per linear yard
Width 66"
Directional Yes
Flammability ASTM E-84 Class 1/A
Light Fastness AATCC 16 Option 3;
40 hours
Cleaning Code WS



A History of Innovative > **SOLUTIONS**

401 American Seating Center
Grand Rapids, MI 49504-4499
Phone 616-732-6600 800-748-0268
FAX 616-732-6401
americans seating.com