



Daylily  
*CSL task light*

Light  
enlightening  
the workspace

*task, personal task, and ambient lighting*

# Daylily

CSL task light

The compact Daylily 'grows' in areas where other lights just can't fit.

Perfect for small workspaces, the Daylily is also **light in weight** (just three pounds) to facilitate creative mounting options—including magnetic mounting. A 13 watt compact fluorescent 3500K lamp provides **high levels of energy-efficient light output** compared to incandescent. Overall dimensions are 2" high x 10.06" deep x 10.06" in length. The housing is made from ABS plastic and molded in three different colors—black, gray, and putty. An asymmetrical reflector **optimizes light distribution**, combined with the optional swivel bracket mounting allows the user to **control the light direction**.



## Features & benefits

### Standard

### Optional

#### Lamp

13 watt compact fluorescent 3500K lamp

18 watt compact fluorescent 3500K lamp **provides high light output**

#### Ballast

Normal power factor, magnetic ballast

Electronic ballast for **increased energy efficiency, elimination of flickering, and cooler operation**

#### Cord 1

9' cord with straight plug

~

#### Cord exit

Center

~

#### Cord rotation

Straight

~

#### Cord color

Black

~

#### City code

~

Chicago

#### Switch 2

Two position, center of fixture

~

#### Lens 3

Prismatic acrylic lens **diffuses light across the work surface**

~

#### Reflector

Asymmetrical reflector **optimizes light distribution**

~

#### Finish

Black, gray, or putty

~

#### Mounting

Safety keyhole slots for wood or laminate installations

#### 4

Spring bars for metal shelves through slots in swivel bracket, **or** magnetic mounting for metal shelves

#### Labels

UL and CUL

~


Light

enlightening the workspace

"Clients must be made aware of the ramifications of lighting decisions and the price-to-value relationships involved. By using better task lights, office productivity can be improved."

# Daylily

CSL task light



## Base models

| base number | length ( L ) | watts |
|-------------|--------------|-------|
| CSL 13M     | 10.062"      | 13    |
| CSL 13E     | 10.062"      | 13    |
| CSL 18E     | 10.062"      | 18    |

## Performance test installation data

|                               |                        |
|-------------------------------|------------------------|
| base number                   | CSL 13E                |
| lamp                          | 13 watt CFL 35K        |
| ballast                       | electronic             |
| power factor                  | HPF                    |
| lens                          | prismatic              |
| reflector                     | metalized              |
| measured plane                | 60" length x 30" width |
| face of light to work surface | 16.5"                  |

## Footcandles

|     | 18" | 15" | 12" | 9" | 6" | 3" | CL | 3" | 6" | 9" | 12" | 15" | 18" |
|-----|-----|-----|-----|----|----|----|----|----|----|----|-----|-----|-----|
| 3"  | 21  | 34  | 47  | 58 | 67 | 70 | 69 | 70 | 67 | 58 | 47  | 34  | 21  |
| 6"  | 25  | 38  | 55  | 70 | 82 | 86 | 86 | 86 | 82 | 70 | 55  | 38  | 25  |
| 9"  | 25  | 40  | 56  | 73 | 86 | 90 | 92 | 90 | 86 | 73 | 56  | 40  | 25  |
| 12" | 37  | 52  | 67  | 78 | 83 | 84 | 86 | 84 | 83 | 78 | 67  | 52  | 37  |
| 15" | 21  | 31  | 43  | 55 | 64 | 67 | 71 | 67 | 64 | 55 | 43  | 31  | 21  |
| 18" | 17  | 24  | 32  | 41 | 46 | 49 | 52 | 49 | 46 | 41 | 32  | 24  | 17  |
| 21" | 13  | 18  | 23  | 28 | 32 | 33 | 34 | 33 | 32 | 28 | 23  | 18  | 13  |
| 24" | 9   | 12  | 15  | 18 | 21 | 22 | 22 | 22 | 21 | 18 | 15  | 12  | 9   |

Light

enlightening  
the workspace

### Light Corporation

14800 172nd Ave.  
Grand Haven, MI  
49417-9401

616.842.5100 phone

800.544.4899 free

616.846.2144 fax

www.lightcorp.com

7772.000.000 revA