



birdie



FOCAL POINT®



FBD 22

2'x2' low profile recessed indirect
with frosted acrylic diffuser.



1 Lamp 40W, 50W, 55W. Biax



2 Lamp T5 & T5HO

- A new recessed design from Focal Point that provides uniform distribution of light.
- One piece luminaire housing allows for easy installation. Three-piece acrylic diffuser shield snap-fits to housing and is easily removed for lamp access and maintenance.
- Fixture may be continuously row mounted.
- At 3.6" deep, Birdie is an excellent solution for shallow plenum applications.


Order Information

Fixture Series Birdie	FBD	Ballast Electronic Instant Start <20% THD (40w Biax only) Electronic Program Start <10% THD Electronic Dimming Ballast (Not available on T5)	E	Factory Options Drywall Frame Kit	DF
Nominal Size 2'x2'	22	Voltage 120 Volt 277 Volt	S D	Emergency Battery Pack	EM
Distribution Bi-Directional	B	Mounting Grid (*Fixture sits on top of 9/16" slot tee.)	G	HLR/GLR Fuse	FU
Lamp Options 1 Lamp BX40 1BX40 1 Lamp BX50 1BX50 1 Lamp BX55 1BX55 2 Lamp T5 2T5 2 Lamp T5HO 2T5HO		Shielding Pearl White	PW	Include 3000K Lamp Include 3500K Lamp Include 4100K Lamp	L830 L835 L841
				Separate Circuit (2-lamp T5 and T5HO only)	SC
				Finish Matte Satin White	WH





Designed by: Hartmut S. Engel


Three piece Acrylic Diffuser Shield



Three piece acrylic diffuser shield locks to housing through a snap-fit connection to end caps.



Acrylic diffuser shield is easily removed for lamp access and maintenance.



U.S. Patent #6,523,974



FOCAL POINT LLC
4201 South Pulaski Road
Chicago, Illinois 60632
t 773.247.9494
f 773.247.8484

www.focalpointlights.com