



REFRIGERATION

Freestanding 36"W. French-Door Bottom-Mount Refrigerator/Freezer



Standard Features & Accessories

Models include

- Total capacity—19.6 cu. ft. (545.7 L)
- 72"H./24"D.
- "Cabinet depth" design (24"D. side panels) integrates with surrounding cabinetry—fit for replacement of most existing appliances
- Electronic controls with digital readouts maintain the temperature selection
- Frost-free refrigerator
 - Capacity—14.1 cu. ft. (399 lit.)
 - Four slide-out adjustable tempered glass spillproof shelves
 - One stationary glass shelf
 - Temperature adjustable Meat Savor™/produce drawer
 - Two moisture adjustable see-through produce drawers
- In-the-door dairy compartment with cover
- Five large door bins (two bins store gallon containers)
- Internal filtered water dispensing
- Water filter indicator light (illuminates when filter needs to be replaced)
- See-through egg bin with carrier holds up to 24 eggs
- Glass butter tray with cover
- Frost-free freezer
 - Capacity—5.5 cu. ft. (156 lit.)
 - Adaptive defrost
 - Factory-installed automatic ice maker
 - Two slide-out baskets
 - Max ice feature
- Open door alarm sounds to warn that door has been ajar for five minutes
- High temperature alarm
- Energy Star Qualified
- CEE Tier I Super Efficient

Model Options



VCFF136*
Professional



DDFF136
Designer

FINISH DETAILS FOR BOTH MODELS

- Stainless Steel (SS)
- Finish code designates door fronts.
Gray cabinet sides and top. (VCFF)
Black cabinet sides and top. (DDFF)

*Shown throughout with top grille kits. See **Installation Notes & Accessories** for details.





REFRIGERATION

Freestanding 36"W. French-Door Bottom-Mount Refrigerator/Freezer



★ Please see
Installation Notes &
Accessories
for important
information,
including water
filter, handle, trim
and top grille kits.

Dimensions & Specifications


PRODUCT DIMENSIONS




VCCFF136
Professional



DDFF136
Designer



PROFESSIONAL



DESIGNER

VCCFF136/DDFF136

| | |
|------------------------------|---------------------|
| Overall width | 35-5/8" (90.5 cm) |
| Addition of side panels | 35-7/8" (91.1 cm) |
| Overall height (from bottom) | 70-1/8" (178.1 cm) |
| Addition of tops/grilles | 71-7/8" (182.6 cm) |
| Overall depth (from rear) | |
| To front of door | 26-3/4" (67.9 cm) |
| To front of handle | 28-3/4" (73.0 cm) |
| Approx. ship weight | 327 lbs. (148.7 kg) |





REFRIGERATION

Freestanding 36"W. French-Door Bottom-Mount Refrigerator/Freezer



Dimensions & Specifications


DOOR SWING




VCCFF136
Professional



DDFF136
Designer



PROFESSIONAL



DESIGNER





UTILITY REQUIREMENTS



GAS

Not applicable



ELECTRICAL

- Three-wire cord with grounded three-prong plug attached to product. Do not use an extension cord or adapter plug for a two-prong receptacle—call a qualified electrical installer.
 - o 115V/60 Hz; 15 amp dedicated circuit
 - o Maximum amp usage—7.9
 - o Estimated energy usage—451 kWh/year



PLUMBING

- Inlet waterline requirements—1/4" copper tubing
 - o 35 psi min.;
 - o 100 psi max.

Installation Requirements


ACCESS REQUIREMENTS



VCF136
Professional



DDFF136
Designer



When installing into a cutout, the edge of the door must be 2-7/8" (7.3 cm) from the adjacent countertop cabinet.

Allow 1/2" (1.3 cm) space at top and 1/2" (1.3 cm) behind the machine compartment cover (located in the rear) for proper air circulation. Sub-flooring or floor coverings (i.e. carpet, tile, wood floors, rugs) may make your opening smaller than anticipated. Some clearance may be gained by using the leveling procedure under **Leveling** in the Installation Guide.

All models

| | |
|--------------------------|--------------------|
| Cutout width | 36" (91.4 cm) |
| Cutout height | 70-1/2" (179.0 cm) |
| Addition of tops/grilles | 72" (182.9 cm) |
| Cutout depth | 24" (61.0 cm) |



REFRIGERATION

Freestanding 36"W. French-Door Bottom-Mount Refrigerator/Freezer



★ Installation Notes & Accessories

Side Trim Kit

- Stainless Steel finish
- Provides "built-in" look when used with a top grille kit

| Model | Description | Approx. ship wt. lbs. (kg) |
|--------|----------------------------------------|----------------------------|
| FRSTKF | French door bottom-mount side trim kit | 13 (5.9) |

Top Grille Kits

- Stainless Steel finish
- Provides "built-in" look when used with a side trim kit; provides "wrapped" look when used with side panel and top kits

| Model | Description | Approx. ship wt. lbs. (kg) |
|---------|--------------------------------------------------|----------------------------|
| PFRGKFS | Professional french door bottom-mount grille kit | 10 (4.5) |
| DFRGKFS | Designer french door bottom-mount grille kit | 10 (4.5) |

Side Panel Kit

- Stainless Steel finish
- Provides "wrapped" look when used with top grille and top kits
- Side panel kits include panels for both sides

| Model | Description | Approx. ship wt. lbs. (kg) |
|--------|-----------------------------------------|----------------------------|
| FRSPKF | French door bottom-mount side panel kit | 60 (27.0) |

Top Kit

- Stainless steel finish
- Provides "wrapped" look when used with side panel and top grille kits

| Model | Description | Approx. ship wt. lbs. (kg) |
|-------|----------------------------------|----------------------------|
| FRTOP | French door bottom-mount top kit | 19 (8.6) |

Replacement Water Filter

- Replaces water filter cartridges supplied with freestanding refrigerator/freezers
- Reduces sediment, bad taste and odor
- Reduces cysts, particulates, turbidity, lead, chlorine, atrazine and lindane
- NSF certified
- Ready to install—no assembly required

| Model | Description | Approx. ship wt. lbs. (kg) |
|--------|--------------------------|----------------------------|
| RWF-FR | Replacement water filter | 5 (2.3) |

Compliance Information



WARRANTY SUMMARY*

- Three-year full warranty—complete unit (Professional)
- Two-year full warranty—complete unit (Designer)
- Six-year full warranty—sealed refrigeration system (includes compressor, condenser, dryer/strainer, evaporator, and connecting tubing)
- Twelve-year limited warranty—sealed refrigeration system
- Ninety-day limited warranty—cosmetic parts such as glass, painted items, and decorative items (Professional and Designer)

*For complete warranty see *Use & Care Guide*. Warranty valid on Viking products shipped within the United States and Canada.

