



VS PRODUCT INFORMATION Café

VS America, Inc.:

1940 Abbott Street Charlotte, NC 28203

Phone: 704-378-6500 Fax: 704-378-6005


info@vs-charlotte.com www.contact**VS**america.com













6 | Café | VS America, Inc. Café | 7



Other models illustrated on this page:

FlipTable-RU Table with folding top.

Construction comprising a centrally positioned tubular-steel crosspiece with an articulated bracket. Folding action can be effected with a two-hand safety actuator under the table top. With a fitting for securing the table top in the horizontal and vertical positions and optionally with a table connector.

Table top of LIGNOpal-coated (melamine resin) chipboard with plastic, wood or PU edge. The corners are edged or rounded. **Electrification**. Optionally by means of a fold-down textile trough on both sides.


Cable outlet. Optionally with an electronics box for system and data connections.

Frame consisting of two bent powder-coated or chrome-plated steel tubes. Frame with lockable castors.

Function. When the table top is folded up, any desired number of tables can be pushed together to optimize space.

Note. PU edges are extremely hard-wearing, but may show signs of discoloration over time.

Following materials are available: Frame = M1,2,7; Top LIGNOpal-PU = L2.





Other models illustrated on this page: Compass-VF, PantoSwing-2K

FlipTable-TF Table with folding top.



Construction comprising a centrally positioned tubular-steel crosspiece with an articulated bracket. Folding action can be effected with a two-hand safety actuator under the table top. With a fitting for securing the table top in the horizontal and vertical positions and optionally with a table connector.

Table top of LIGNOpal- (melamine resin), veneer- or linoleum-coated chipboard with plastic or wood edge. The corners are edged or rounded.


Electrification. Optional by means of a textile tray folding down on both sides.

Cable outlet. Optionally with an electrical box for system and data connections.

Frame consisting of two posts with T-foot made of powder-coated or chrome-plated steel. Optionally with grid-height adjustment and lockable castors.

Function. When the table top is folded up, any desired number of tables can be pushed together to optimized space.

Following materials are available: Frame = M2,5; Top LIGNOpal plastic/beech = L1,4,6,10,F1.





Other models illustrated on this page: Compass-VF

LiteTable Stackable lightweight table.





Table top of laminated lightweight board with glued-on plastic edges. Edged or rounded corners.

Function. Because the materials used are extremely lightweight and yet robust, the table can be stacked by a single person. Optionally, depending on the setup, table connectors (Model 21003) can be used.

Warning: A maximum of 4 stacked (unloaded) tables may be moved on their castors. The trapezoidal combinations shown in the table cannot be realized.

Following materials are available: Frame = M1,2; Top lightweight plastic = L1.





Other models illustrated on this page: Compass-VF, Series 2000, PantoStack-SH

Single Round table.

Single tables consist of a table top supported by a powder-coated tubular-steel middle post and a disk foot with stainless-steel cover. Table top is a melamine-resin laminated, veneered or linoleum-covered LIGNOpal chipboard with glued-on plastic, maple or beech edges.

Following materials are available: Frame = M1,2,7; Top LIGNOpal plastic/beech = L1,4,6.

		J	
Single	Ø = 275/8	2476	2477
	$Ø = 33^{5}/8$		2478
	$Ø = 47^{1}/_{4}$		2479
	h	435/16	283/8(291/8)

Other models illustrated on this page: Series 2000. PantoStack-SH



Series 901 Single tables, round/square

Single tables consist of a table top supported by a powder-coated tubular-steel middle post and a disk foot with stainless-steel cover. Table top is a melamine-resin laminated, veneered or linoleum-covered LIGNOpal chipboard with glued-on plastic, maple or beech edges with rounded corners.

Following materials are available: Frame = M2,5; Top LIGNOpal plastic/beech = L1,4,6,10,F1.





Other models illustrated on this page: Compass-VF






Frame. Four-sided top frame of half-oval tubular steel with screwed-on round tubular steel legs, either powder-coated or chrome-plated. With functional gap between table top and frame to accept accessories and adapters. The system consists of basic and add-on tables as well as hanging leaves. The tables are fitted with floor-levelling screws or castors.

Table heights are either fixed, adjustable in steps or continuously adjustable.

Table top of LIGNOpal chipboard laminated with either melamine-resin, veneer or linoleum and with glued-on (KU) plastic or (BU) beech edges, alternatively with solid beech profile. Choice of square or rounded corners.

Features (optional): Rectangular tables with 2 or 4 castors.

Following materials are available: Frame = M1,2,7; Top LIGNOpal plastic/beech = L1,4,6,10,F1.






Other models illustrated on this page: PantoStack-SH

EuroLine Single table.

Frame consists of four-sided rectangular tubular-steel top frame with welded-on round tubular-steel legs, powder-coated. Single table with floor-levelling screws.

Table top of melamine-resin coated LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edges and square corners. **Following materials are available:** Frame = M1,2; Top LIGNOpal plastic/beech = L1,4,6.





Other models illustrated on this page: KN-39, KN-38



KK-28 Folding table.

Frame consists of U-shaped feet supporting double legs, both of powder-coated or chrome-plated round-steel tube. Folding joints guarantee accident-free locking in open and closed condition. Table fitted with plastic glides. Table Type A with four-sided top frame whereas table Type B has no top frame.

Table top Type A of melamine-resin laminated LIGNOpal chipboard with glued-on (KU) plastic or (BU) solid beech edges and square corners. **Type B** of solid beech.

Accessories. Stacking wagon (2434) of powder-coated rectangular steel tube for the transport of 10 folding tables. Following materials are available: Frame = M1,2,7; Top LIGNOpal-KU/BU = L1,4,6; Solid-wood top = natural beech.





Other models illustrated on this page: PantoMove-VF Plus, Series 600 storage



TeamTable Freeform stand-at table.

Frame consisting of welded round steel-tube legs, a rectangular steel-tube frame and an intermediate shelf of LIGNOpal (laminate décors). All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table top made of melamine-resin-coated, linoleum-coated or veneered LIGNOpal chipboard with glued-on plastic or beech edge.

The following materials are available: Frame = M1,2; LIGNOpal-plastic/beech top = L1,4,6,10,F1.

			A CONTRACTOR OF THE PARTY OF TH
TeamTable		01471	01472
	w·h·d	65·43³/2·44²/8	65·40 ¹ / ₂ ·44 ⁷ / ₈



Puzzle Freely-shaped table.

Other models illustrated on this page: Hokki

Frame consisting of welded round steel-tube legs and a rectangular steel-tube frame. All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table sizes in line with DIN ISO 5970 and CEN.

Table top made of melamine-resin-coated, linoleum-coated LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edge. **The following materials are available:** Frame = M1,2; LIGNOpal-plastic/beech top = L1,4,6,10,F1.

	ISO/CEN $2 = 20^7/8 $	
Puzzle		01470
	w·d	65·44 ⁷ / ₈
	ISO/CEN	2·3·4·5·6·7



Chairs





PantoSwing-LuPo/VF Forward-flexing cantilever chair.



Frame made from bent, powder-coated or chrome-plated round steel tubing. With extra sturdy cross-strut between the skids.. LuPo seat shell of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. Concealed seat attachments and grip hole.

FV seat shell made from beech plywood (VF) with anti-slip paint and invisible seat mounting. Features and options. Glides for hard and soft floors or universal glides (2K). Following materials are available: Frame = M1,2; Seat/Backrest = C1,2.

		DIN EN Seat w $2 = 12^{1}/4 $ 12 ⁵ /8 $3 = 13^{3}/4 $ 12 ⁵ /8 $4 = 15 $ 14 ⁵ /8 $5 = 17 $ 14 ⁵ /8 $6 = 18^{1}/8 $ 17 $7 = 20^{1}/8 $ 177/8		
PantoSwing	LuPo		31400	31410
		DIN EN	2·3 4·5·6·7	6*
		DIN EN Seat W $2 = 12^{1}/4 $		
PantoSwing	VF		31420	31430
		DIN EN	2·3 4·5·6·7	6*









Frame of one-piece powder-coated or chrome-plated bent round steel tube. Chairs and armchairs are available.

Seat shell of beech plywood with anti-slip varnish and concealed seat attachments. Optional firm all-round upholstery. Models without backrest upholstery have grip hole.

Features and options. Glides for hard and soft floors. Left or right hand writing tablet available.

Following materials are available: Frame = M1,2,7; Seat/Backrest = H1,2; Upholstery = S16,17,22-26,28-31,36,37.

PantoSwing	2K		3970	3976
		Seat w·h·d	17 ³ / ₄ ·18 ¹ / ₈ ·17 ¹ / ₈	17 ³ / ₄ ·18 ¹ / ₈ ·17 ¹ / ₈
		Total w·h·d / w·d		31/16-211/4
		Armrest h		253/4



Other models illustrated on this page: FlipTable-TF

Compass-LuPo/VF Four-legged chair.







Frame of bent and welded, powder-coated or chrome-plated round steel tube.

LuPo seat shell made of double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect. With concealed seat fixture and handle hole.

VF seat shell made of beech plywood (VF) with anti-slip paint. Optionally with rigidly padded seat surface or rigidly padded all over. Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

Following materials are available: Frame = M1,2,7; Seat/Backrest = H1,2.







PantoFour-Lupo/VF Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube. Chairs and armchairs are available. **LuPo seat shell** of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. The shell is manufactured with concealed seat attachments.

VF seat shell of beech plywood with anti-slip varnish and visible seat attachments. Optional firm all-round upholstery.

Features and options. Glides for hard or soft floors. For maximum number stackable (ST) with or without stacking wagon (31199) see table.

Warning: The seat surfaces may incur traces of use when the chairs are stacked. Following materials are available: Frame = M1,2,7; Seat/Backrest = H1,2.





22 | Café | VS America, Inc. Café | 23



Four-legged chair.

Frameof welded, powder-coated or chrome-plated round steel tube. Chairs and armchairs are available.

Seat shell of beech plywood with anti-slip varnish and concealed seat attachments. Optional firm all-round upholstery. Models without backrest upholstery have grip hole.

Features and options. Glides for hard or soft floors. For maximum number stackable (ST) with or without stacking wagon (31199)

Warning: The seat surfaces may incur traces of use when the chairs are stacked.

Following materials are available: Frame = M1,2,7; Seat/Backrest = H1,2.

PantoFour	2K		31241	31244
		Seat w·h·d	17 ³ / ₄ ·18 ¹ / ₈ ·17 ¹ / ₄	17 ³ / ₄ ·18 ¹ / ₈ ·17 ¹ / ₄
		Total w·h·d / w·d	211/2:331/16:2	
		Armrest h		26 ⁹ /16
		ST	4 (12)	





KN-38/KN-39 Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube.

Seat and backrest of beech plywood with visible seat attachments. Optionally with firm upholstery on one side. Features and options. Glide elements for hard or soft floors. For maximum number stackable (ST), see table. KN-39 Accessories. Model 3834 stacking wagon for 2 stacks and Model 3835 stacking trolley for 1 stack of

Following materials are available: Frame = M1,2,7; Seat/Backrest = H1,2.









- i. Series 600 Catering Moduleii. Series 600 Service Rackiii. Series 600 Open Cupboard

Mobile Storage



Other models illustrated on this page: Series 901 standing table*, PantoMove-VF Plus

Series 600 Catering module.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors in heights of 3" or $3^{15}/_{16}"$.

Front open and/or solid-metal with metal bow handles.

Coffee module (depending on model) with an open drawer for cups and small items, drawers or a storage compartment with door for water tanks. Upper cover plate made from melamine-resin-coated LIGNOpal chipboard with glued-on plastic edge. The cover plate acts as a surface for holding a coffee machine. Wiring/electrification through the back.

Refrigerator module (depending on model) with an open drawer for glasses and small items, drawers or shelf compartments and a refrigerator. Upper cover plate made from LIGNOpal.

Following materials are available: Frame = M1,2,7; Front Steel = M2,3,10; Body Steel = M2,3,10.

Series 600		45143	45144	45145	45146	45147		
Catering	w·d (storage space)		25 ⁵ / ₈ ·25 ⁵ / ₈ (24·24)			491/4:255/8 (473/4:24)		
	h design castor 3 (3 ¹⁵ / ₁₆) / back part	351/16 (365/8) 351/16 (365/8) 483/4 (507/			483/4 (507/16)			
	h special castor 3 (3 ¹⁵ / ₁₆) / back part	35 ⁷ / ₁₆ (37)		35 ⁷ / ₁₆ (37) / 4	19 ¹ /4 (50 ¹³ /16)			
		Open drawer						
		Refrigerator 62 l			Refrigera	ator 62 l		
			2 drawers			2 drawers		
				Compartment for 2 water tanks	3 shelf compartments			

^{*}Special construction

Series 600 Service rack.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or special castors or optional adjustable feet in heights of 3" or 315/16"..

Organization with 3 or 1 sided compartment either open or with door of satin glass (single pane safety) and metal knob.

Adjustable shelves of melamine-resin laminated LIGNOpal chipboard with glued-on (KU) plastic edges.

Following materials are available: Frame = M1,2,7; Front Glass = G2; Body Steel = M2,3,10.



Series 600		45140		
	w·d	,	8 ¹⁵ /16• 18 ¹⁵ /1	6
	h design castor 3 (3 ¹⁵ / ₁₆)	4	12 ¹⁵ / ₁₆ (44 ¹ / ₂)
	h special castor 3 (315/16)		43 ⁵ / ₁₆ (44 ⁷ / ₈))



Series 600 Open cupboard.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or special castors or optional adjustable feet in heights of 3'' or $3^{15}/_{16}''$.

Organization with open compartment and adjustable shelves of steel or melamine-resin laminated LIGNOpal chipboard with glued-on (KU) plastic edges.

Following materials are available: Frame = M1,2,7; Body Steel = M2,3,10; Bases = L5.

