



VS



PRODUCT INFORMATION

VS America: Bestsellers





Illus. 5: Students differ in height and proportion. Therefore, using correctly sized furniture is important!
 Seat shell sizes (w, d): XS (12-5/8", 11"); M (14-5/8", 14 1/4"); L (17", 16-1/2"); XL (17 7/8", 17-3/4")

Active ergonomics define VS America's furniture.

VS America Inc. of Charlotte, North Carolina offers a complete palette of furniture and furnishings for classrooms and administration. One of the world's leading school furniture manufacturers, VS was founded in Germany over a century ago. Since then, it has made significant contributions to the design and development of school furniture. VS products are designed to cater for the students' needs. Its design includes ergonomics, use of high quality and environmentally friendly materials and visual design.

VS focuses on providing ergonomic furniture: chairs, like the PantoSwing and the PantoMove, and tables that are equipped with inclinable work surfaces and height adjustability. At VS, our philosophy is that school furniture should ergonomically support the total learning environment. We design it to accommodate a student's need for flexible movement versus rigid sitting which studies show could hinder learning.

Thanks to its long experience VS comes up with products that stand out on account of their solidity and high resistance to wear, like the LIGNOdur top which is so robust that it is virtually impossible to damage.

Significant criteria in the development of VS furniture are not only the fulfillment of the highest quality and ergonomic requirements but also the consideration of environmental aspects. From the choice of raw-material to the processing technology and right through to the packing and delivery of the furniture, VS always thinks "green". Solar cells placed on top of the roofs of the modern production facilities in Germany as well as a water collecting basin manifest the conscious use of resources.



PSwing-LuPo-Schul_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**PantoSwing-LuPo
Forward-flexing cantilever chair.**

Frame made from bent, powder-coated or chrome-plated round steel tubing. For sizes 4-7 with extra sturdy cross-strut between the skids.


Frame sizes as per DIN EN 1729.

Seat shell of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. Concealed seat attachments and grip hole.

Features and options. Glides for hard and soft floors or universal glides (2C).

Please note: The PantoSwing-LuPo cannot be combined with the Duo-C 2451 school table.

Following materials are available: Frame = M1,2,7; Seat/Backrest = C1,2.

		DIN EN Seat w 2 = 12 ¹ / ₄ ● 12 ¹ / ₄ 3 = 13 ³ / ₄ ● 12 ¹ / ₄ 4 = 15 ● 14 ⁵ / ₈ 5 = 17 ● 14 ⁵ / ₈ 6 = 18 ¹ / ₈ ● 17 7 = 20 ¹ / ₈ ● 17 ³ / ₄			
					
PantoSwing	LuPo				
	DIN EN			2-3	31400 3835-S025 4-5-6-7 Stacking trolley



Compass-LuPo-SchuL_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**Compass-LuPo
Four-legged chair.**

Frame of bent and welded, powder-coated or chrome-plated round steel tube.

Seating sizes as per DIN ISO 1729.

Seat shell made of double-walled, structured polypropylene (LuPo) for comfortable sitting with air-cushion effect. With concealed seat fixture and handle hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

Following materials are available: Frame = M1,2,7; Seat/Backrest = C1,2.

		DIN EN Seat w 2 = 12 ¹ / ₄ ● 12 ¹ / ₄ 3 = 13 ³ / ₄ ● 12 ¹ / ₄ 4 = 15 ● 14 ⁵ / ₈ 5 = 17 ● 14 ⁵ / ₈ 6 = 18 ¹ / ₈ ● 17 7 = 20 ¹ / ₈ ● 17 ³ / ₄	
Compass	LuPo		
		DIN EN	31300 2:3-4-5-6-7



PMove-LuPo-Schul_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**PantoMove-LuPo
Five-star foot chair.**

Frame consists of aluminium five-star foot and gas spring with plastic cover. All models are adjustable in height.

Frame sizes as per DIN ISO 5970 and CEN.


Seat shell of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. Concealed seat attachments and grip hole.

Features and options. Glide elements or castors for hard or soft floors or 2C universal glide elements. Optionally with foot ring or with particularly ergonomic 3D rocker mechanism with soft or damped sideways tilting.

Following materials are available: Frame = M1,2; Seat/Backrest = C1,2.

ISO/CEN Seat w
4 = 15 ● 14¹/₈
5 = 17 ● 14¹/₈
6 = 18¹/₈ ● 17

When fitted with castors, the height increases by 1¹/₄".



PantoMove	LuPo / Lift			31505	31506
	ISO/CEN		4-5-6		
	h			13 ³ / ₈ -16 ¹ / ₄	16 ¹ / ₈ -20 ¹ / ₂



PMoveUp-LuPo-Schul_TY_EN - 10.18.2010

PRODUCT INFORMATION

**PantoMove-Lupo Plus
Five-star four chair.**


Frame consisting of an aluminium star foot and a gas spring with plastic cover and an adjustable foot ring with black anti-slip coating. All models can be height-adjusted and swivelled.

Frame sizes for higher sitting and standing workplaces.

Seat shell of double-walled structured polypropylene for comfortable sitting with air-cushion effect. Concealed seat attachment and grip hole.

Features and options. Glides for hard and soft floors or universal glides (2C). With foot ring. Optionally with ergonomic 3D-rocking mechanism (soft-with side tilting option), or 2D rocking (hard-without side tilting option).

Following materials are available: Frame = M1,2; Seat/Backrest = C1,2.

		When fitted with castors, the height increases by 1 1/4".			
PantoMove	LuPo / Lift			Multipurpose	School
				31512	31507
		h		19 3/4 - 27 1/4	
		Seat w		17 7/8 (XL)	17 (L)



Hokki_TY_EN - 21.07.2010 - www.vs-furniture.com

PRODUCT INFORMATION

Hokki Stool.

Stool made from sturdy, durable and extremely scratch-resistant polypropylene, fully recyclable. Slight seat recess, filled with soft plastic foam for comfort.

Thermoplastic base padding to protect floor.

Function: Facilitates free mobility under controlled conditions thanks to rounded set-down surfaces which stimulate the full apparatus of movement. Easy to carry thanks to ergonomic, wave-shaped seat edge for gripping which also prevents the stool from rolling off. The stool is easy to transport and can be stacked with others to save space.

Following materials are available: Stool = C2.

						
Hokki						03825
	h			12 ¹ / ₄	15	18 ¹ / ₈
	Seat w				11 ⁷ / ₈	



LuPoStool_TY_EN - 03.03.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**LuPoStool
Skid-stool.**

Frame of welded U-shaped skid and seat support of chrome-plated oval steel tube. Pickapack fitting for storage on table top. Smallest model without, middle and larger models with foot-rest.

Frame sizes in 3 fixed heights.

Seat of double-walled textured polypropylene for comfortable sitting with air-cushion effect.

Features and options. Glides for hard and soft floors or universal glides (2C). For maximum number stackable (ST) see table.

Accessories. Stacking wagon Model 3414 for 2 stacks and stacking trolley Model 3415 for 1 stack of chairs sizes 5 / 6. Following materials and colors are available: Frame: M1, 2 and 7. Seat: C1. Glides: black.

LuPoStool			3428			3429		
	h		18 ⁷ / ₈	22 ⁷ / ₈	25	18 ⁷ / ₈	22 ⁷ / ₈	25
	ST		6	3		6	3	
	Seat w		14 ⁷ / ₈					



Rondo-FixLift_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Rondo and Solo

Four-legged stool, stool with five star foot and four-legged stool as seat and stand-at seat.

Rondo-Fix.

Frame of welded, powder-coated round steel tube.

Frame sizes in 3 fixed heights.

Features and options. Glides for hard and soft floors. For maximum number stackable (ST) see table.

Rondo-Lift.

Frame consists of aluminium 5-star foot and a gas-spring with plastic cover.

Frame sizes adjustable in height.

Features and options. Glides and castors for hard and soft floors. Can be swivelled.




Solo.

Frame of welded, powder coated round steel tube with 4 cross members positioned at different heights for use as footrest.

Features and options. Plastic glides. For maximum number stackable (ST) see table.

Seat of beech plywood with concealed seat attachments.

Following materials are available: Frame = M1,2 and M7 only for Rondo-Fix; Seat = H1,2.

		When fitted with castors, the height increases by 1 1/4".							
									
Rondo	Fix		3827	3828	3829		Solo		03826
	Lift					3822			
		h	18 1/8	19 3/4	21 7/8	16 5/8 - 20 1/2		h	20 1/8
		ST		15				ST	5
		Seat w		13 3/4				Seat w	13 3/4



Cloud_TY_US - 29.07.2010 - www.vs-furniture.com

PRODUCT INFORMATION

**Cloud
Beanbag and flat pouffe.**





Upholstered bag elements of different shapes, each comprising an inner bag with removable cover.

Inner bag filled with new, freshly expanded EPS polystyrene beans, with a grain of 3-6 mm diameter. Flame-retardant in accordance with DIN 4102 B1.

Cover made of Cordura® (polyamide 6.6 / nylon) with extreme tensile strength and abrasion resistance. The double-coated surface is oil-, water- and dirt-repellent. The fabric is certified to Ökotex standard 100.

Equipment. Model 09383 with carrying handle and 2 pockets.

The following materials are available to choose from: Cover = S41.

					
Cloud		09380	09381	09382	09383
ø		15 ³ / ₄	47 ¹ / ₈		41 ¹ / ₈
h		20 ¹ / ₂	11 ¹ / ₈		55 ¹ / ₈
w-h-d				70 ¹ / ₈ / 9 ¹ / ₈ / 55 ¹ / ₈	
Seat h					19 ¹ / ₄ - 23 ³ / ₈



Uno-M_TY_US - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**Uno-M
Skid table.**

Frame of powder-coated steel tube with middle leg on flat tapering steel skids with plastic kicking protection. All steel tubes in flat oval profile.

Frame size as per DIN ISO 5970 and CEN.

Table top of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edges or of extremely wear-resistant LIGNOdur safety top with soft rounded edges.

Accessories and options. Glides for hard and soft floors or universal glides (2C) and briefcase (satchel) hooks as well as grid bookshelf or chair suspension for the BasicGlide, LuPoGlide, Panto-Swing (up to size 4) and PantoMove school chairs.

Important notice. The table height can vary slightly depending on the type of top and the glides. PU edges are extremely robust, but can show signs of discoloration over time.

Following materials are available: Frame = M1,2,7; Top LIGNOdur= L1; Top LIGNOpal-PU = L1.

Other models illustrated on this page: Compass-LuPo, PantoSwing-LuPo.

		ISO/CEN 2 = 20 ⁷ / ₈ ● 3 = 22 ⁷ / ₈ ● 4 = 25 ⁷ / ₈ ● 5 = 27 ⁷ / ₈ ● 6 = 30 ● 7 = 32 ⁷ / ₈ ●				
Uno-M	LIGNOdur	d = 19 ⁷ / ₈ d = 25 ⁷ / ₈		2408	2409 2410	2405 2406 2407
	LIGNOpal-PU	d = 25 ⁷ / ₈ w	27 ⁷ / ₈	29 ⁷ / ₂	51 ⁷ / ₄	59 ⁷ / ₈
		ISO/CEN		2-3-4-5-6-7		
	Grid bookshelf	w-h-d		18 ⁷ / ₄ -4 ⁷ / ₈ -15 ⁷ / ₈		



Uno-M-Step_TY_US - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**Uno-M-Step
Skid table, adjustable in height.**

Frame of powder-coated steel tube with middle leg on flat tapering skids with plastic kicking protection. All steel tubes in flat-oval profile.

Frame sizes in line with DIN ISO 5970 and CEN.

Frame feature: Step height adjustment with hexagon key locking.

Table top of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edge. Alternatively with extremely robust LIGNOdur safety top with smoothly rounded edges.

Accessories and options. Glides for hard and soft floors or universal glides (2C) and satchel hooks as well as grid bookshelf or suspension for chair types BasicGlide, LuPoGlide, PantoSwing and PantoMove.

Please note that depending on the type of top and glides, the table height can vary slightly. PU edges are extremely robust, but can show signs of discoloration over time.

Following materials are available: Frame = M1,2,7; Top LIGNOdur= L1; Top LIGNOpal-PU = L1.

Further Model illustrated on this page: Compass-LuPo, Compass-VF, PantoSwing-LuPo.

		ISO/CEN 2 = 20 ⁷ / ₈ ● 3 = 23 ¹ / ₄ ● 4 = 25 ¹ / ₄ ● 5 = 28 ● 6 = 30 ● 7 = 32 ¹ / ₈ ●			
Uno-M-Step	LIGNOdur	d = 19 ⁷ / ₈ d = 25 ⁵ / ₈		22408	22405
				22409	
	LIGNOpal-PU	d = 25 ⁵ / ₈		22410	22406
		ISO/CEN		(23 ¹ / ₄ -32 ¹ / ₈)	(23 ¹ / ₄ , 25 ¹ / ₄ , 28, 30, 32 ¹ / ₈)
		w		27 ³ / ₈	29 ¹ / ₂
					51 ¹ / ₄
					59 ¹ / ₈



Duo-C_TY_EN - 03.03.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**Duo-C
Skid table.**

Frame of powder-coated steel tube with set-back double leg (C-shape) on steel skids with plastic kicking protection. All steel tubes in flat oval profile.

Frame size as per DIN ISO 5970 and CEN.

Table top of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edges or of extremely wear-resistant LIGNOdur safety top with soft rounded edges.

Accessories and options. Glides for hard and soft floors, briefcase (satchel) hooks, grid bookshelf and front panel.

Important notice. The model 2451 cannot be combined with chairs of the PantoSwing family unless requested with special width. The table height can vary slightly depending on the type of top and the glides. PU edges are extremely robust, but can show signs of discoloration over time.

Following materials and colors are available: Frame: M1 and 2. Top: L1. Glides: black.

Other models illustrated on this page: Compass-LuPo, PantoSwing-LuPo.

		ISO/CEN 2 = 20 ¹ / ₂ ● 3 = 22 ¹ / ₈ ● 4 = 25 ¹ / ₄ ● 5 = 27 ¹ / ₈ ● 6 = 30 ● 7 = 32 ¹ / ₈ ●			
Duo-C	LIGNOdur	d = 19 ¹ / ₄ d = 25 ¹ / ₈		2451	2450
	LIGNOpal-PU	d = 25 ¹ / ₈		2452 2455	2453 2454
		w		27 ¹ / ₈	29 ¹ / ₂
		ISO/CEN			51 ¹ / ₄ 59 ¹ / ₈
				2:3-4-5-6-7	



Compass-T_TY_US- 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Compass Stackable table.

Frame of curved and welded, powder-coated or chrome-plated round steel tube with a plastic frame enclosed on 3 sides. Optionally stackable (Model 22450).

Seating sizes as per DIN EN 1729.

Table top of melamine-resin-coated LIGNOpal chipboard (16 mm) with seamlessly cast-on (PU) polyurethane safety edge. Top with rounded corners. Optionally with a cast-in pen groove.


Equipment and options. With glide elements for hard and soft floors or 2C universal glide element and with a bag hook (right side) and a protruding drinksholder (left side). With book shelf or chair suspension for Compass, PantoSwing and PantoMove chairs under the table top.

Accessories. Bookrest for engaging in the pen groove and universal box (with and without lid), each of translucent plastic. Both can be stowed under the table top. When the chair suspension is used, the bookrest and universal box must be stored in a cupboard.

Warning. PU edges are extremely hard-wearing, but may be subject to discoloration with time.

Following materials are available: Frame = M1,2,7; Top LIGNOpal-PU = L2.

Further models pictured on this page: Compass-VF, PantoMove-LuPo, PantoSwing-LuPo.

		ISO/CEN 2 = 20 ¹ / ₂ ● 3 = 22 ¹ / ₈ ● 4 = 25 ¹ / ₄ ● 5 = 27 ¹ / ₈ ● 6 = 30 ● 7 = 32 ¹ / ₈ ●			
Compass-T	LIGNOpal-PU	d = 21 ¹ / ₈		22450	22451
		w (w total)		27 ¹ / ₈ (29 ¹ / ₈)	27 ¹ / ₈ (27 ¹ / ₈)
		h		2-3-4-5-6-7	
		ST max. size 2,3,4 / 5,6,7		8/6	
		Universalbox		20 ¹ / ₂ -16 ¹ / ₂ -6-7,2	
		Cupholder ø		6,9	



LiteTable_TY_US - 12.03.2010 - www.vs-furniture.com

PRODUCT INFORMATION

LiteTable
Stackable lightweight table.

Frame. The leg elements of round aluminium tube are pressed onto and screwed to the rectangular aluminium tube top frame using high-strength corner connectors. The legs and top frame are powder-coated. Tables can be stacked thanks to the inner and outer legs arranged in pairs. However, depending on how they are turned, they can be arranged in rows without gaps. The top frame is equipped with stacking and gliding protection. Tables have glide elements for hard or soft floors or 2C universal glide elements and optionally 2 castors on the outer legs.

Table top of laminated lightweight board with glued-on plastic edges. Edged or rounded corners.

Function. Because the materials used are extremely lightweight and yet robust, the table can be stacked by a single person. Optionally, depending on the setup, table connectors (Model 21003) can be used.

Warning: A maximum of 4 stacked (unloaded) tables may be moved on their castors. The trapezoidal combinations shown in the table cannot be realised.

Following materials are available: Frame = M1,2; Top lightweight plastic = L1.

Further Models illustrated on this page: PantoFour-LuPo.

	These combinations cannot be realised.									
LiteTable	d = 27 ⁵ / ₈	21003	21011	21012	21016	21017	21014	21015	21020	21021
	d = 31 ¹ / ₂									
	w		27 ⁷ / ₈	31 ¹ / ₂	55 ¹ / ₈	47 ¹ / ₄	55 ¹ / ₈ (27 ⁵ / ₈)	63(31 ¹ / ₂)	55 ¹ / ₈	63
	h		20 ¹ / ₂ 23 ¹ / ₄ 25 ¹ / ₄ 28 ² / ₈ 30 ³ / ₂ 32 ³ / ₈							
	max. stacking quantity (ST)		8				5			
	w-d spaced required with max. stacking qty.		30 ³ / ₄ 38 ⁷ / ₄	34 ⁵ / ₈ 42 ¹ / ₈	30 ³ / ₄ 65 ¹ / ₄	34 ⁵ / ₈ 57 ¹ / ₈	57 ¹ / ₂ 30	65 ¹ / ₈ 33 ¹ / ₂	58 ¹ / ₄ 36 ⁵ / ₈	66 ¹ / ₈ 40 ⁷ / ₈
	Weight lb		18,3	21,8	28,2	27,8	21,8	26,0	25,4	29,8



LiteTable-Schul_TY_US - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

LiteTable
Stackable lightweight table.

Frame. The leg elements of round aluminium tube are pressed and screwed with high-strength special-alloy corner connectors to the square aluminium tube frame. The legs and frame are powder-coated. Thanks to the way in which the legs are spaced closer together and further apart in pairs, the table is stackable (ST) and can nevertheless, depending on how it is turned, be lined up against another table without gaps in between. Tables with glide elements from the table top can be lined up against another table without gaps in between. Tables with glide elements from the table top can be lined up against another table without gaps in between. Tables with glide elements from the table top can be lined up against another table without gaps in between. Tables with glide elements from the table top can be lined up against another table without gaps in between.

Table top. Made from a LIGNOpal top (21018) with glued-on plastic edge or a laminate-coated lightweight top (21019) or with a seamlessly cast-on (PU) polyurethane safety edge. Tops with plastic edges come with either edged or rounded corners.

Function. The table can be stacked thanks to the extremely lightweight, hard-wearing materials used.

Warning: A maximum of 4 stacked (unloaded) tables may be rolled on their castors.

Following materials are available: Frame = M1,2; Top lightweight plastic = L1.

Further Models illustrated on this page: Compass-VF.

					
LiteTable School tables	KU/PU	d = 21 ⁷ / ₈			21018
	KU	d = 25 ⁷ / ₈			21019
		w		27 ⁷ / ₈	29 ⁷ / ₂
		h		20 ⁷ / ₈ -23 ⁷ / ₄ -25 ⁷ / ₄ -28-30-32 ⁷ / ₈	
		max. stacking quantity (ST)		8	
		w-d spaced required with max. stacking qty.		30 ⁷ / ₄ -32 ⁷ / ₈	32 ⁷ / ₄ -36 ⁷ / ₄
	Weight lb		18,7	19,0	



TriTable_TY_US - 21.07.2010 - www.vs-furniture.com

PRODUCT INFORMATION

TriTable
Triangular table.

Frame comprising welded round steel-tube legs with set-back square-tube frame, each powder-coated. Tables with glide elements for hard or soft floors or with 2C universal glide elements.

Table heights in accordance with DIN ISO 5970 and CEN.

Table top (isosceles triangle) made from melamine-resin-coated LIGNOpal chipboard with glued-on plastic edge and rounded (radius 22 mm) corners.

Function: Varied combination possibilities for row and group workstations. The table is stackable and is fitted with a stack protection feature on the lower edge of the frame.

Equipment: Optionally with a castor at the 90° corner.

The following materials are available to choose from: Frame = M1,2,7; top LIGNOpal plastic = L1.

Other models pictured on this page: Compass-LuPo.

	ISO/CEN 2 = 20 ¹ / ₂ ● 3 = 22 ⁷ / ₈ ● 4 = 25 ¹ / ₄ ● 5 = 27 ⁹ / ₈ ● 6 = 30 ● 7 = 32 ² / ₈ ●				
TriTable			01430	01431	01432
	w-d		44 ¹ / ₂ ·31 ¹ / ₂ ·31 ¹ / ₂	47 ¹ / ₄ ·33 ¹ / ₂ ·33 ¹ / ₂	50·35 ¹ / ₂ ·35 ¹ / ₂
	h			2-3-4-5-6-7	



Quattro_TY_EN - 27.11.2009 - www.vs-furniture.com

PRODUCT INFORMATION

**Quattro
Group table.**

Frame of powder-coated oval tubular-steel legs with four-sided rectangular tubular-steel top frame.

Frame size available in three different heights.




Table top of melamine-resin coated LIGNOpal chipboard with seamless moulded-on (PU) polyurethane safety edges or with glued-on (KU) plastic edges.

Features and options. Glides for hard and soft floors. Satchel hook, grid bookshelf.

Important notice. PU edges are extremely robust, but can show signs of discoloration over time.

Following materials are available: Frame = M1,2; Top LIGNOpal-PU = L1; Top LIGNOpal plastic/beech = L1 (KU).

Other models illustrated on this page: Compass-LuPo.

			PantoSwing chairs - sizes 6 and 7 - cannot be fitted at the marked positions (d=25 ⁵ / ₈).										
													
Quattro	LIGNOpal-PU	d = 25 ⁵ / ₈		2830		2831		2832		2833			
	LIGNOpal-KU	d = 31 ¹ / ₂			2840	2841		2842	2843	2844	2845		
		w		29 ¹ / ₂	31 ¹ / ₂	47 ¹ / ₄	51 ¹ / ₄	55 ⁷ / ₈	59 ¹ / ₈	63	70 ⁷ / ₈	51 ¹ / ₄ /25 ⁵ / ₈	63/31 ¹ / ₂
		h						28 ⁷ / ₈	29 ¹ / ₈	30			



Ne-Schul_TY_US - 21.07.2010 - www.vs-furniture.com

PRODUCT INFORMATION

**NetWork
Single table.**

Frame. Four-sided top frame of half-oval tubular steel with screwed-on round tubular steel legs in the case of rectangular and trapezoid tables, either powder-coated or chrome-plated. With visible functional gap between table top and frame. The tables are fitted with floor-levelling screws or castors, half-round tables only have 2 castors.




Table heights are according to DIN ISO 5970 and CEN.

Table top of LIGNOpal chipboard laminated with melamine-resin sheet, glued-on (KU) plastic or (BU) beech edges, alternatively with solid (BP) beech profile. Choice of square or rounded corners.

For further information on the NetWork-office table and desk product line see the product information on table systems.

Following materials are available: Frame = M1,2,7; Top LIGNOpal plastic/beech = L1,4,6,10,F1.

Further models illustrated on this page: Compass-VF, Compass-LuPo.

															
NetWork	d = 27 ⁷ / ₈	21200	21421	21422	21413	21424	21201	21425	21426	21427	21428	21202		21208	
School tables	d = 31 ¹ / ₂		21210			21211	21212	21213	21214	21215	21216		21217		21218
	d = 35 ¹ / ₂			21240		21241	21242	21243	21244	21245	21246				
	d = 39 ¹ / ₈				21270	21271	21272	21273	21274	21275	21276				
	w	27 ⁷ / ₈	31 ¹ / ₂	35 ¹ / ₂	39 ¹ / ₈	47 ¹ / ₂	55 ¹ / ₈	63	70 ¹ / ₈	78 ³ / ₄	86 ⁵ / ₈	55 ¹ / ₈ (27 ⁷ / ₈)	63(31 ¹ / ₂)	55 ¹ / ₈ (27 ⁷ / ₈)	63(31 ¹ / ₂)
	h	20 ¹ / ₂ ; 22 ¹ / ₈ ; 25 ¹ / ₄ ; 27 ¹ / ₈ ; 30													



EuroLine_TY_EN - 28.04.2010 - www.vs-furniture.com

PRODUCT INFORMATION



**EuroLine
Single table.**

Frame consists of four-sided rectangular tubular-steel top frame with welded-on round tubular-steel legs, powder-coated. Single table with floor-leveling screws.

Table top of melamine-resin coated LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edges and square corners.

Following materials are available: Frame = M1,2; Top LIGNOpal plastic/beech = L1,4,6.

Further models illustrated on this page: PantoStack-SH.

										
EuroLine	d = 27 ⁵ / ₈	1001	1010	1011	1012	1002	1013	1014	1003	
	d = 31 ¹ / ₂		1004		1005	1006	1007	1008		1009
	w	27 ⁵ / ₈	31 ¹ / ₂	39 ³ / ₈	47 ¹ / ₄	55 ¹ / ₈	63	70 ⁷ / ₈	55 ¹ / ₈ (27 ⁵ / ₈)	63(31 ¹ / ₂)
	h			25 ¹ / ₈ •27 ⁵ / ₈ •28 ³ / ₈ •30						72



RondoLift_TY_EN - 12.01.2009 - www.vs-furniture.com

PRODUCT INFORMATION

RondoLift

Height-adjustable sit-at and stand-at table.

Frame consists of a round middle post with a four or five star foot of rectangular profile, both powder-coated. Built-in gas spring with release lever at the table edge. Star foot with lockable castors or glides.

Table height is continuously adjustable.





Table top of melamine-resin laminated or veneered LIGNOpal chipboard with glued-on (KU) plastic or (BU) beech edges.

Features. Oval table can be supplied with an optional lockable drawer under the top.

Table top shapes are oval, circular and square.

Following materials and colors are available: Frame: M2. Top: L1. Edges: H1.

Further models illustrated on this page: PantoFour-2K.

										
RondoLift		2823				2828	2820			
	Folding table top		2824	2825	2826	2827		2821	2822	
	ø / w-d	31 ¹ / ₂	35 ¹ / ₂	39 ¹ / ₈	43 ¹ / ₈	47 ¹ / ₄	51 ¹ / ₄ -31 ¹ / ₂	31 ¹ / ₂ -31 ¹ / ₂	35 ¹ / ₂ -35 ¹ / ₂	39 ¹ / ₈ -39 ¹ / ₈
	h					27 ¹ / ₄ -44 ¹ / ₂				
	Star foot ø / w-d		29 ¹ / ₂		37 ¹ / ₈		25-16 ¹ / ₈		37 ¹ / ₈	



RondoLift-Teach_TY_EN - 27.07.2010 - www.vs-furniture.com

PRODUCT INFORMATION

RondoLift
Height-adjustable sit-down and stand-at table for teachers.

Frame comprising a round central post and a four-leg star-foot base of square profile section, each powder-coated. Star-foot base with lockable castors or with glide elements.

Table height infinitely adjustable.

Table top (barrel shape) made from melamine-resin- or veneer-coated LIGNOpal chipboard with glued-on plastic or wooden edge.

Equipment: Table optionally with one or two drawers located at the sides under the table top.

Electrification optionally with a freely hanging cable conduit or a self-coiling cable chain.

The following materials are available to choose from: Frame = M1,2; top LIGNOpal plastic/beech = L1,4,6,F1.

Other models pictured on this page: PantoMove-LuPo Plus.



RondoLift-Teach			02829
	w-d		47 ¹ / ₄ ×33 ³ / ₈
	h		27 ¹ / ₄ -44 ¹ / ₂
	Star foot w-d		37 ³ / ₈ ×23 ¹ / ₄



FlipTable-RU_TY_EN - 12.01.2009 - www.vs-furniture.com

PRODUCT INFORMATION

Flip Table-RU Table with folding top.

Construction comprising a centrally positioned tubular-steel crosspiece with an articulated bracket. Folding action can be effected with a two-hand safety actuator under the table top on the user side. With a fitting for securing the table top in the horizontal and vertical positions and optionally with a table connector.

Table top of LIGNOpal-coated (melamine resin) chipboard with plastic, wood or PU edge. The corners are edged or rounded. Electrification. Optionally by means of a fold-down textile trough on both sides.

Cable outlet. Optionally with an electronics box for system and data connections.



Frame consisting of two bent powder-coated or chrome-plated steel tubes. Frame with lockable castors.

Function. When the table top is folded up, any desired number of tables can be pushed together to optimize space.

Note. PU edges are extremely hard-wearing, but may show signs of discoloration over time. Table connectors optionally available.

The following materials and colours are available: Frame: M2. Table top: L1, 2 and 9 (linoleum) and veneer. Edge: natural beech, as veneer or in plastic L1 and 2. Table top with PU edge in beech laminate or grey white.

Further models illustrated on this page: Compass-LuPo.

									
FlipTable-RU	PU edge	d = 25 ³ / ₈ (folded 26 ³ / ₈)	21028		21029				
		h (h 28 ³ / ₈ folded)	28 ³ / ₈ (41 ³ / ₄)		28 ³ / ₈ (41 ³ / ₄)				
	Beech/plastic edge	d = 27 ³ / ₈ (folded 26 ³ / ₈)	21030		21031	21032	21033	21034	
		h (h 28 ³ / ₈ folded)	28 ³ / ₈ (42 ¹ / ₂)			28 ³ / ₈ (42 ¹ / ₂)			
		d = 31 ¹ / ₂ (folded 26 ³ / ₈)	21035		21036	21037	21038	21039	
	h (h 28 ³ / ₈ folded)	28 ³ / ₈ (44 ¹ / ₂)			28 ³ / ₈ (44 ¹ / ₂)				
	w	51 ¹ / ₄	55 ¹ / ₈	59 ¹ / ₈	63	70 ¹ / ₈	78 ³ / ₄	86 ³ / ₈	
	Increase per table in width				1 ⁵ / ₈				
	Increase per table in depth				5 ⁷ / ₈				



Duo-Media_TY_EN - 17.12.2008 - www.vs-furniture.com

PRODUCT INFORMATION

**Duo-Media
Computer table.**

Frame of powder-coated steel tube with set-back double-legs (C-shape) on steel skids with plastic kicking protection. All steel tubes in flat-oval profile. Table suitable for floor fixing if required.

Frame sizes. In table height of 72 cm.

Table top of melamine-resin coated LIGNOpal chipboard with glued-on (KU) plastic edges.

Features. Table top with lockable sliding mechanism (12 cm) for access to the cable channel. Cable outlet through sealing lip over the full table width between top and side panel.

Accessories and options. Perforated-metal vertical cable channel attached without tools between the double legs. Inside solid metal, outside powder-coated perforated metal. Vertical channel can only be opened when the horizontal cable channel is also open. Vertical cable guide consists of 3 plastic cable clips to push-onto the table legs. CPU-angle and CPU-box for fixing to table legs.

Following materials and colors are available: Frame: M1 and 2. Top: off-white, natural beech laminate. Glides: black. Further models illustrated on this page: PantoMove-LuPo.

Duo-Media	d = 80, Total d = 85 d = 90, Total d = 95	4450 4455	4451 4456	4452 4457	4453 4458	4447	4448	4449	4460	4461 62-986-99
	w	80	120	140	160					
	h		72							
						CPU-angle	CPU-box	Vertical channel	Cable guide	Cable clip

M1 ↓



deep red



deep green



deep blue




deep black


M2 ↓




arctic



anthracite




grey white



white

M7 ↓




chrome-plated

C1 ↓



black grey



dolphin grey

C2 ↓



yellow orange



dark red



dark green



dark blue

L1 ↓



natural beech laminate



natural maple laminate



grey white




andes grey

L2 ↓



natural beech laminate




grey white

L4 ↓




astral silver



anthracite



plain black



white

L6 ↓




natural walnut laminate

L10 ↓



red



ivory



dark grey



black



blue

F1 ↓



natural beech



maple (Canadian)



natural cherry (Americ.)



natural birch




natural ash




natural oak (European)




pear natural wood



zebrano



wengé



walnut

H1 ↓



natural



yellow orange



dark red



dark green




dark blue



light green



light blue



light grey



brown



black

H2 ↓

S41 ↓




red




bordeaux



sand



grey-green



muted green



dark blue



brown-grey



Art-No. 45-057-18, V03, 10.2010

VS America, Inc.:

1940 Abbott Street
Charlotte, NC 28203

Phone: 704-378-6500

Fax: 704-378-6005

info@vs-charlotte.com

www.contactVSamerica.com



www.thethirdteacher.com

TheThirdTeacher

www.thethirdteacher.com