

Environmental Data Sheet ■

700 Series® Files and Storage

Rev: 06072011

Product Category: Files & Storage

Certifications: Greenguard Certified
CARB Compliant – Phase I

LEED Contributions: Recycled Content
Regional Materials
Low Emitting Materials



Program Overview:

LEED 2009	Category	Credit	Contribution
LEED BD&C LEED ID&C LEED OM	Materials & Resources	Recycled Content - MR 4.1 & 4.2 10% or 20% recycled content	Post-consumer Pre-consumer % by weight = 33.6%
	Materials & Resources	Regional Materials - MR 5.1 Manufactured within 500 miles of the project location.	Manufactured in: Pembroke, Ontario Canada K8A 6X7
	Indoor Environmental Quality	Low Emitting Materials EQ 4.5	<u>LEED CI</u> - Greenguard Certified

Recycled Content Summary (averaged):

Material Weight = 37 lbs.	Average % Weight	Recycled Content %	% Post Consumer	% Pre Consumer	Can be recycled?
Overall = 33.6%			15.2%	18.4%	
Steel	97%	33%	14.6%	17.5%	Y
Paper (honeycomb)	2%	58%	.6%	.6%	-
Nylon Interlock	1%	25%	0%	.3%	Y

Disclaimer: Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. KI makes conservative assumptions when compiling information to provide the most accurate recycled content calculations possible. This document will be reviewed and updated periodically and is subject to change without notice.

* Product Recyclability is dependent on local programs.

Environmental Data Sheet ■

700 Series® Files and Storage

Rev: 06072011

Other Materials Recycled Content Overview:

Material	Recycled Content %	% Post Consumer	% Pre Consumer	Can be recycled?
Corrugated Packaging - From SCS Sources	68%	18%	50.0%	Y

Packaging has large amounts of recycled content – an average of 68% corrugated material, where corrugate is used. Packaging materials, plastic banding and skids can be recycled at the jobsite if requested.

Wherever possible, blanket wrap is used thereby eliminating the packaging waste. These packaging options help to support LEED NC & CI – MR 2.1 and MR 2.2 *Construction Waste Management* or LEED EB - MR Prerequisite 1.1 *Source Reduction and Waste Management*.

Greenguard Certification:

- Measurements and results indicated below

	USGBC	GREENGUARD	GRADE
Formaldehyde	0.025 ppm	0.025 ppm	PASS
TVOC	0.25 mg/m3	0.25 mg/m3	PASS
Total Aldehydes	0.05 ppm	0.05 ppm	PASS

Other Attributes:

End-of-Life Recycling & Reuse: KI selects materials that can be recycled at the end of a product's use and designs its products so that it can be easily disassembled and separated for local recycling facilities.

Maintenance:

Fabric – Wisk or vacuum regularly. For unusual stains, use a commercial cleaner following manufacturer's instructions.

Vinyl/Polyurethane – Wipe with damp cloth, moistened with a mild detergent solution. For unusual stains, use a commercial nylon cleaner, following manufacturer's instructions.

Other Surfaces – Wipe with soft cloth, moistened in a mild solution. Dry and buff lightly with a dry cloth.

