

3

AMALFI



AMALFI
Pole Mounted Luminaire

Indirect reflector luminaire with inverted tapered pole makes AMALFI's clean angular lines suitable for many architectural applications. Luminaire is precision-machined from billet aluminum, then satin anodized. Domed lens is temperature-resistant borosilicate glass. The conical shade is spun aluminum with anodized finish and supported by precision-formed aluminum struts. Inverted

tapered steel pole with flush handhole is hot-dip galvanized prior to being finished in finely textured paint. Pole is secured to ground mounting assembly with stainless steel socket head cap screws. All hardware is stainless steel. Standard color; matte silver grey metallic. Special colors available. See technical data sheet for details.

 Listed for Wet Locations


Model	Pole	Lamp
AM270	7.5' IT	70 MH / 35 MH / 75 Halogen
AM360	10.4' IT	70 MH / 35 MH / 75 Halogen



AMALFI
Illuminating Bollard

Indirect reflector bollard is uniquely scaled to complement a wide variety of architectural styles. AMALFI housing is precision-machined from billet aluminum, then satin anodized. Domed lens is temperature-resistant borosilicate glass. The conical shade is spun aluminum with anodized finish and supported by precision-formed aluminum struts. Cast aluminum shaft is finished in finely textured paint. Bollard is

secured to ground mounting assembly with stainless steel socket head cap screws. All hardware is stainless steel. Standard color; matte silver grey metallic. Special colors available. See technical data sheet for details.

 Listed for Wet Locations

Model	Height	Lamp
AM900	35.4"	50 Low Voltage Halogen / 20 Low Voltage Halogen

