

PARMA

Simple lines and a classic shape make PARMA suitable for a wide variety of architectural designs. The high-grade aluminum housing and reflector shade are satin anodized. The translucent matte acrylic lens provides diffused illumination. Inverted tapered, or straight round steel pole with flush handhole is hot-dip galvanized prior to being finished in finely textured paint. Pole is secured to ground mounting assembly with stainless steel socket head cap screws. All hardware is stainless steel. Standard color; matte silver grey metallic. Special colors available.



Wet Location

Model	Pole	Lamp
PM260	7.5' IT	150 MH / 2/18 CF
PM350	0.4' IT	150 MH / 2/18 CF
PM260	8.0' RS	150 MH / 2/18 CF
PM350	10.4' RS	150 MH / 2/18 CF

Additional information:

Drawings

Downloads

[PM260-IT.swf](#)
[PM260-RS.swf](#)
[PM350-IT.swf](#)
[PM350-RS.swf](#)

Catalogue page

Downloads

[Hessamerica_PARMA_pl.pdf](#)

Photometric reports

Downloads

[PM260/_350_18w_CFL.ies](#)
[PM260/_350_18w_CFL.ies](#)

Specification sheets

Downloads

[PARMA 260 IT CFL Pole Mounted Luminaire](#)
[PARMA 260 IT HID Pole Mounted Luminaire](#)
[PARMA 260 RS CFL Pole Mounted Luminaire](#)
[PARMA 260 RS HID Pole Mounted Luminaire](#)
[PARMA 350 IT CFL Pole Mounted Luminaire](#)
[PARMA 350 IT HID Pole Mounted Luminaire](#)
[PARMA 350 RS CFL Pole Mounted Luminaire](#)
[PARMA 350 RS HID Pole Mounted Luminaire](#)

Product brief

References

Corresponding products



Illuminating Bollards
PARMA



Wall Mounted Luminaires
PARMA

