




ALKOR Q
Tree Guard

Mounts to tree grate or tree grate frame. Features level compensation mechanism, two wooden cross braces of ash for added support and attachment system. Galvanized steel with natural finish.


Options:
Painted black finish.
Kambala cross braces.

Model No.
AQ1884 (H = 74.2")
AQ900 (H = 35.4")

Design: Jean-Michel Wilmotte



Model No. AQ900




Model No. AQ1884



ALKOR Q

Tree Guards

Assembled Tree Grate Frame




Concrete Foundation

Concrete pour foundation supports tree grate frame. Frame is secured to the foundation by embedded, threaded studs.

Tree Grate Frame

Two-part construction bolted to concrete foundation.



Adjustable Cross Braces

Tree Guard

Accent Lighting Fixtures

Tree Grate

Tree Grate Frame

Concrete Foundation

SPICA 0,8 / ALKOR

Technical:
Tree Grate Construction

Tree Grate

Grid size is 1.2 inches square. Two segments mount onto the tree grate frame, where they are bolted into place. Grooves on both the supporting and distributing bars ensure anti-slip protection. Available with openings and flanges for the mounting of sub-grade accent lighting fixtures.

Tree Guard

Provides trees with protection and serves as a decorative design element. Two-part construction bolts together and attaches with fasteners to the tree grate frame. Hardware kit provided. Problem-free leveling compensation for grades up to 3%.

Wood Cross Braces

Adjust to tree trunk diameters as trees grow.