



ELR25 Series Small Aperture 2.5" Recessed Trimless Linear Lighting Single Lamp T5 / T5HO

The ELEMENTS LINEAR RECESSED (ELR) series is a recessed linear architectural luminaire with a small 2.50" aperture. The ELR utilizes one or two T5 or T5HO compact linear fluorescent lamps mounted in single lamp or dual lamp end-to-end configuration.

ELR is part of Feng Shui Lighting's Elements System and features an acrylic lens diffuser with a special decorative color pattern. The decorative panels represent one of the five elements -

- Wood
- Fire
- Earth
- Metal
- Water

Each "Element" category offers six distinct colors and patterns, allowing for 30 unique decorative choices.

The recessed housing is one-piece extruded aluminum.


Electronic ballasts are integral to the housing. Ballast options include standard non-dimming and a variety of dimming options.

Elements may be recessed mounted in horizontal (ceiling) or vertical (wall) surfaces as single, stand-alone units or in a continuous row. Consult factory for 90° return modules.

LED source available. Consult factory for details.



Fixture Shown: **ELR25-Coral Reef-2-1-14-STD-120**
2' Coral Reef Trimless Fixture w/ 14W T5 Lamp



Lamping as follows:

- 2 foot unit = 14W or 24W single lamp
- 3 foot unit = 21W or 39W single lamp
- 4 foot unit = 28W or 54W single lamp
- 6 foot unit = 21W or 39W dual lamp
- 8 foot unit = 28W or 54W dual lamp

Wood	Chen	Papyrus	Prarie Grass	Birch	Thatch	Enchanted	
	Li	Embers	Inferno	Mars	Valentine	Lava	
	K'un	Fossil	Pompei	Alabaster	Atlantis	Inca	
	Ch'ien	Oro	Jaun	Silver	Fractal	Alloy	
	Metal	Kan	Coral Reef	Bay Island	H2O	Negril	South Beach
		Water					



Style	Panel Name	Length	Lamp Qty.	Lamp Wattage*	Ballast	Voltage	Options
ELR25 = Trimless	See table above for panel options Example: "Chen" or "Lava"	2 = Two Foot 3 = Three Foot 4 = Four Foot 6 = Six Foot 8 = Eight Foot	1 = One Lamp 2 = Two Lamp	14 = 14W T5 21 = 21W T5 24 = 24W T5HO 28 = 28W T5 39 = 39W T5HO 54 = 54W T5HO	STD = Non-Dimming MK7 = Dimming - Advance Mark-7 54w MK10 = Dimming - Advance Mark-10 24 or 54w ECO10 = Dimming - Lutron ECO10 14, 24, 21, 39, 28, or 54w HILUME = Dimming - Lutron HILUME 24, 39, or 54w	120 277 347	EM = Emergency 2X2 = 2 x 2 Grid Mounting 2X4 = 2 x 4 Grid Mounting



ELR35 Series Medium Aperture 3.5" Recessed Trimless Linear Lighting Dual Lamp Staggered T5 / T5HO

The ELEMENTS LINEAR RECESSED (ELR) series is a recessed linear architectural luminaire with a medium 3.50" aperture. The ELR utilizes one or two T5 or T5HO compact linear fluorescent lamps mounted in single lamp or dual lamp end-to-end configuration.

ELR is part of Feng Shui Lighting's Elements System and features an acrylic lens diffuser with a special decorative color pattern. The decorative panels represent one of the five elements -

- Wood
- Fire
- Earth
- Metal
- Water

Each "Element" category offers six distinct colors and patterns, allowing for 30 unique decorative choices.

The recessed housing is one-piece extruded aluminum.


Electronic ballasts are integral to the housing. Ballast options include standard non-dimming and a variety of dimming options.

Elements may be recessed mounted in horizontal (ceiling) or vertical (wall) surfaces as single, stand-alone units or in a continuous row. Consult factory for 90° return modules.

LED source available. Consult factory for details.



Fixture Shown: **ELR35-Coral Reef-6-2-21-STD-120**
6' Coral Reef Trimless Fixture w/ 21W T5 Lamp



Lamping as follows:

- 2 foot unit = 14W or 24W single lamp
- 3 foot unit = 21W or 39W single lamp
- 4 foot unit = 28W or 54W single lamp
- 6 foot unit = 21W or 39W dual lamp
- 8 foot unit = 28W or 54W dual lamp

Wood	Chen	Papyrus	Prarie Grass	Birch	Thatch	Enchanted
	Li	Embers	Inferno	Mars	Valentine	Lava
Fire	K'un	Fossil	Pompei	Alabaster	Atlantis	Inca
	Ch'ien	Oro	Jaun	Silver	Fractal	Alloy
Earth	Kan	Coral Reef	Bay Island	H2O	Negril	South Beach
Metal						
Water						



Style	Panel Name	Length	Lamp Qty.	Lamp Wattage*	Ballast	Voltage	Options
ELR35 = Trimless	See table above for panel options Example: "Chen" or "Lava"	2 = Two Foot 3 = Three Foot 4 = Four Foot 6 = Six Foot 8 = Eight Foot	1 = One Lamp 2 = Two Lamp	14 = 14W T5 21 = 21W T5 24 = 24W T5HO 28 = 28W T5 39 = 39W T5HO 54 = 54W T5HO	STD = Non-Dimming MK7 = Dimming - Advance Mark-7 54w MK10 = Dimming - Advance Mark-10 24 or 54w ECO10 = Dimming - Lutron ECO10 14, 24, 21, 39, 28, or 54w HILUME = Dimming - Lutron HILUME 24, 39, or 54w	120 277 347	EM = Emergency 2X2 = 2 x 2 Grid Mounting 2X4 = 2 x 4 Grid Mounting



ELRT25 Series Small Aperture 2.5" Recessed Trim Linear Lighting Single Lamp T5 / T5HO

The ELEMENTS LINEAR RECESSED (ELRT) series is a recessed linear architectural luminaire with a small 2.50" aperture and a 0.75" trim flange. The ELRT utilizes one or two T5 or T5HO compact linear fluorescent lamps mounted in single lamp or dual lamp end-to-end configuration.

ELR is part of Feng Shui Lighting's Elements System and features an acrylic lens diffuser with a special decorative color pattern. The decorative panels represent one of the five elements -

- Wood
- Fire
- Earth
- Metal
- Water

Each "Element" category offers six distinct colors and patterns, allowing for 30 unique decorative choices.

The recessed housing is one-piece extruded aluminum. Standard trim finish is finish is "Ultimate" aluminum. Black or white are also available as an optional finish.

Electronic ballasts are integral to the housing. Ballast options include standard non-dimming and a variety of dimming options.


Elements may be recessed mounted in horizontal (ceiling) or vertical (wall) surfaces as single, stand-alone units or in a continuous row. Consult factory for 90° return modules.

LED source available. Consult factory for details.

Wood	Chen	Papyrus	Prarie Grass	Birch	Thatch	Enchanted
	Li	Embers	Inferno	Mars	Valentine	Lava
Fire	K'un	Fossil	Pompei	Alabaster	Atlantis	Inca
	Ch'ien	Oro	Jaun	Silver	Fractal	Alloy
Earth	Kan	Coral Reef	Bay Island	H2O	Negril	South Beach
Metal						
Water						



Fixture Shown: **ELRT25-Coral Reef-2-1-14-STD-120**
2' Coral Reef Trim Fixture w/ 14W T5 Lamp



Lamping as follows:

- 2 foot unit = 14W or 24W single lamp
- 3 foot unit = 21W or 39W single lamp
- 4 foot unit = 28W or 54W single lamp
- 6 foot unit = 21W or 39W dual lamp
- 8 foot unit = 28W or 54W dual lamp



Style	Panel Name	Length	Lamp Qty.	Lamp Wattage*	Ballast	Voltage	Options
ELRT25 = .75" Trim	See table above for panel options Example: "Chen" or "Lava"	2 = Two Foot 3 = Three Foot 4 = Four Foot 6 = Six Foot 8 = Eight Foot	1 = One Lamp 2 = Two Lamp	14 = 14W T5 21 = 21W T5 24 = 24W T5HO 28 = 28W T5 39 = 39W T5HO 54 = 54W T5HO	STD = Non-Dimming MK7 = Dimming - Advance Mark-7 54w MK10 = Dimming - Advance Mark-10 24 or 54w ECO10 = Dimming - Lutron ECO10 14, 24, 21, 39, 28, or 54w HILUME = Dimming - Lutron HILUME 24, 39, or 54w	120 277 347	EM = Emergency AL = Aluminum Trim BK = Black Trim WH = White Trim RAL = Custom Powder Coat 2X2 = 2 x 2 Grid Mounting 2X4 = 2 x 4 Grid Mounting



ELRT35 Series Medium Aperture 3.5" Recessed Trim Linear Lighting Dual Lamp Staggered T5 / T5HO

The ELEMENTS LINEAR RECESSED (ELRT) series is a recessed linear architectural luminaire with a medium 3.50" aperture and a 0.75" trim flange. The ELRT utilizes one or two T5 or T5HO compact linear fluorescent lamps mounted in single lamp or dual lamp end-to-end configuration.

ELR is part of Feng Shui Lighting's Elements System and features an acrylic lens diffuser with a special decorative color pattern. The decorative panels represent one of the five elements -

- Wood
- Fire
- Earth
- Metal
- Water

Each "Element" category offers six distinct colors and patterns, allowing for 30 unique decorative choices.

The recessed housing is one-piece extruded aluminum. Standard trim finish is finish is "Ultimatte" aluminum. Black or white are also available as an optional finish.


Electronic ballasts are integral to the housing. Ballast options include standard non-dimming and a variety of dimming options.

Elements may be recessed mounted in horizontal (ceiling) or vertical (wall) surfaces as single, stand-alone units or in a continuous row. Consult factory for 90° return modules.

LED source available. Consult factory for details.



Fixture Shown: **ELRT35-Coral Reef-6-2-21-STD-120**
6' Coral Reef Trim Fixture w/ 21W T5 Lamp



Lamping as follows:

- 2 foot unit = 14W or 24W single lamp
- 3 foot unit = 21W or 39W single lamp
- 4 foot unit = 28W or 54W single lamp
- 6 foot unit = 21W or 39W dual lamp
- 8 foot unit = 28W or 54W dual lamp

Wood	Chen	Papyrus	Prarie Grass	Birch	Thatch	Enchanted
	Li	Embers	Inferno	Mars	Valentine	Lava
Fire	K'un	Fossil	Pompei	Alabaster	Atlantis	Inca
	Ch'ien	Oro	Jaun	Silver	Fractal	Alloy
Earth	Kan	Coral Reef	Bay Island	H2O	Negril	South Beach
Metal						
Water						



Style	Panel Name	Length	Lamp Qty.	Lamp Wattage*	Ballast	Voltage	Options
ELRT35 = .75" Trim	See table above for panel options Example: "Chen" or "Lava"	2 = Two Foot 3 = Three Foot 4 = Four Foot 6 = Six Foot 8 = Eight Foot	1 = One Lamp 2 = Two Lamp End-to-End	14 = 14W T5 21 = 21W T5 24 = 24W T5HO 28 = 28W T5 39 = 39W T5HO 54 = 54W T5HO	STD = Non-Dimming MK7 = Dimming - Advance Mark-7 54w MK10 = Dimming - Advance Mark-10 24 or 54w ECO10 = Dimming - Lutron ECO10 14, 24, 21, 39, 28, or 54w HILUME = Dimming - Lutron HILUME 24, 39, or 54w	120 277 347	EM = Emergency AL = Aluminum Trim BK = Black Trim WH = White Trim RAL = Custom Powder Coat 2X2 = 2 x 2 Grid Mounting 2X4 = 2 x 4 Grid Mounting