

January 2012

SATELLITE  
PLANNING GUIDE & PRICE LIST

N U C R A F T



## You design. Let us handle the details.

Nucraft offers a free, online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else.

- No special software is required, nor is there any learning curve.
- The service applies to all Nucraft products including private office products, conference room products, reception stations, and training tables.
- You can generate quick and accurate answers for budget estimates and/or quick and exact specifications for final quotes.
- Revisions can be made any time you like, and total accuracy is guaranteed.

---

### How it works.

Called iSpec, this service is as close as your phone and your Internet-connected computer. You can use it anytime you need to configure, specify, or price Nucraft furniture. Here is how it works :



1. Schedule an iSpec session by calling 1-877-NUCRAFT or by visiting [www.nucraft.com/ispec](http://www.nucraft.com/ispec). (You will be asked to provide some preliminary information on the project. We will respect the confidentiality of the information.)



2. At the scheduled time, a Nucraft project specialist will contact you at the telephone number you provide.



3. You will be directed to the online collaboration site. (All you need is an Internet connection and a Web browser.)



4. Once you are at the site, the Nucraft project specialist will work with you in real time to configure the required product based on your specific direction. (Watch the screen as your workstation appears.)



5. When the specification process is completed, you will receive 2-D or 3-D drawings, the specification itself with guaranteed accurate pricing, and the estimated lead time. (Follow-up sessions may be scheduled at your request to make any necessary modifications.)

iSPEC — IT'S FAST, IT'S FLEXIBLE, IT'S A FREE SERVICE FROM NUCRAFT.

# Table of Contents

<b>INTRODUCTION</b>	<b>3-12</b>			<b>INTRODUCTION</b>
<b>CONFERCING PRODUCTS</b>	<b>13-296</b>			
Arena	13-38			<b>ARENA</b>
Planning	17-25			
Benches & Consoles	26-37			
Ancillary Products	38			
Ativa	39-60			<b>ATIVA</b>
Planning	41-53			
Enclosed Squares & Rectangles	54-57			
U-Shaped	58-59			
Technology Pedestal	60			
Avid	61-90			<b>AVID</b>
Planning	64-75			
Tops & Bases	76			
Tech Spines	77-88			
Interface Cards	89			
Lower Trough	90			
Discovery	91-108			<b>DISCOVERY</b>
Planning	92-103			
Tops & Bases	104-106			
Power Options	107			
Duomo	109-134			<b>DUOMO</b>
Planning	112-123			
Tops & Bases	124-125			
Power Options	126-127			
Modular & Open Sight Line Tables	128-129			
Phone Stands	130			
Credenzas	130			
Media Presentation & Storage	131			
Ancillary Products	132-133			
Elevare	135-154			<b>ELEVARE</b>
Planning	137-145			
Stationary Tables	146-147			
Height Adjustable Tables	148			
Power Options	149-151			
Credenzas	152			
Ancillary Products	153-154			
Flow	155-202			
Planning	158-172			
Flow XT Tops & Bases	173-180			
Flow XT Power & Data Options	181			
Flow Tops & Bases	182-196			
Flow Power & Data Options	197-199			
Credenzas	200-202			
Forte Contemporary	203-224			
Planning	206-213			
Tops & Bases	214-217			
Power Options	218-219			
Phone Stands	220			
Credenzas	220			
Bookcases	221			
Ancillary Products	222-223			
Forte Traditional	225-236			
Tops & Bases	228-229			
Power Options	230-231			
Phone Stands	232			
Credenzas	232			
Bookcases	233			
Ancillary Products	234-235			
Neos Conference	237-269			
Planning	240-245			
Tops & Bases	246-249			
Articulating Table	250			
Power Options	251-252			
Credenzas	253			
Ancillary Products	254-256			
Performance Credenzas	257-266			
Planning	260-262			
Consoles	263			
Utility & Food Service Credenzas	264-266			
Saber	267-284			
Planning	270-276			
Tops & Bases	277-278			
Power Options	279-280			
Phone Stands	281			
Credenzas	281			
Ancillary Products	282-283			
Tavola	285-296			
Planning	287-291			
Tops & Bases	292			
Power Options	293			
Standing Height Tables	294			
Credenzas	295			
<b>TRAINING PRODUCTS</b>	<b>297-350</b>			
Fleet	297-316			
Planning	299-303			
Tables	304-312			
Accessories	313-316			
Saber	317-330			
Planning	319-321			
Tables	322-325			
Accessories	326-312			
Ancillary Products	329			
Satellite	331-350			
Planning	333-339			
Tables	340-346			
Accessories	347-348			
Ancillary Products	349			
<b>PRESENTATION PRODUCTS</b>	<b>351-394</b>			
High Tech Lectern	354-358			
Monitor Stands	359-362			
Mobile Monitor Stands	363-366			
Mural	367-388			
Media Wall	389			
Neos Presentation Products	390-391			
Visual Boards	392			
Whiteboards	393			
Presentation Rails	393			
Tack Strips	394			

Table of Contents continued on next page.

# Table of Contents

<b>POWER &amp; DATA PLANNING</b>	<b>395-408</b>
Power Center	402-403
Perimeter Power	404-405
Power Cove	388-389
PowerPUP	406
MiniPort	407
Grommet	408
<b>OCCASIONAL TABLES</b>	<b>409-428</b>
Arena	412
Camelot	413
Centric Collection	414
Diamante	415
Eased Edge	416
Legere	417
Maya	418
Moment	419
Paragon	420
Plaza	421
Shine	422
Show	422
Stratum	423
Talis	424
Taper	425
Tiro	426
View	427
<b>BENCHES</b>	<b>429-436</b>
Camelot	431
Centric Collection	431
Diamante	432
Eased Edge	432
Legere	432
Maya	432
Moment	433
Neos	433
Plaza	434
Talis	434
Taper	435
Tiro	435
<b>BOOKCASES &amp; MODULAR SHELVING</b>	<b>437-449</b>

# Introduction

Nucraft Representatives	4
General Information	5
Finish Information	6-7
Surface Materials	8
COM Specification	9
Bench Fabric	10
Specification Tools	11
Environmental Statement	11

# Nucraft Representatives

Nucraft has independent sales representatives throughout the United States, Canada, Mexico, and the Middle East.  
Please visit [www.nucraft.com/find-a-rep](http://www.nucraft.com/find-a-rep) to locate a sales representative in your territory.

# General Information

This price book supercedes all previous versions.

## How to Order

**Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.**

## Delivery Information

Our goal has always been to provide the very best service to our customers. We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact Nucraft Customer Service team or specify it on your purchase order.

**Minimum Freight Charge: Any order below \$1,600 net will be assessed an \$180 net minimum freight charge (one per order).**

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

## Freight Terms

Shipping charges for Nucraft products are prepaid in the continental United States. Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from Nucraft's facilities.

## Storage

Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, in its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

## Transportation Times and Delays

Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

## Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation

damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

**Failure to make any claims against Nucraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.**

## Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. If cancellation is approved, a processing fee of 20-100% will be assessed based upon the manufacturing status of the order. Orders for specially constructed or finished products cannot be cancelled once the product is started.

## Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

## Payment Terms

Terms of payment consist of a 1% cash discount for payment within 10 days of invoice date or payment of the net amount due within 30 days of the invoice date (1% 10 days, net 30 days). Discount is not allowed on credit card payments.

## Credit Card Payments

When paying by credit card (Visa, Mastercard or American Express), include the card number, expiration date, card holder name (printed) and card holder signature on the purchase order. A credit card payment form is available upon request. No cash discount allowed on credit card payments.

## Warranty

Nucraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in Nucraft's catalog are warranted for one year from the date of original delivery. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft products through authorized dealers, or from others specifically authorized by Nucraft to sell its products.

Nucraft's sole obligation under this warranty is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized Nucraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which Nucraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

**Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.**

# Finish Information

## Custom Finishes

Nucraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. Nucraft's standard black finish (G82) can be applied to all Nucraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

## Treatments

**Note: Incoming orders without a treatment specified will default to our standard Gloss treatment.**

**Gloss:** Our standard treatment. Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

**Matte:** Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

**High Gloss:** A full filled hand rubbed treatment, High Gloss has a mirror-like appearance (80 – 90 sheen range). High Gloss treatments tend to show wear as well as grain and surface irregularities to a greater degree. Finish numbers preceded by the letter "H" indicate a High Gloss finish. **There is a 10% upcharge per item for a High Gloss finish.**

When viewing a High Gloss finish from certain angles, you may notice subtle rubbing lines, which is characteristic of any rubbed finish treatment. High Gloss treatments are applied to top surfaces only of products up to 50" in height. A Gloss treatment is then applied to all other exposed surface areas.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

## About the Wood

All Nucraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

Nucraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact Nucraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

## Care and Maintenance of Wood Finishes

Our finish material is a crystal clear, urethane acrylic blend. This type of finish may be repaired in the field by a qualified refinisher. Contact our Nucraft Customer Service team for detailed touch-up and refinishing instructions.

Nucraft recommends using a damp cloth to clean your fine wood furniture. Always wipe with the grain of the wood. Should your wood furniture require a more thorough cleaning, we recommend using a mild cleaner such as Joy dish soap or Murphy's oil soap, thoroughly diluted in water (one part soap to thirty parts water). Water will not damage Nucraft's finish, but will leave surface spots when it dries. To avoid this, dry the surface with a soft cloth after it is cleaned. Marks that cannot be removed with the cleaning methods above may be able to be removed using naphtha, a mild degreasing solvent.

**Caution:** while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All Nucraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.



# Finish Information

## Laminates

Selected WilsonArt laminates are available on Satellite Tables, A/V and Presentation Cart top insets as well as Conference Tables, Conference Room Furniture, Visual Boards and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

## Non-Standard Laminates

To order a color other than those on our list (see Page 8), refer to Nevamar, WilsonArt, or Formica standard grade, matte texture or Pionite standard grade, suede texture laminate offerings (excluding manufacturers' non-standard matte offering). **Add \$90 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

## Care and Maintenance of Laminate

Laminate surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Metal

Metal surfaces can be wiped with a damp cloth and rubbed dry. A mild non-abrasive household liquid detergent can be used if necessary. Regular maintenance of metal components, including tightening of fasteners and light lubrication of moving parts, will extend the life of your furniture.

## Care and Maintenance of Glass

Clear or frosted glass may be cleaned with commercial glass cleaner. Be sure to use a lint-free cloth if cleaning the frosted side of the glass.

## Care and Maintenance of Stone

**Marble:** Marble is porous and stains easily. Wipe off anything spilled on marble immediately. Occasionally wash marble surfaces with lukewarm water and wipe dry with a clean cloth. To avoid leaving streaks, wipe surface with a damp chamomis. Should your marble surfaces require a more thorough cleaning, wash with a mild household liquid detergent solution, rinse and wipe dry. A light coat of wax will protect the surface of marble but is not considered essential. If wax is applied, it should be a colorless wax.

**Granite:** Granite surfaces may be cleaned with a damp cloth and ordinary soap or non-abrasive household liquid detergent. Dry the surface with a clean cloth or soft paper towel to prevent streaks from appearing.

## Care and Maintenance of Leather

Genuine leather requires very little care. Nucraft recommends that leather be dusted regularly. If a more thorough cleaning is needed, use lukewarm water and a mild, non-abrasive soap. Generate some lather and lightly rub the surface with cheesecloth. Rinse off any soap film with clean water and towel dry. The leather may dry dull. To restore the leather to a normal gloss, rub it with a clean towel. Never use furniture polish, oil, varnish or ammonia. Saddle soap may be used to prevent the leather from becoming brittle or cracked and to maintain the original supple finish.

## Touch Up Finish Kits

Model #	Description	Price
KIT-M	Metal Kit	80
KIT-P	Paint Kit	80
KIT-S	Stain Kit	80

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Kit model number
- Quantity of kits
- Specify finish (See Page 8)

### General Information:

- Touch-up kits must be ordered on a purchase order separate from Nucraft product due to Hazmat shipping

# Surface Materials

## WOOD FINISHES

	Standard Veneer			Double Cut Veneer	
	Matte	Gloss	High Gloss	Matte	Gloss
		default finish	10% upcharge per item		

### Maple

Natural Maple	M60*	G60*	H60*	M2260	G2260
Amber Maple	M64	G64	H64	M2264	G2264

\*Not available on Fleet

### Cherry

Copper Cherry	M92	G92	H92	M2292	G2292
Auburn Cherry	M93	G93	H93	M2293	G2293
Spring Cherry	M95	G95	H95	M2295	G2295
CoCo Cherry	M96	G96	H96	M2296	G2296
Woodford Cherry	M98	G98	H98	M2298	G2298
Cordovan Cherry	M99	G99	H99	M2299	G2299

### Walnut

Sierra Walnut	M14	G14	H14	M2214	G2214
Natural Walnut	M25	G25	H25	M2225	G2225
Mocha Walnut	M33	G33	H33	M2233	G2233
Marron Walnut	M35	G35	H35	M2235	G2235
Cafe Walnut	M36	G36	H36	M2236	G2236
Castano Walnut	M37	G37	H37	M2237	G2237
Onyx Walnut	M82	G82	n/a	M2282	G2282

### Oak

Light Flat Cut Oak	M52	G52	n/a	M2252	G2252
Sorrel Flat Cut Oak	M54	G54	n/a	M2254	G2254
Mocha Flat Cut Oak	M56	G56	n/a	M2256	G2256

Light Rift Cut Oak**	M53	G53	n/a		
Sorrel Rift Cut Oak**	M55	G55	n/a		
Mocha Rift Cut Oak**	M57	G57	n/a		

\*\*Not available on Camelot, Diamante, Eased Edge, Legere, Paragon, and Plaza.

### Quartered Figured Anigre (Premium)\*\*\*

Golden Qtrd. Figured Anigre	M15	G15	H15		
Copper Qtrd. Figured Anigre	M16	G16	H16		
Natural Qtrd. Figured Anigre	M17	G17	H17		

\*\*\*Available only on Centric, Neos Conference, Tavola and Flow.

### English Sycamore (Premium)\*\*\*\*

Ashen English Sycamore	M40	G40	H40		
Slate English Sycamore	M42	G42	H42		

\*\*\*\*Available only on Talis.

### Black Limba (Premium)\*\*\*\*

Sable Black Limba	M71	G71	H71		
Morel Black Limba	M73	G73	H73		

\*\*\*\*Available only on Talis.

**PLEASE NOTE:** Additional product specific material selections are listed, where applicable, in the Required Information section of each product.

## PAINTS

Pearl	S80
Graphite	SGR
Nickel	S43
Black	S44

## STONE TOPS

Absolute Black	AB-7-D
Vittoria Gold	VG-6-D
Black Impala	BI-5-D

Available only on select Occasional Tables and Flow. Stone orders may affect lead times. Please contact customer service for details.

## 3mm POLYPROPYLENE EDGE (FLOW, FLEET AND SABER TRAINING ONLY)

Nickel	R43†
Black	R44
Graphite	RGR
Frosty White	RFW

†Not an exact match between Powder Coat and 3mm Edge colors

## PVC EDGE COLORS (SATELLITE AND DUOMO ONLY)

Porcelain	V-250
Maritime Gray	V-627
Black Pearl	V-614
Black	V-653

## WOOD GRAINED LAMINATES

Wood Grained Laminates		Matching Wood Finish
Limber Maple	10734-60	M-1073
Monticello Maple	7925-38	M-7925
Wild Cherry	7054-60	M-7054
Jewel Mahogany	WY351-H	G-WY351
Witchcraft	WX421-H	G-WX421

Wood grained laminates are not available on multiple piece conference tables.

## Laminates

Frosty White	1573-60
White Sand	D403-60
Wallaby	D439-60
Mission Stucco	4850-38
Mission Smoke	4847-38
Shadow Zephyr	4857-60
Crisp Zephyr	4858-60
Desert Zephyr	4841-60
Canyon Zephyr	4842-60
Twilight Zephyr	4845-60
Sheer Mesh	4876-38
Grey Mesh	4877-38
Pewter Mesh	4878-38
Windswept Pewter	4795-60
Windswept Bronze	4794-60
Silicon EV	4811-60
Titanium EV	4810-60
Nickel EV	4813-60
Carbon EV	4820-60
Tungston EV	4814-60
Black	1595-60

# Visual Boards & Easel Fabric

## GUILFORD OF MAINE-LIDO FABRICS

Applies to Visual Board Tackboards and Easels

Hermosa	2858-010
Green Bay	2858-013
Moonstone	2858-015
Balboa	2858-019
Cape May	2858-023
Oak Bluffs	2858-024
Newport	2858-030
Smith Point*	2858-031
Sand Hill	2858-033
Huntington	2858-036
Padre	2858-052
Pine Valley	2858-054
Huron	2858-055
Rushmore	2858-057
Napa Valley	2858-062
Heartland	2858-064
Bryce Canyon	2858-065
Yellowstone	2858-067

\*Default fabric

## GRADED FABRIC PROGRAM

Top quality upholstery and fabrics have been graded into the price list. We work with various distributors and now offer a larger selection of fabrics. For a current list of graded-in manufacturers, check our website at [www.nucraft.com](http://www.nucraft.com)

### NET PRICE PER YARD      N U C R A F T   G R A D E

\$19.99 and below	A
\$20.00 - 29.99	B
\$30.00 - 39.99	C
\$40.00 - 49.99	D
\$50.00 - 59.99	E
\$60.00 - 69.99	F
\$70.00 - 79.99	G
\$80.00 and above: contact Nucraft Customer Service	

For additional information on our graded-in fabrics program, please go to [www.nucraft.com](http://www.nucraft.com).

# COM Specification for Visual Boards & Easels

## For COM orders please include the following:

- Name of customer
- Customer's purchase order number
- Model number and quantity of piece(s) to be covered
- Specify right-way or railroad application (railroad is the default if no selection is made)
- If fabric is a stripe or pattern, specify vertical or horizontal application
- Supplier's name, material number and description

## YARDAGE ESTIMATING

All yardages in the price list are based on 54" wide plain (no match) fabric. The following is a guide for fabrics that are less than 54" wide or have a pattern match.

### Fabric Less Than 54" Wide

For 50" wide fabrics allow 10% additional fabric  
 For 48" wide fabrics allow 15% additional fabric  
 For 45" wide fabrics allow 20% additional fabric  
 For 36" wide fabrics allow 50% additional fabric

### For Pattern Match Fabrics

3" to 14" repeat allow 15% additional fabric  
 15" to 19" repeat allow 20% additional fabric  
 20" to 27" repeat allow 25% additional fabric  
 28" to 36" repeat allow 30% additional fabric

Nucraft may add a charge for sewing, cutting and matching unusual COM or COL materials to cover additional costs. Call customer service for pricing.

## It is the sole responsibility of the customer to determine that the fabric is appropriate for the application in which it will be used.

Once COM/COL is accepted, Nucraft assumes no responsibility for its overall appearance, flammability, normal durability, color fastness or any other quality after upholstered on a Nucraft product beyond our normal quality standards.

The fabric should be sent to the following address:

Nucraft Furniture Company  
 5151 West River Drive  
 Comstock Park, MI 49321  
 Attn: Order Processing

# Bench Fabric

### GRADED FABRIC PROGRAM

Top quality upholstery and fabrics have been graded into the price list. We work with various distributors and now offer a larger selection of fabrics. For a current list of graded-in manufacturers, check our website at [www.nucraft.com](http://www.nucraft.com)

NET PRICE PER YARD	NUCRAFT GRADE
\$19.99 and below	A
\$20.00 - 29.99	B
\$30.00 - 39.99	C
\$40.00 - 49.99	D
\$50.00 - 59.99	E
\$60.00 - 69.99	F
\$70.00 - 79.99	G
\$80.00 and above: contact Nucraft Customer Service	

For additional information on our graded-in fabrics program, please go to [www.nucraft.com](http://www.nucraft.com).

### FIRE RESISTANCE

All Nucraft benches incorporating upholstery fabrics meet California Technical Bulletin 116/117 and BIFMA X5.7 - Voluntary Upholstered Furniture Flammability Standard for Non-Residential, Non-Live-In Occupancies.

### COM LEATHER SPECIFICS

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

### Bench Requirements

48" benches will require 1/2 domestic hide or 1 full calf hide.

60" benches will require 1 domestic hide or 2 calf hides.

72" benches will require approximately 1 full domestic hide or 3 calf hides.

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.

# Specification Tools

## Computer Aided Planning

Nucraft products and pricing are available on CD via CAP (Computer Aided Planning), a product of 20 20 Technologies.

Cap Studio is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information you may contact 20 20 direct at 800-227-0038.

## iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to [www.nucraft.com/ispec](http://www.nucraft.com/ispec).



# Environmental Statement

## Environmental Options

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet one or more of the following credit requirements of the U.S. Green Building Council's LEED rating systems:

### Recycled Content

LEED Credit MR 4.1

Requirement: The sum of post-consumer recycled content plus 1/2 (one-half) of the pre-consumer content shall constitute at least 10% of the product (by weight).

LEED Credit MR 4.2

Requirement: The sum of post-consumer recycled content plus 1/2 (one-half) of the pre-consumer content shall constitute at least 20% of the product (by weight).

All standard Nucraft products consist of a high percentage of recycled content that far exceed the LEED requirements and vary by product line. For exact percentages, download the Environmental Statements for each respective product line at [www.nucraft.com](http://www.nucraft.com).

### Rapidly Renewable Materials

LEED Credit MR 6

Requirement: Products shall consist of at least 5% (by weight) of materials made from plants that are typically harvested within a 10-year or shorter cycle.

Nucraft offers all wood products with an optional Rapidly Renewable construction to meet the LEED requirement for Rapidly Renewable content.

Contact Nucraft Customer Service for details on how to order products with this construction. For exact percentages of Rapidly Renewable content by product line, download the Environmental Statements for each respective product line at [www.nucraft.com](http://www.nucraft.com).

### Certified Wood

LEED Credit MR 7

Requirement: Products shall consist of at least 50% (by weight) of materials that are certified in accordance with the Forest Stewardship Council's Principles and Criteria.

Nucraft is a Forest Stewardship Council (FSC)-certified manufacturing facility and offers all wood products with an optional FSC-certified construction to meet the LEED requirement for Certified Wood. Contact Nucraft Customer Service for details on how to order products with this construction. For exact percentages of Certified Wood by product line, download the Environmental Statements for each respective product line at [www.nucraft.com](http://www.nucraft.com).

### Low-Emitting Materials - Systems Furniture and Seating

LEED Credit EQ 4.5

Requirement: All systems furniture and seating that was manufactured, refurbished or refinished within one year prior to occupancy must meet the ANSI/BIFMA M7.1-2007 and ANSI/BIFMA X7.1-2007.

All Nucraft conference tables, training tables, and Aerial casegoods satisfy LEED Credit EQ 4.5 as they have been certified to the stringent ANSI/BIFMA X7.1-2007 Furniture Emissions Standard.

### Certified Products 100% - Type I Environmental Label

Pilot Credit MR 43


Requirement: BIFMA level™ certified products qualify for Pilot Credit 43.



# Satellite® Training Products


## SHARED LEG TOPS

Pages 340 - 341



## TABLE LEGS

Page 342



## FOLDING TABLES

Page 343



## STATIONARY T-LEG TABLES

Pages 343 - 345



## STATIONARY C-LEG TABLES

Pages 343 - 345




## STATIONARY CONNECTING TOPS

Page 345



## COMPUTER TRAINING TABLES

Page 346




## CPU BRIDGE

Page 346



## MODESTY PANEL

Page 348




## KEYBOARDS

Page 348




## A/V CART

Page 349




## PRESENTATION CART

Page 349




## EASEL

Page 349



## TABLE DOLLY

Page 349





# Satellite® Planning


## Section Contents

Electrical Components

Electrical Planning


Voice/Data Planning

Round Grommet and PowerPUP Locations



## Legs

- Equipped with removable covers for cable routing.
- Inside of leg cover is slotted to allow power entry into the modesty panel.




## Electrical System

- 8-wire, 4-circuit modular system.
- Transfers power between adjacent tables from a single point of entry.
- All components, except the plug-in power in-feed, are UL listed and meet NEC requirements; the plug-in power in-feed is not UL listed but does meet NEC standards.


## Modesty Panel

- Attaches to table with tabs that latch into slots in the leg.
- Features a voice/data raceway with cover.
- Raceway cover is constructed of extruded PVC and contains cutouts for customer supplied modular furniture faceplates and snap-in connectors.
- Physical barrier between power and data channels meets Category 5 performance requirements.
- Mounting clips allow for optional field installation of modular electrical system.

Side Elevation View



End Elevation View



# Satellite® Planning

## Electrical System Components


### Power Assembly

- Mounts into Technology Modesty Panel; contains two (2) power blocks for each table.
- Each power block accepts a duplex receptacle, providing up to four (4) outlets.
- Installs without tools.



### Duplex Receptacle

- Mounts into the power assembly's power block.
- An installation's electrical requirements determine the number of receptacles and electrical circuits required. (See electrical planning details on pages 319-320.)




### Power Jumpers

- Transfers power from table to table.
- Available in three lengths based on the power transfer application:
  - Table to table (30" length)
  - Table to CPU bridge (22" length)
  - Table to table, beneath a connection top or quarter round (42" length)



### Plug Strip

- Designed for applications requiring less-extensive power requirements.
- Provides four (4) surge-protected electrical outlets from one 10'-long plug-in infeed.
- Mounts to Technology Modesty Panel in two locations, offering a maximum of eight (8) electrical outlets per modesty panel.



### Power In-feed


- Carries electricity from the building's power source through the table's leg and into the Technology Modesty Panel, connecting to the table's power assembly.
- Enters the inside leg cover of any table in a configuration.
- CPU bridge does not accept the power infeed.
- Available in plug-in or hardwire options.

### Plug-in In-feed

- Plugs into a 120 volt/20 amp receptacle, activating circuit #1 only.
- Equipped with 2' cord; table must be placed within 18" of receptacle.

### Hardwire Option

- Activates up to four (4) circuits.
- Equipped with 7' cord.
- Must be installed by licensed electrician.




## Electrical Planning

All circuits require a hot, neutral, and ground wire to be complete.

Satellite Training Table's 8-wire electrical system consists of the following:

- Circuit #1
  - Circuit #2
  - Circuit #3
- share neutral and ground
- Circuit #4
- share neutral and isolated ground



Each circuit is rated for a maximum of 20 amps of intermittent use or 16 amps of continuous load (continuous load defined as three hours or more of constant use). Nucraft recommends planning for continuous load. The National Electrical Code (NEC) restricts a 20 amp circuit to a maximum of 24 receptacles. In Canada, the national system is rated for 15 amps, and receptacles are limited to 20.

NOTE: The above standards are maximum amounts only. The equipment in a typical computer training application will often consume the amperage capacity using less than 24 receptacles. Always check your local codes for restrictions.

## How To Determine What You Need

Before ordering or installing any electrical component, first consult with a licensed electrician.

### 1. Design The Furniture Layout

- Survey user needs and future reconfiguration requirements.
- Note the location of building power sources in the room; it may be necessary for the electrical contractor to re-route power to a more convenient outlet location.

### 2. Make An Equipment List

- Remember to consider equipment that may be added in the future.

### 3. Find The Amps

- Look for amperage information on each equipment item, either on the manufacturer's nameplate or in the user manual.
- Amperage is typically displayed as follows:  
INPUT: 120V—1.8A (amperage shown here is 1.8)
- Round decimals up to the next whole number (1.8 would become 2).
- If the equipment power consumption is listed as watts, convert watts to amps using this formula:

$$\text{Watts} \div \text{Volts} = \text{Amps}$$

# Satellite® Planning

## Electrical Planning

## How To Determine What You Need, continued

### 4. Total The Amps

- Multiply the amperage by the number of corresponding equipment items.

Equipment	Amps	Qty.	Total Amps
CPUs	3	6	18
Monitors	1	6	6
Printers	6	1	6
Lamps (future expansion)	1	6	6
			36

### 5. Divide Total Amps By 16 To Determine Number of Circuits


- Remember, the total amps available on each circuit (for continuous load) is 16.
- Divide 36 by 16.
- Take the new number — in this case 2.25 — and round it up to the next whole number (3).
- The result is that 3 circuits would be required, per each hardwire power infeed, to power the equipment listed.

### 6. Specify Products and Components.

- See the sample furniture layout below.

## Sample Layout

This example depicts three (3) Satellite Training Tables and three (3) CPU Bridges, along with the equipment list featured above. Note that one (1) power infeed entering the left side of the configuration supplies electricity to all three tables; power jumpers route power from table to table.




Quantity	Product No.	Description
3	PV-SCT-3060-W-GC	Computer training table, laminate with PVC edge (PV), 30" x 60", wire management modesty panel (-W), and ganging connectors (-GC)
3	PV-SCB-30	CPU Bridge, 20"W x 30"D, laminate top with PVC edge
3	SPA-60	Power assembly for a 60" table; accepts two duplex receptacles (4 outlets)
3	SPA-CPU	Power assembly for a CPU bridge; accepts two duplex receptacles (4 outlets)
5	SPJ-TC	Power jumper from table-to-CPU bridge
3	SDR-1	Duplex receptacle for circuit 1
3	SDR-2	Duplex receptacle for circuit 2
3	SDR-3	Duplex receptacle for circuit 3
3	SDR-4	Duplex receptacle for circuit 4 (isolated and dedicated circuit)
1	SDR-H	Hardwire power infeed

## Voice/Data Planning

Nucraft does not provide modular furniture faceplates and data connectors due to the vast variety of voice/data connectors available in the marketplace. Faceplates and connectors are customer supplied.

Nucraft recommends consulting an audio visual (AV) integrator for assistance with voice/data planning.

### Modular Furniture Cutout Opening Dimensions




### Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	<a href="http://www.tycoelectronics.com">www.tycoelectronics.com</a>
Avaya	1-866-462-8292	<a href="http://www.avaya.com">www.avaya.com</a>
Leviton	1-800-722-2082	<a href="http://www.leviton.com">www.leviton.com</a>
Panduit	1-800-777-3300	<a href="http://www.panduit.com">www.panduit.com</a>
Siemon	1-860-945-4200	<a href="http://www.siemon.com">www.siemon.com</a>


# Satellite® Planning

## Round Grommet or PowerPUP Locations

### Rectangle



### Half-Round



### Arc Trapezoid



### Trapezoid



# Satellite® Shared Leg Tables


## Specification Information

Satellite Shared Leg Tables are specified with legs and tops separately.

### How to Determine the Quantity of Legs


Legs need to be specified based on the number of seams between tables and end of run. **Please note that each Sight Line top, Double Radius table and Half-Round table requires an additional leg for support.**

#### Vignette 1




Qty	Model Number	Description
6	SST-2460	60" Rectangle Top
4	SSQ-2424	24" Quarter Round Top
10	STC-24	24" C Leg

#### Vignette 2




Qty	Model Number	Description
5	SST-2460	60" Rectangle Top
2	SSQ-2424	24" Quarter Round Top
8	STC-24	24" C Leg

#### Vignette 3



Qty	Model Number	Description
4	SST-2460	60" Rectangle Top
4	SSQ-2424	24" Quarter Round Top
8	STC-24	24" C Leg

#### Vignette 4




Qty	Model Number	Description
2	SST-2460	60" Rectangle Top
2	SSH-2448	48" Half-Round Top
6	STC-24	24" C Leg

#### Vignette 5




Qty	Model Number	Description
4	SST-2460	60" Rectangle Top
5	STC-24	24" C Leg

#### Vignette 6




Qty	Model Number	Description
2	SST-2460	60" Rectangle Top
3	STC-24	24" C Leg

#### Vignette 7




Qty	Model Number	Description
4	SST-2460	60" Rectangle Top
1	SSZ-2448	Trapezoid Top
6	STC-24	24" C Leg

#### Vignette 8




Qty	Model Number	Description
6	SSZ-2448	Trapezoid Top
6	STC-24	24" C Leg

#### Vignette 9




Qty	Model Number	Description
1	SSS-6024-25	Sight Line Top
4	SST-2460	60" Rectangle Top
7	STC-24	24" C Leg


#### Vignette 10




Qty	Model Number	Description
2	SSD-2472	72" Double Radius Top
2	SST-2472-T	72" Rectangle Top
6	STC-24	24" C Leg

# Satellite® Shared Leg Tops

Rectangle (Top Only)	Model #	L x W	Price				
			Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
	SST-2442-[ ]	42 x 24	533	1018	1120	1018	1120
	SST-2448-[ ]	48 x 24	574	1096	1205	1096	1205
	SST-2460-[ ]	60 x 24	655	1251	1375	1251	1375
	SST-2472-[ ]	72 x 24	736	1406	1546	1406	1546
	SST-3042-[ ]	42 x 30	604	1154	1269	1154	1269
	SST-3048-[ ]	48 x 30	655	1251	1375	1251	1375
	SST-3060-[ ]	60 x 30	757	1445	1588	1445	1588
	SST-3072-[ ]	72 x 30	858	1638	1801	1638	1801
	SST-3660-[ ]	60 x 36	858	1638	1801	1638	1801
	SST-3672-[ ]	72 x 36	980	1871	2057	1871	2057

Trapezoid (Top Only)	Model #	A x B x C					
	SSZ-2448-[ ]	48 x 24 x 24	746	1424	1566	1424	1566
	SSZ-3060-[ ]	60 x 30 x 30	983	1878	2065	1878	2065

Arc Trapezoid (Top Only)	Model #	A x B x C					
	SSA-2442-[ ]	42 x 24 x 8	720	1375	1511	1375	1511
	SSA-2448-[ ]	48 x 24 x 14	775	1479	1626	1479	1626
	SSA-2460-[ ]	60 x 24 x 26	884	1688	1856	1688	1856
	SSA-2472-[ ]	72 x 24 x 38	994	1898	2086	1898	2086
	SSA-3048-[ ]	48 x 30 x 6	884	1688	1856	1688	1856
	SSA-3060-[ ]	60 x 30 x 18	1021	1950	2144	1950	2144
	SSA-3660-[ ]	60 x 36 x 9	1158	2212	2431	2212	2431
	SSA-3672-[ ]	72 x 36 x 21	1322	2525	2777	2525	2777

## Options:

### For Rectangle Top:

- Grommet: Add -G (1) Grommet on 42"-48" tables, Add \$122 (3-1/2" from back edge centered)  
(2) Grommets on 60"-72" tables, Add \$244 (3-1/2" from back edge, 7" from sides)

Modesty Panel Cover:

See page 348 for information

### For Trapezoid & Arc Trapezoid

- Grommets: Add -G (1) grommet on all sizes, Add \$122

## All Tops

Power & Voice/Data: See Page 397

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

### Laminate Top/Modular PVC Edge [PV]

- Choose laminate selection. See Page 8
- Choose PVC color. See Page 8
- Choose applicable leg model number. See Page 342

### Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See Page 8
- Choose Applicable Leg Model number. See Page 342

### Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See Page 8
- Choose applicable leg model number. See Page 342

### Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See Page 342

### Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See Page 342



PV - Modular PVC Edge  
(Laminate tops only)



PW and WW - Modular Wood Edge








PC and WC - Comfort Wood Edge

## General Information:

- Note:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge



# Satellite® Shared Leg Tops

				Price				
				Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
<b>Double Radius (Top Only)</b>	<b>Model #</b>	<b>L x W</b>	<b>Opening</b>					
	SSD-2460-[ ]	60 x 24		865	1651	1815	1651	1815
	SSD-2472-[ ]	72 x 24		972	1855	2040	1855	2040
	SSD-3072-[ ]	72 x 30		1132	2162	2377	2162	2377
<b>Half-Round (Top Only)</b>								
	SSH-2448-[ ]	48 x 24		689	1315	1446	1315	1446
	SSH-3060-[ ]	60 x 30		908	1733	1906	1733	1906
<b>Quarter Round (Top Only)</b>								
	SSQ-2424-[ ]	24 x 24		584	1116	1227	1116	1227
	SSQ-3030-[ ]	30 x 30		714	1363	1499	1363	1499
	SSQ-3636-[ ]	36 x 36		872	1666	1832	1666	1832
<b>Sight Line (Top Only) - Use with 24" Wide Tops</b>								
	SSS-4824-20-[ ]	48 x 24	20° Opening	626	1194	1313	1194	1313
	SSS-6024-20-[ ]	60 x 30	20° Opening	714	1363	1499	1363	1499
	SSS-4824-25-[ ]	48 x 24	25° Opening	626	1194	1313	1194	1313
	SSS-6024-25-[ ]	60 x 30	25° Opening	714	1363	1499	1363	1499
	SSS-4824-30-[ ]	48 x 24	30° Opening	626	1194	1313	1194	1313
	SSS-6024-30-[ ]	60 x 30	30° Opening	714	1363	1499	1363	1499
	SSS-4824-35-[ ]	48 x 24	35° Opening	626	1194	1313	1194	1313
	SSS-6024-35-[ ]	60 x 30	35° Opening	714	1363	1499	1363	1499
<b>Sight Line (Top Only) - Use with 30" Wide Tops</b>								
	SSS-6030-20-[ ]	60 x 30	20° Opening	825	1575	1731	1575	1731
	SSS-6030-25-[ ]	60 x 30	25° Opening	825	1575	1731	1575	1731
	SSS-6030-30-[ ]	60 x 30	30° Opening	825	1575	1731	1575	1731
	SSS-6030-35-[ ]	60 x 30	35° Opening	825	1575	1731	1575	1731

## Options:

Modesty Panel Cover: See page 348 for information

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

### Laminate top/Modular PVC Edge [PV]

- Choose laminate selection. See Page 8
- Choose PVC color. See Page 8
- Choose applicable leg model number. See page 342

### Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See Page 8
- Choose applicable leg model number. See Page 342

### Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See Page 8
- Choose applicable leg model number. See Page 342

### Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See Page 342

### Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See Page 342



**PV** - Modular PVC Edge  
(Laminate tops only)



**PW and WW** - Modular Wood Edge




**PC and WC** - Comfort Wood Edge

## General Information:

- **Note:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge
- Corner Tops do not have ganging connectors and cannot be attached to a stationary table

# Satellite® Shared Legs and Modesty Panels

Wire Management - Shared Legs Only	Model #	W x D x H	Description	Price
	STC-24	24 x 27-3/4 x 27-3/4	24" C Leg	312
	STC-30	30 x 27-3/4 x 27-3/4	30" C Leg	330
	STT-36	36 x 27-3/4 x 27-3/4	36" T Leg	355

C Leg


T Leg


## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose applicable model number:  
24" D worksurfaces: **STC-24** C-leg  
30" D worksurfaces: **STC-30** C-leg  
36" D worksurfaces: **STT-36** T-leg
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

## General Information:

- Shared legs must be specified at each seam between tops and at the end of runs. See page 339 for typicals.
- Sight Line, Double Radius & Half-Rounds require an additional leg for support

Modesty Panel - Shared Legs Only	Model #	W x D x H	Description	Price
	SSMP-8	8 x 1-1/2 x 10-1/2	Modesty panel for quarter round	211
	SSMP-42	42 x 1-1/2 x 10-1/2	Modesty panel for 42" rectangle table	326
	SSMP-48	48 x 1-1/2 x 10-1/2	Modesty panel for 48" rectangle table	346
	SSMP-60	60 x 1-1/2 x 10-1/2	Modesty panel for 60" rectangle table	387
	SSMP-72	72 x 1-1/2 x 10-1/2	Modesty panel for 72" rectangle table	429



Wire Management Trough end view

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


- Choose Powder Coated Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)


## General Information:



- Mounting brackets included
- Modesty panels attach with a bracket to the underside of the table tops
- J-channel wire management attached to back of Modesty Panel

# Satellite® Stationary & Folding Tables

Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Price Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
--	---	--	---	---


Stationary Tables	Model #	L x W x H					
	<b>T-Legs</b>						
	STT-2442-F	42 x 24 x 29	1203	1688	1790	1688	1790
	STT-2448-F	48 x 24 x 29	1244	1766	1875	1766	1875
	STT-2460-F	60 x 24 x 29	1325	1921	2045	1921	2045
	STT-2472-F	72 x 24 x 29	1406	2076	2216	2076	2216
	STT-3042-F	42 x 30 x 29	1274	1824	1939	1824	1939
	STT-3048-F	48 x 30 x 29	1325	1921	2045	1921	2045
	STT-3060-F	60 x 30 x 29	1427	2115	2258	2115	2258
	STT-3072-F	72 x 30 x 29	1528	2308	2471	2308	2471
	STT-3660-F	60 x 36 x 29	1528	2308	2471	2308	2471
	STT-3672-F	72 x 36 x 29	1650	2541	2727	2541	2727

	<b>C-Legs</b>						
	SCT-2442-F	42 x 24 x 29	1203	1688	1790	1688	1790
	SCT-2448-F	48 x 24 x 29	1244	1766	1875	1766	1875
	SCT-2460-F	60 x 24 x 29	1325	1921	2045	1921	2045
	SCT-2472-F	72 x 24 x 29	1406	2076	2216	2076	2216
	SCT-3042-F	42 x 30 x 29	1274	1824	1939	1824	1939
	SCT-3048-F	48 x 30 x 29	1325	1921	2045	1921	2045
	SCT-3060-F	60 x 30 x 29	1427	2115	2258	2115	2258
	SCT-3072-F	72 x 30 x 29	1528	2308	2471	2308	2471

Folding Tables	Model #	L x W x H	Weight				
	<b>T-Legs</b>						
	STT-2460-F-F	60 x 24 x 29	71	1531	2127	2251	2127
	STT-2472-F-F	72 x 24 x 29	80	1612	2282	2422	2282
	STT-3060-F-F	60 x 30 x 29	83	1633	2321	2464	2321
	STT-3072-F-F	72 x 30 x 29	94	1734	2514	2677	2514
	STT-3660-F-F	60 x 36 x 29	94	1734	2514	2677	2514
	STT-3672-F-F	72 x 36 x 29	108	1856	2747	2933	2747
	<b>C-Legs</b>						
	SCT-2460-F-F	60 x 24 x 29	71	1531	2127	2251	2127
	SCT-2472-F-F	72 x 24 x 29	80	1612	2282	2422	2282
	SCT-3060-F-F	60 x 30 x 29	83	1633	2321	2464	2321
	SCT-3072-F-F	72 x 30 x 29	94	1734	2514	2677	2514

## Options:

Grommet:	Add <b>-G</b>	(1) Grommet on 42"-48" tables, Add \$122 (2) Grommets on 60"-72" tables, Add \$244
Locking Casters:	Add <b>-LC</b>	Add \$183 per table (tables with casters are 29-1/2" high)
Ganging Connectors:	Add <b>-GC</b>	Add \$129 per table (for end-to-end connections only)
Modesty Panel Cover:		See Page 348 for information
Power & Voice/Data:		See Page 397



## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

### Laminate Top/Modular PVC Edge [PV]

- Choose laminate. See Page 8
- Choose PVC color. See page 8
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

### Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See Page 8
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

### Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See Page 8
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

### Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)








### Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

## General Information:

- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge

# Satellite® Stationary Tables

				Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Price Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
Half-Round								
	Model #	Length x Width x Height						
	T-Legs							
	STH-2448-		48 x 24 x 29	1359	1985	2116	1985	2116
	STH-3060-		60 x 30 x 29	1578	2403	2576	2403	2576
	STH-3672-		72 x 36 x 29	1846	2915	3138	2915	3138
	C-Legs							
	SCH-2448-		48 x 24 x 29	1359	1985	2116	1985	2116
	SCH-3060-		60 x 30 x 29	1578	2403	2576	2403	2576
Trapezoid								
	Model #	A x B x C x Height						
	T-Legs							
	STZ-2448-		48 x 24 x 24 x 29	1416	2094	2236	2094	2236
	STZ-3060-		60 x 30 x 30 x 29	1653	2548	2735	2548	2735
	STZ-3672-		72 x 36 x 36 x 29	1943	3102	3344	3102	3344
	C-Legs							
	SCZ-2448-		48 x 24 x 24 x 29	1416	2094	2236	2094	2236
	SCZ-3060-		60 x 30 x 30 x 29	1653	2548	2735	2548	2735
Arc Trapezoid T-Legs								
	Model #	A x B x C x Height						
	STAZ-2442-		42 x 24 x 8 x 29	1390	2045	2181	2045	2181
	STAZ-2448-		48 x 24 x 14 x 29	1445	2149	2296	2149	2296
	STAZ-2460-		60 x 24 x 26 x 29	1554	2358	2526	2358	2526
	STAZ-2472-		72 x 24 x 38 x 29	1664	2568	2756	2568	2756
	STAZ-3048-		48 x 30 x 6 x 29	1554	2358	2526	2358	2526
	STAZ-3060-		60 x 30 x 18 x 29	1691	2620	2814	2620	2814
	STAZ-3072-		72 x 30 x 30 x 29	1828	2882	3101	2882	3101
	STAZ-3660-		60 x 36 x 9 x 29	1828	2882	3101	2882	3101
	STAZ-3672-		72 x 36 x 21 x 29	1992	3195	3447	3195	3447
	Options:							
Half-Round								
	Grommet:	Add -G	(1) Grommet, Center Back, Add \$122					
	Locking Casters:	Add -LC	Add \$183 per table					
	Ganging Connectors:	Add -GC	Add \$129 per table					
Trapezoid & Arc Trapezoid								
	Grommets:	Add -G	(1) grommet on all sizes, add \$122					
	Locking Casters:	Add -LC	\$183 per table					
	Ganging Connectors:	Add -GC	\$129 per table					
All								
Power & Voice/Data:				See Page 397				
REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)								
Laminate Top/Modular PVC Edge [PV]								
• Choose laminate. See Page 8								
• Choose PVC color. See Page 8								
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)								
Laminate Top/Modular Wood Edge [PW]								
• Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)								
• Choose laminate. See Page 8								
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)								
Laminate Top/Comfort Wood Edge [PC]								
• Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)								
• Choose laminate. See Page 8								
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)								
Veneer Top/Modular Wood Edge [WW]								
• Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)								
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)								
Veneer Top/Comfort Wood Edge [WC]								
• Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)								
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)								
General Information:								
• Due to the modular nature of these tables, exact grain matching between tables is not possible								
• Tops are 1-1/4" thick and available in laminate or veneer surfaces								
• PVC edges have a 2" corner radius and wood edges have 1/4" radius								
• Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge								
• Modesty panels not available on Trapezoid and Arc Trapezoid								



**PV** - Modular PVC Edge  
(Laminate tops only)



**PW and WW** - Modular Wood Edge



**PC and WC** - Comfort Wood Edge

# Satellite® Stationary Tables & Suspended Tops

	Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Price Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
--	--	---	--	---	---

## Quarter Round Top and Bases



Model:	L x W					
<b>T-Leg</b>						
STQ-2424-I	24 x 24	1254	1786	1897	1786	1897
STQ-3030-I	30 x 30	1384	2033	2169	2033	2169
STQ-3636-I	36 x 36	1542	2336	2502	2336	2502
<b>C-Leg</b>						
SCQ-2424-I	24 x 24	1090	1390	1468	1390	1468
SCQ-3030-I	30 x 30	1326	1795	1908	1795	1908

## Connecting Tops (NO LEGS)



<b>15°</b>						
SSC-2424-15-I	24 x 24	709	1241	1352	1241	1352
SSC-3030-15-I	30 x 30	839	1488	1624	1488	1624
<b>30°</b>						
SSC-2424-30-I	24 x 24	709	1241	1352	1241	1352
SSC-3030-30-I	30 x 30	839	1488	1624	1488	1624
<b>45°</b>						
SSC-2424-45-I	24 x 24	709	1241	1352	1241	1352
SSC-3030-45-I	30 x 30	839	1488	1624	1488	1624
<b>60°</b>						
SSC-2424-60-I	24 x 24	709	1241	1352	1241	1352
SSC-3030-60-I	30 x 30	839	1488	1624	1488	1624
<b>Quarter Round</b>						
SSQ-2424-I   -GC	24 x 24	755	1359	1509	1359	1509
SSQ-3030-I   -GC	30 x 30	755	1359	1509	1359	1509

### Options:

Modesty Panel Cover: See Page 348. SMP-8 is designed for these shape tables  
 Locking Casters: Add -LC \$183 per table (quarter Round top with legs)

### REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

#### Laminate Top/Modular PVC Edge [PV]

- Choose laminate. See Page 8
- Choose PVC color. See Page 8
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

#### Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See Page 8
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

#### Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See Page 8
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

#### Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

#### Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

### General Information:

- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge
- Grommets & PowerPUP's are not available
- Ganging Connectors are included. Adjacent table must also be ordered with ganging hardware.
- Modesty panels will default to finish of legs unless otherwise specified.




PV - Modular PVC Edge  
(Laminate tops only)



PW and WW - Modular Wood Edge






PC and WC - Comfort Wood Edge



Ganging Connector

# Satellite® Computer Training Tables

			Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Price Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
<b>Rectangle Stationary Table</b>							
	<b>Model #</b>	<b>L x W x H</b>					
	SCT-2442-W-	42 x 24 x 29	1835	2320	2421	2320	2421
	SCT-2448-W-	48 x 24 x 29	1928	2450	2559	2450	2559
	SCT-2460-W-	60 x 24 x 29	2114	2709	2834	2709	2834
	SCT-2472-W-	72 x 24 x 29	2299	2969	3109	2969	3109
	SCT-3042-W-	42 x 30 x 29	1906	2456	2570	2456	2570
	SCT-3048-W-	48 x 30 x 29	2009	2605	2729	2605	2729
	SCT-3060-W-	60 x 30 x 29	2215	2903	3047	2903	3047
	SCT-3072-W-	72 x 30 x 29	2421	3201	3364	3201	3364
<b>Rectangle Folding Table</b>							
	<b>Model #</b>	<b>L x W x H</b>					
	SCT-2460-FW-	60 x 24 x 29	2320	2915	3040	2915	3040
	SCT-2472-FW-	72 x 24 x 29	2505	3175	3315	3175	3315
	SCT-3060-FW-	60 x 30 x 29	2421	3109	3253	3109	3253
	SCT-3072-FW-	72 x 30 x 29	2627	3407	3570	3407	3570
<b>CPU Bridge</b>							
	<b>Model #</b>	<b>L x W x H</b>					
	SCB-30-[ ]	20 x 30 x 29	2156	3106	3305	3106	3305

## Options:

Accessories for Technology Modesty Panel. See Page 347

Locking Casters: Add **-LC** Add \$183 per table. Tables with casters are 29-1/2" high. (Not available on CPU Bridge)

Ganging Connectors: Add **-GC** Add \$129 per table. (CPU Bridge standard with ganging connectors. Ganging connectors are for end-to-end connections only)

Grommet: Add **-G** (1) Grommet on CPU, 42"-48" tables, Add \$122  
(2) Grommets on 60"-72" tables, Add \$244

Power & Data: See page 397 for info. (Not available on CPU Bridge)

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

### Laminate Top/Modular PVC Edge [PV]

- Choose laminate. See Page 8
- Choose PVC color. See Page 8
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

### Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See Page 8
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

### Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See Page 8
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

### Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

### Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

## General Information:

- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge.
- CPU Bridge only connects to 30" deep tables with C-leg bases
- CPU Bridge houses (2) CPU towers with an available storage space of 16-1/2" x 17-1/2" D x 20 H
- Computer training tables come with two inside leg covers featuring additional cut-outs for routing power into modesty panel
- Modesty panel will default to finish of legs unless otherwise specified.



**PV** - Modular PVC Edge  
(Laminate tops only)




**PW** and **WW** - Modular Wood Edge




**PC** and **WC** - Comfort Wood Edge

# Satellite® Technology Modesty Panel Components

Power Assembly	Model #	For Use With:	Price
	SPA-CPU	CPU Bridge	113
	SPA-42	42" Table	217
	SPA-48	48" Table	217
	SPA-60	60" Table	217
	SPA-72	72" Table	217


## General Information:

- Field Installed into Technology Modesty Panel
- Order (2) Duplex Receptacles per Power Assembly

Duplex Receptacles	Model #	Description	Price
	SDR-1	For Circuit 1	28
	<b>Hardwire Infeed Only</b>		
	SDR-2	For Circuit 2	28
	SDR-3	For Circuit 3	28
	SDR-4	For Circuit 4 (isolated and dedicated circuit)	28

## General Information:

- Field installed into Power Assembly

Power Jumpers	Model #	For Use With:	Price
	SPJ-TT	30" from Table to Table	145
	SPJ-TC	22" from Table to CPU Bridge	145
	SPJ-TQ	42" beneath a Connecting Top or Quarter Round Top	145

Power Infeeds	Model #	Description	Price
	SPI-H	Hardwire Power Infeed	282
	SPI-P	Plug-in Power Infeed	282

## General Information:

- Power infeed enters the inside leg of a training table. (Infeed cannot mount into a CPU Bridge)
- Hardwire infeed includes 7' flexible conduit
- Hardwire power infeed must be installed by an electrician
- Plug-in power infeed includes 2' cord and powers only circuit 1 (Duplex Receptacles - SDR-1)
- Plug-in power infeed requires a 20 amp, 120 volt receptacle for plug-in

Plug Strip	Model #	Price
	SOA-100	381

## General Information:

- 15 amps - Mounts into Technology Modesty Panel
- Includes (4) outlets, surge protection and 10' electrical cord


Chicago Electric Housing Option	Model #	Description	Price
	SPA-CHI	Chicago Electrical Housing	109

## General Information:

- Many areas of the City of Chicago require hardwiring of all components and do not allow the use of standard modular power systems
- This housing is a convenient device that mounts into the Technology Modesty Panel and allows the electrician to hardwire the electrical components
- Fits standard size electrical receptacles
- Order (2) for each table, (1) for each CPU bridge

# Satellite® Table Accessories



PowerPUP	Model #	L x W	Price
	PUP	8 x 4	324



## General Information:

- PowerPUP option includes two simplex receptacles and two voice/data openings
- 10' cord and a 15amp plug-in power in-feed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color to metal finish specified on tables (Black and Graphite receives Black Anodized PowerPUP, Metallic Silver and Nickel receives Clear Anodized)
- UL listed
- Detailed planning information found on page 262
- One PowerPUP per table, centered on Trapezoid 48" or bigger only

Modesty Panel Cover - J-channel wire management (Non-Powered)	W x D x H	For Use With:	
SMP-8	8 x 1-1/2 x 10-1/2	For quarter round or connecting top	212
SMP-42	42 x 1-1/2 x 10-1/2	For 42" rectangle table	325
SMP-48	48 x 1-1/2 x 10-1/2	For 48" rectangle table	345
SMP-60	60 x 1-1/2 x 10-1/2	For 60" rectangle table	385
SMP-72	72 x 1-1/2 x 10-1/2	For 72" rectangle table	427



Wire Management J-channel end view


## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Powder Coated Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

## General Information:

- Wire management capable only. (No electrical, voice or data connections)
- 42"-72" modesty panel covers attach to the legs with a bracket which is provided
- 8" modesty panel covers attach with a bracket
- J-channel wire management comes attached to the back of the modesty panel cover
- Cannot be used with T-Legs

Technology Modesty Panel - Field Conversion Kit	W x D x H	For Use With:	
<b>Stationary Table – Modesty Panel and Leg Covers</b>			
SWMP-42	42 x 7 x 10-1/2	For 42" stationary table	664
SWMP-48	48 x 7 x 10-1/2	For 48" stationary table	720
SWMP-60	60 x 7 x 10-1/2	For 60" stationary table	828
SWMP-72	72 x 7 x 10-1/2	For 72" stationary table	939



## Folding Table – Modesty Panel and Leg Covers

SWMP-60F	60 x 7 x 10-1/2	For 60" folding table	828
SWMP-72F	72 x 7 x 10-1/2	For 72" folding table	939

## REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

## General Information:

- Used only for converting non-computer tables in the field
- No tools required for attachment
- Includes Technology Modesty Panel and replacement leg covers only. Electrical components must be purchased separately

Keyboard Tray	W x D x H	Description	
KT-13	25 x 10 x 1	With Dual Mousing Surface	485
KT-1	20 x 10 x 1	With Single Mousing Surface	649



KT-13




KT-1

## General Information:

- KT-13  
Field Installed  
Black finish  
25" gel wrist rest  
15 degrees +/- tilt, one touch adjustment for height and tilt
- KT-1  
Field Installed  
Black finish  
18" gel wrist rest  
Gel palm support on mouse platform  
Ambidextrous quick connect tile and swivel mouse platform  
15 degrees +/- tilt, one touch adjustment for height and tilt
- Tracks come with a Track Bridge that allows you to mount under worksurfaces with rod stiffeners.

CPU Holder	W x D x H	
CPU-101	3-1/4 to 8-1/2w x any x 13-1/2 to 24h	282




## General Information:

- Field Installed
- Black finish
- Mounts under worksurface
- 360° Swivel
- Supports most CPU sizes (15"-23" H, 4-3/4" to 8-1/2" W, any depth)
- 33 lb. Capacity
- No tools needed to adjust height or width range
- 18" track length provides 13" in/out adjustment range



# Satellite® Carts, Easels & Storage Dollies

A/V Cart	Model #	W x D x H	Price
----------	---------	-----------	-------



**Options:**

Laminate Inset Top:

Add **-P** Specify laminate selection

Locks:

Add **-L** \$122

**REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)**

Choose Wood Species & Finish. See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)

Choose laminate selection if **-P** option is chosen. See Page 8

Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

**General Information:**

- 3" non-locking casters standard
- Multiple outlet assembly included
- One adjustable shelf, one top roll-out shelf
- Rear door for easy wiring of A/V components
- Top shelf: 35" W x 25-3/4" D
- DVD/VCR shelf storage space: 27-3/4" W x 24" D x 5" H
- Storage space above interior roll-out shelf: 33-1/2" W x 17" D x 8" H
- Storage space below roll-out shelf (not including thickness of adjustable shelf) 33-1/2" W x 22" D x 16" H

Presentation Cart	Model #	W x D x H	Description	Price
-------------------	---------	-----------	-------------	-------



**Options:**

Laminate Inset Top:

Add **-P** Specify laminate selection

Hinged Doors w/Lock:

Add **-HD** Add \$479

Keyboard Drawer:

Add **-KD** Add \$527 (SPC model only)

**REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)**


• Choose Wood Species & Finish See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)


• Choose laminate if **-P** option is selected. See Page 8 for information


• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

**General Information:**

- 3" non-locking casters included
- Multiple outlet assembly included
- Two adjustable shelves
- Optional Keyboard drawer mounts under top shelf
- Top shelf: 35" W x 25-3/4" D
- Overhead Projector Cutout: 16-1/2" W x 17-1/2" D x 6" H
- Storage space left & right side (EA): 16-1/2" W x 21-3/4" D x 26-1/4" H



				COM Yardage	Std. Guilford or COM	A	B	C	Price: Fabrics			
									D	E	F	G
Easel	Model #	W x D x H	Description									
	SCE-WT	36 x 27 x 79	One Side Tackboard	2.5	4200	4329	4393	4457	4521	4585	4650	4714
			One Side Whiteboard									
	SCE-WW	36 x 27 x 79	Both Sides Whiteboard	n/a	4668							



SCE-WT	36 x 27 x 79	One Side Tackboard	2.5	4200	4329	4393	4457	4521	4585	4650	4714
		One Side Whiteboard									

SCE-WW	36 x 27 x 79	Both Sides Whiteboard	n/a	4668							
--------	--------------	-----------------------	-----	------	--	--	--	--	--	--	--

**REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)**

• Choose Wood Species & Finish See Page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)

• Choose Fabric selection (if applicable). See Page 9. (Guilford Lido 031 Smith Point standard)

• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

**General Information:**

- Includes locking casters, flip chart storage compartment, pen tray, storage drawer, eraser & four markers
- Flip chart holder fits standard Avery 3-hole pad size 27" W x 36" H (1/2" dia. holes with 8-3/4" spacing)
- Wood finish is applied to pen tray, drawer fronts, top and base trim
- Metal finish is applied to base, pulls on storage compartment and flip-chart holder

Table Storage Dolly	Model #	W x D x H	Description	Price
---------------------	---------	-----------	-------------	-------



**General Information:**

- 6" casters
- Black finish
- Accommodates all table sizes
- 6 table capacity per dolly
- Optional modesty panel rack holds 6 modesty panels
- Modesty panel rack has 11" long rods spaced 9-1/2" apart
- Shipped set up
- Dollies are for use with folding tables only





January 2012

© 2012

## SATELLITE PLANNING GUIDE & PRICE LIST

5151 West River Drive  
Comstock Park, MI 49321

P 616.784.6016  
F 616.784.4402  
[www.nucraft.com](http://www.nucraft.com)  
1.877.NUCRAFT

NUCRAFT