


CIRRUS® Themes™


Critters™, Leaves™, Stars™,
Things That Fly™ & Under the Sea™
Tegular fine texture




Cirrus Themes Critters with Suprafine® 9/16" Exposed Tee grid (Pg. 220)



Cirrus Themes Stars with Suprafine 9/16" Exposed Tee grid (Pg. 220)



Cirrus Themes Leaves with Suprafine 9/16" Exposed Tee grid (Pg. 220)



Cirrus Themes Under the Sea with Suprafine 9/16" Exposed Tee grid (pg. 220)



Cirrus Themes Things That Fly with Suprafine 9/16" Exposed Tee grid (Pg. 220)

MINERAL FIBER

CIRRUS® Themes™

Critters™, Leaves™, Stars™,
Things That Fly™ & Under the Sea™
Regular
fine texture

Recycled Content: 63%

armstrong.com/greengenie

LEED® Credits

Energy	Waste Mgmt	Recycled Content	Local Materials	Renewable Materials	Daylight & Views
✓	✓	✓	✓	✓	✓
Location Dependent					

LEED for Schools

Acoustics	Low Emitting or CHPS
✓	✓

Visual Selection

Performance Selection Dots represent highest level of performance.

Edge Profile	Grid Drawings Cat. pgs. 226-228 or armstrong.com/ catdwg	Item No.	Dimensions	Acoustics NRC CAC	Fire Rating	Light Reflect	Sag Resist	Anti-Microbial	Durable	Recycle Program
CIRRUS Themes Critters										
9/16" Beveled Regular	31, 32, 54	S500 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	BioBlock+	Standard	Yes
15/16" Angled Regular	7	S550 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
CIRRUS Themes Leaves										
9/16" Beveled Regular	31, 32, 54	S600 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
15/16" Angled Regular	7	S650 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
CIRRUS Themes Stars										
9/16" Beveled Regular	31, 32, 54	S400 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
15/16" Angled Regular	7	S450 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
CIRRUS Themes Things That Fly										
9/16" Beveled Regular	31, 32, 54	S700 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
15/16" Angled Regular	7	S750 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
CIRRUS Themes Under the Sea										
9/16" Beveled Regular	31, 32, 54	S800 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
15/16" Angled Regular	7	S850 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
CIRRUS Themes Coordinating Plain Panel										
9/16" Beveled Regular	31, 32, 54	S299 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.
15/16" Angled Regular	7	S295 Series	2' x 2' x 3/4"	0.65 35	Class A	0.86	Standard	.	Standard	.

All Ceiling Designs copyrighted by AWI Licensing Company

Suspension Systems

15/16"	9/16"				
Prelude®	Interlude®	Silhouette® Bolt-Slot	Sonata®	Suprafine®	Trimlok® Screw-Slot

CIRRUS® Themes™

Critters™, Leaves™, Stars™,
Things That Fly™ & Under the Sea™
Tegular
fine texture

Recycled
Content: 63%

armstrong.com/greengenie

LEED® Credits

Energy	Waste Mgmt	Recycled Content	Local Materials	Renewable Materials	Daylight & Views
✓	✓	✓	✓	✓	✓
Location Dependent					

LEED for Schools

Acoustics	Low Emitting or CHPS
✓	✓

\$\$\$\$\$


Key Selection Attributes

- A variety of lighthearted panel designs on refined Cirrus texture; can be spot-painted
- Excellent sound absorption
- Coordinating plain panels available
- 30-Year Limited System Warranty against mold/mildew and bacterial growth

Cirrus Themes Critters



Cirrus Themes Stars



Cirrus Themes Under the Sea



Typical Applications

- Healthcare – assists in addressing HIPAA and FGI acoustical requirements
- Pediatric areas
- Lobbies/reception areas
- Specialty shops/stores
- Playful theme interiors


Color



Cirrus Themes Leaves




Cirrus Themes Things That Fly



Use Item S295 or S299 (See pg. 140) for Coordinating Plain Panel

Cirrus Themes Critters		Cirrus Themes Leaves		Cirrus Themes Stars		Cirrus Themes Things That Fly		Cirrus Themes Under The Sea	
9/16" Beveled Tegular	15/16" Angled Tegular	9/16" Beveled Tegular	15/16" Angled Tegular	9/16" Beveled Tegular	15/16" Angled Tegular	9/16" Beveled Tegular	15/16" Angled Tegular	9/16" Beveled Tegular	15/16" Angled Tegular
☐ S500	☐ S550	☐ S600	☐ S650	☐ S400	☐ S450	☐ S700	☐ S750	☐ S800	☐ S850
☐ S501	☐ S551	☐ S601	☐ S651	☐ S401	☐ S451	☐ S701	☐ S751	☐ S801	☐ S851
☐ S502	☐ S552	☐ S602	☐ S652	☐ S410	☐ S460	☐ S702	☐ S752	☐ S802	☐ S852
☐ S503	☐ S553	☐ S603	☐ S653	☐ S411	☐ S461	☐ S703	☐ S753	☐ S803	☐ S853
☐ S510	☐ S560	☐ S604	☐ S654	☐ S412	☐ S462	☐ S704	☐ S754	☐ S804	☐ S854
☐ S512	☐ S562	☐ S605	☐ S655	☐ S413	☐ S463	☐ S705	☐ S755	☐ S805	☐ S855
☐ S299	☐ S295	☐ S299	☐ S295	☐ S414	☐ S464	☐ S706	☐ S756	☐ S299	☐ S295
				☐ S420	☐ S470	☐ S707	☐ S757		
				☐ S421	☐ S471	☐ S708	☐ S758		
				☐ S299	☐ S295	☐ S299	☐ S295		

Suspension Systems



Physical Data (all Cirrus Themes Items)

Material
Wet-formed mineral fiber

Surface Finish
Factory-applied latex paint

Fire Performance
ASTM E84 and CAN/ULC S102 surface burning characteristics. Flame Spread Index 25 or less. Smoke Developed Index 50 or less.

ASTM E1264 Classification
Type III, Form 1, Pattern E I K Z
(scored multi-patterned finish)
S299, S295 – Type III, Form 1, Pattern E I
Fire Class A

VOC/Formaldehyde Emissions
Meets CA Dept. of Health Services Standard Practice for the testing of VOC Emissions and is listed on CHPS High Performance Products Database for Low-Emitting Materials.

Anti Mold/Mildew & Bacteria
BioBlock® Plus contains an anti-microbial treatment and provides guaranteed resistance against growth of mold/mildew and Gram-positive and Gram-negative odor/stain-causing bacteria for 30 years.

Insulation Value
R Factor – 1.9 (BTU units)
R Factor – 0.33 (Watts units)

30-Year Performance Guarantee & Warranty Information
Details in back of catalog or at armstrong.com/warranty

Application Considerations
Specify matching plain panels S295 and S299 (Cirrus Tegular).
Not recommended for rooms containing MRI equipment.

Weight; Square Feet/Carton
All design panels – 1.38 lbs/SF; 8 SF/ctn
S295 – 1.09 lbs/SF; 48 SF/ctn
S299 – 1.17 lbs/SF; 48 SF/ctn