




## **BEVEL™** Light Bollard

Grace and substance define the BEVEL Light Bollard. Like its sister products the BEVEL Light Bollard has clean lines and thoughtful details combined with the strength and durability of TAKTL ultra high performance concrete. This light bollard is equally comfortable in an active urban setting – or in your driveway.




## BEVEL™ Light Bollard

### FEATURES

- + TAKTL® ultra high performance concrete (UHPC) construction provides exceptional strength and durability.
- + Intrinsic, natural finish that performs in harsh weather conditions and requires minimal maintenance.
- + Advanced, high performance LED technology.
- + Surface mounted hardware included.
- + Resource efficient, low energy manufacturing process utilizing raw materials local to manufacturing.
- + Manufactured in USA.

### DIMENSIONS + DETAILS



MODEL #	TYPE	LENGTH	HEIGHT	DEPTH	WEIGHT
SLB00-00	BEVEL Light Bollard	7"	34.25"	4.6"	100 lbs

### TECHNICAL INFORMATION

- + **BOLLARD MATERIALS** | TAKTL UHPC with glass fibers
- + **LIGHT ELEMENT MATERIALS** | LED engine with translucent acrylic lens and stainless steel housing
- + **MOUNTING** | Suitable for mounting over concrete using specified stainless steel mounting plate and hardware
- + **COLOR** | Natural or Fog
- + **FINISH** | Intrinsic UHPC finish
- + **ELECTRICAL** | Integral electronic LED power supply accepting 120 VAC or 277 VAC input
- + **LED** | 10W Neutral White (4000k CCT), 80+ CRI, rated for 70% lumen maintenance at 50,000 hours


# BEVEL™ Light Bollard

## ENVIRONMENTAL CONSIDERATIONS

- + Composed primarily of natural materials, with 92% sourced locally from our Pittsburgh, PA facility
- + Low energy, resource efficient manufacturing and curing process
- + Manufacturing takes place under the strict guidelines of our Environmental Management Plan
- + Surface is engineered for visual effect and performance. No secondary finish processing is required
- + Extremely long service life, requiring minimal maintenance

Please contact technical support to speak to one of our LEED™ accredited professionals regarding your specific project needs and documentation requirements.

## NET PRICING



MODEL #	DESCRIPTIONS	QTY   1-5	QTY   6+
SLBBVL00-00	BEVEL Light Bollard	\$980	\$890


## TO ORDER / SPECIFY

To order / specify, please contact technical support for assistance at 412.486.1600.

## LEAD TIME

**10-12 weeks.** Shorter lead times may be available upon request. Please contact us to discuss your specific timing requirements.

## COMPANION PRODUCTS



BEVEL Receptacle side loading



BEVEL Bench



BEVEL Planter




BEVEL Receptacle top loading


# BEVEL™ Light Bollard

## LIGHTING SPECIFICATIONS

POLAR CANDELA PLOT (LED)



ISOFOOTCANDLE PLOT (LED)



**Descriptive Information**

10W Neutral White LED  
4000K CCT