

# KALLISTA Counterpoint™ Pressure Balance Valve Trim & Pressure Balance Valve Trim with Diverter

## FEATURES


- Solid Brass Construction for Durability and Reliability
- Pressure-Balancing Technology Maintains Water Temperature within +/-3 Degrees Fahrenheit
- High-Temperature Limit Stop Helps Eliminate Scalding
- IAPMO/cUPC Listed
- Coordinates with the Counterpoint Collection

## CODES/STANDARDS APPLICABLE



Specified model meets or exceeds the following:

- ASME A112.18.1/CSA B125.1


P23215,  
P23216



P23215-LV



P23216-RK



## SPECIFIED MODEL

Model	Description	Finishes		
P23215-LV	Counterpoint Pressure Balance Valve Trim, Lever Handle	<input type="checkbox"/> CP Polished Chrome	<input type="checkbox"/> AD Nickel Silver	<input type="checkbox"/> AG Brushed Nickel
P23215-RK	Counterpoint Pressure Balance Valve Trim, Knob Handle	<input type="checkbox"/> CP Polished Chrome	<input type="checkbox"/> AD Nickel Silver	<input type="checkbox"/> AG Brushed Nickel
P23216-LV	Counterpoint Pressure Balance Valve Trim, Lever Handle	<input type="checkbox"/> CP Polished Chrome	<input type="checkbox"/> AD Nickel Silver	<input type="checkbox"/> AG Brushed Nickel
P23216-RK	Counterpoint Pressure Balance Valve Trim, Knob Handle	<input type="checkbox"/> CP Polished Chrome	<input type="checkbox"/> AD Nickel Silver	<input type="checkbox"/> AG Brushed Nickel
Required Rough-in				
P19300-00	Rough-in for P23215	<input type="checkbox"/> NA		
P19300-WS	Rough-in with Stops for P23215	<input type="checkbox"/> NA		
P29306-WS	High-Flow Rough-in for P23215	<input type="checkbox"/> NA		
P29305-00	Rough-in for P23216	<input type="checkbox"/> NA		
P29305-WS	Rough-in with Stops for P23216	<input type="checkbox"/> NA		

We reserve the right to make revisions without notice in the design of products or in packaging unless this right has specifically been waived at the time the order is accepted.