

Humanscale Pricing and Specification Guide











Table of Contents

| Seating | |
|--------------------------------|------|
| Lighting | . 4C |
| Air Purification | . 53 |
| Monitor Arms | . 56 |
| Float Table | . 80 |
| Access Rails | . 83 |
| Ergo Tools | . 88 |
| Humanscale and the Environment | 10C |
| Terms & Conditions | 101 |



freedom[®] Features & Characteristics

With Freedom, the knobs, levers and locks of current-generation task chairs have been replaced by intelligent mechanisms that automatically support the body as it moves from task to task. By minimizing the need for manual controls, Freedom maximizes natural, spontaneous movement, which is essential for a healthy body and a comfortable day's work. Freedom's many features can be enjoyed with virtually no effort.



PHYSICAL CHARACTERISTICS

CUSHIONS

- Molded polyurethane foam cushions
- Optional arm pads and seat have top layer of Technogel®
- Upholstered with a variety of materials customized to the unique form of the cushion

CUSHION PANS, ARMREST SUPPORTS, HEADREST FRAME, AND FIVE-ARM BASE

• Injection-molded, structural, integral color plastics

EXTERNAL FRAME AND OPTIONAL BASE UPGRADE

• Die-cast aluminum with fused plastic coating or polished aluminum finish

STORED ENERGY DEVICES

- Nitrogen-charged gas cylinder for adjustable seat height
- Coil spring in the self-adjusting recline mechanism
- · Elastomer spring in the pivoting backrest

OPTIONAL FOOT RING

· Chrome-plated steel ring

STANDARD FEATURES

SELF-ADJUSTING RECLINE

- Intelligent counter-balance recline mechanism automatically provides the right amount of support through the full range of recline motion, regardless of user size and weight
- No tension springs to adjust
- No recline locks to set / release
- During recline, the angle between torso and legs opens up for better body function
- User maintains near-constant eye level during recline

PIVOTING BACKREST

- Extra motion of the backrest during recline automatically adjusts to the changing needs of the spine
- Provides up to 1" additional lumbar support when needed

SYNCHRONOUS ARMRESTS

- Revolutionary armrests move in tandem to eliminate uneven arm positioning
- Natural lift and release action for immediate repositioning without buttons or locks
- 6" range of vertical motion to accommodate all users and tasks
- Can be positioned below thigh level for close to table or desk work
- Attached to backrest so arms stay in same relation to body during recline
- Duron arm pad for durability and comfort

STANDARD CYLINDER

Provides seat height range that accommodates 95% of the population

MODIFIED BACK SHELL

- Maintains desired height of the chair
- Adds stability and encourages fluid movement

CONTOURED CUSHIONS

- Carefully sculpted to match body contours
- Increased contact area reduces pressure points
- · Modular for easy replacement

BODY FIT

- Size adjustable to fit more than 95% of the population
- · Adjustments for fit-to-size:
 - Headrest: 5" vertical adjustment range
 - Seat Height: 5" adjustment range
 - Seat Depth: 2.25" adjustment range
 - Backrest/Lumbar Support Height: 3" adjustment range

HARD CASTERS

2.5" double-wheel casters for carpeted floors

OPTIONAL FEATURES

DYNAMIC HEADREST

- Position-sensitive headrest moves into place when you recline and out of the way when you sit upright
- 5" vertical adjustment to fit all users
- Moves in the natural arc of head/neck for perfect support through range of recline
- Contoured to cradle the head and neck in comfort

GEL SEAT CUSHION

- Non-degradable, non-compressible
 Technogel® layer on top of foam core
- Provides maximum pressure distribution
- · Offers unmatched, long-term comfort

ARM PAD OPTION

- Standard Flexible Duron
- · Duron with Gel for optimal comfort

ADVANCED ARMRESTS

- · Automatically lock in place
- Aesthetically align with Niels Diffrient's original
- design intent
- · Improved functionality and durability

CYLINDER OPTIONS

- Low cylinder for small users
- Tall cylinder for very tall users
- · High cylinder with foot ring
- Extra-high cylinder with foot ring (Saddle seat only)

FOOT RING

- Polished finish
- · Height-adjustable

CASTER OPTIONS

- 2.5" soft double-wheel casters for hard floors
- Non-rolling glides for fixed-location use
- 2.5" locking casters

FIREPROOFING

- CAL 133-approved
 - -Fireproof barrier between textile and foam
 - -Fire-retardant plastics

LEATHER STITCHING

- · For leather textiles only
- Box-stitched design for added comfort and enhanced aesthetic

freedom[®] Options & Prices









| Armless | F110 |
|---|------|
| Standard Duron Arms | F111 |
| Standard Duron Arms with Matching Textile Cover | F112 |
| Standard Duron Gel Arms | F11X |
| Standard Gel Arms with Matching Textile Cover | F11M |
| Advanced Duron Arms | F113 |
| Advanced Duron Arms with Matching Textile Cover | F114 |
| Advanced Duron Gel Arms* | F11D |
| Advanced Gel Arms with Matching Textile Cover* | F11C |







| Armless | F210 |
|---|------|
| Standard Duron Arms | F211 |
| Standard Duron Arms with Matching Textile Cover | F212 |
| Standard Duron Gel Arms | F21X |
| Standard Gel Arms with Matching Textile Cover | F21M |
| Advanced Duron Arms | F213 |
| Advanced Duron Arms with Matching Textile Cover | F214 |
| Advanced Duron Gel Arms* | F21D |
| Advanced Gel Arms with Matching Textile Cover* | F21C |



Saddle Seat Pony Saddle

F300 F400

* Advanced Duron Arms available Q2 2013.

| TEXTILE 0 | TEXTILE 1 | TEXTILE 2 | TEXTILE 3 | LEATHER 0 | LEATHER 1 | LEATHER 2 | LEATHER 3 |
|--------------|-----------|-----------|-----------|--------------|-----------|-----------|---------------|
| \$1,005 | \$1,025 | \$1,080 | \$1,180 | \$1,365 | \$1,855 | \$2,270 | \$2,425 |
| \$1,115 | \$1,135 | \$1,190 | \$1,290 | \$1,475 | \$1,965 | \$2,380 | \$2,535 |
| \$1,140 | \$1,160 | \$1,215 | \$1,315 | \$1,500 | \$1,990 | \$2,405 | \$2,560 |
| \$1,145 | \$1,165 | \$1,220 | \$1,320 | \$1,505 | \$1,995 | \$2,410 | \$2,565 |
| \$1,170 | \$1,190 | \$1,245 | \$1,345 | \$1,530 | \$2,020 | \$2,435 | \$2,590 |
| \$1,200 | \$1,220 | \$1,275 | \$1,375 | \$1,560 | \$2,050 | \$2,465 | \$2,620 |
| \$1,225 | \$1,245 | \$1,300 | \$1,400 | \$1,585 | \$2,075 | \$2,490 | \$2,645 |
| \$1,230 | \$1,250 | \$1,305 | \$1,405 | \$1,590 | \$2,080 | \$2,495 | \$2,650 |
| \$1,255 | \$1,275 | \$1,330 | \$1,430 | \$1,615 | \$2,105 | \$2,520 | \$2,675 |
| | | | | | | | |
| | | | | | | | |
| \$1,205 | \$1,225 | \$1,290 | \$1,395 | \$1,615 | \$2,120 | \$2,540 | \$2,720 |
| \$1,315 | \$1,335 | \$1,400 | \$1,505 | \$1,725 | \$2,230 | \$2,650 | \$2,830 |
| \$1,340 | \$1,360 | \$1,425 | \$1,530 | \$1,750 | \$2,255 | \$2,675 | \$2,855 |
| \$1,345 | \$1,365 | \$1,430 | \$1,535 | \$1,755 | \$2,260 | \$2,680 | \$2,860 |
| \$1,370 | \$1,390 | \$1,455 | \$1,560 | \$1,780 | \$2,285 | \$2,705 | \$2,885 |
| \$1,400 | \$1,420 | \$1,485 | \$1,590 | \$1,810 | \$2,315 | \$2,735 | \$2,915 |
| \$1,425 | \$1,445 | \$1,510 | \$1,615 | \$1,835 | \$2,340 | \$2,760 | \$2,940 |
| \$1,430 | \$1,450 | \$1,515 | \$1,620 | \$1,840 | \$2,345 | \$2,765 | \$2,945 |
| \$1,455 | \$1,475 | \$1,540 | \$1,645 | \$1,865 | \$2,370 | \$2,790 | \$2,970 |
| | | | | | | | |
| # 000 | 4000 | 4000 | ** | DE4.0 | Φ705 | 4005 | 04.040 |
| \$320 | \$330 | \$360 | \$415 | \$510 | \$765 | \$965 | \$1,040 |
| \$290 | \$300 | \$330 | \$385 | \$480 | \$735 | \$935 | \$1,010 |

freedom[®] Options & Prices

REPLACEMENT PARTS*

Replacement Cushions



| Seat (Foam) | S | 1222 | FC | _ |
|--|-----|------|----|------|
| Seat (Gel) | S | 1222 | GC | _ |
| Back | В | 1222 | FC | _ |
| Saddle Seat | L | 1222 | С | _ |
| Pony Saddle | LP | 1222 | С | _ |
| Headrest | Н | 1222 | FC | _ |
| Standard Duron Arm Pads (Pair) | FA | | | \$50 |
| Advanced Duron Arm Pads (Pair) | FV | | | \$50 |
| Standard Duron Gel Arm Pads (Pair) | FX | | | \$80 |
| Advanced Duron Gel Arm Pads (Pair)** | FD | | | \$80 |
| Standard Duron Arm Pads with Matching Textile (Pair) | FAM | 1222 | С | _ |
| Advanced Duron Arm Pads with Matching Textile (Pair) | FVM | 1222 | С | _ |
| Standard Gel Arm Pads with Matching Textile (Pair) | FXM | 1222 | С | _ |
| Advanced Gel Arm Pads with Matching Textile (Pair)** | FDM | 1222 | C | _ |
| | | | | |

RETROEIT PARTS*

Retrofit Armrest Kits



| Advanced Duron Arms | KDA | 3 | | \$185 |
|---|------|-------|---|-------|
| Advanced Duron Gel Arms** | KA | 3 | | \$215 |
| Advanced Duron Arms with Matching Textile | KDAM | 31222 | С | _ |
| Advanced Gel Arms with Matching Textile** | KAM | 31222 | С | _ |

¹⁻Textile Code 2 - Cushion Color 3 - Frame/Cushion Shell Color (G=Graphite, T=Titanium) 4 - Mesh (M,C,T)


^{*} All Freedom Replacement and Retrofit Parts are CAL 133-approved.

^{**} Advanced Duron Gel Arms available Q2 2013.


| TEXTILE 0 | TEXTILE 1 | TEXTILE 2 | TEXTILE 3 | LEATHER 0 | LEATHER 1 | LEATHER 2 | LEATHER 3 | |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|
| | | | | | | | | |
| \$125 | \$135 | \$160 | \$210 | \$320 | \$555 | \$760 | \$835 | |
| \$200 | \$210 | \$235 | _ | _ | _ | _ | _ | |
| \$120 | \$130 | \$155 | \$205 | \$315 | \$550 | \$755 | \$830 | |
| \$135 | \$145 | \$195 | \$240 | \$345 | \$585 | \$795 | \$870 | |
| \$120 | \$130 | \$180 | \$225 | \$330 | \$570 | \$780 | \$855 | |
| \$105 | \$115 | \$125 | \$145 | \$170 | \$240 | \$305 | \$380 | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| \$60 | \$70 | \$90 | \$90 | \$100 | \$120 | \$150 | \$190 | |
| \$60 | \$70 | \$90 | \$90 | \$100 | \$120 | \$150 | \$190 | |
| \$90 | \$100 | \$120 | \$120 | \$130 | \$150 | \$180 | \$220 | |
| \$90 | \$100 | \$120 | \$120 | \$130 | \$150 | \$180 | \$220 | |
| | | | | | | | | |
| | | | | | | | | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| \$195 | \$205 | \$215 | \$215 | \$225 | \$250 | \$285 | \$330 | |
| \$225 | \$235 | \$245 | \$245 | \$255 | \$280 | \$315 | \$360 | |
| | | | | | | | | |


freedom Specifications

TASK CHAIF



SADDLE SEAT





SCOPE OF USERS

- Standard chair fits more than 95% of the office population
 - 5'0" Woman to 6'4" Man
 - 100 to 300 lbs.
- Users outside the standard range can be accommodated by
 - Low or Tall Cylinder
- Advanced Armrests

WEIGHT

- 35 lbs. Standard Chair
- 39 lbs. Chair with Headrest
- 13.9 lbs. Saddle
- 19 lbs. Saddle with Foot Ring
- 12.5 lbs. Pony Saddle
- 16.5 lbs. Pony Saddle with Foot Ring

BACKREST RECLINE

• 22° recline plus 7° backrest tilt

REFERENCE ANGLE BETWEEN SEAT AND BACK

• 100° to 129°

HEADREST RADIAL MOTION (automatic motion during recline)

• 30°

LUMBAR SUPPORT INCREASE IN RECLINE

• 1"

| CODE | DESCRIPTION | MEASUREMENT |
|------|---|--|
| а | seat depth (from face of lumbar to front of seat) | 16.25"– 18.5" |
| b | seat height (floor to compressed front center of seat cushion) | 16"– 21" standard chair 15.25"– 19" low-cylinder chair 17"– 22.25" tall-cylinder chair 20.5"– 28.5" high-cylinder chair 17.5"– 22.75" standard Saddle / Pony 20.25"– 28.25" high Saddle / Pony 23"– 33" extra-high Saddle / Pony |
| С | seat width | 21" chair 22" Saddle seat 16" Pony Saddle seat |
| d | backrest height (from seat cushion to top of backrest) – adjustment range | 18"- 21" 3" in 0.25" increments |
| е | chair width | 27.25" |
| f | armrest height (compressed seat cushion to top of armrest) – adjustment range | 5"-11" 6" in 0.33" increments |
| g | armrest length (from face of lumbar to front of armrest) | 13" |
| h | distance between armrests (front inside edge) | 20" standard 18.25" – 21.25" Advanced |
| i | height, task chair | 33.5" – 41.5" standard chair 32.75" – 39.5" low-cylinder chair 34.5" – 42.75" tall-cylinder chair 38" – 49" high-cylinder chair |
| j | height, task chair with headrest | 43"–53" standard chair 42.25"–51" low-cylinder chair 44"–54.25" tall-cylinder chair 47.5"–60.5" high-cylinder chair |
| k | headrest height adjustment range | 5" |
| I | base diameter | 25" chair, high or extra-high Saddle / Pony 22" standard Saddle / Pony |
| m | foot ring diameter | 18" or 21" |
| n | foot ring height adjustment (from floor) | 6"-11" |
| 0 | backrest width | 21" |

freedom[®] Build Your Product Code

| Line | Style | Mech | Armrests | Frame Color | Textile | Textile Color | Gel Seat | Cylinder | Casters | Fire- Proofing | Base Upgrade | Shipping |
|--------|--------|-----------|----------|----------------|---------|------------------|-------------|----------|---------|-------------------|-----------------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| _ | _ | _ | _ | _ | _ | | | _ | _ | _ | _ | _ |
| COMPON | NENT (| CODE DESC | RIPTION | | | | | | | | | |

| СО | MPONENT | CODE | DESCRIPTION |
|----|----------------|--------------------------------------|---|
| 1 | LINE | F | Freedom |
| 2 | STYLE | 1 2 3 4 | Standard Task Chair Task Chair with Headrest Saddle Seat Pony Saddle Seat |
| 3 | MECHANISM | 1 0 | Standard Saddle/Pony [†] |
| 4 | ARMRESTS | 0 1 2 3 4 X M D | Armless (Required option for Saddle/Pony) Standard Duron Arms Standard Duron Arms with Matching Textile Advanced Duron Arms* Advanced Duron Arms with Matching Textile* Standard Duron Gel Arms Standard Gel Arms with Matching Textile Advanced Duron Gel Arms Advanced Duron Gel Arms Advanced Duron Gel Arms |
| 5 | FRAME COLOR | | Graphite Titanium Polished Aluminum with Graphite shells on cushions and armrests** (see pricing below) Polished Aluminum with Titanium shells on cushions and armrests** (see pricing below) or M, add \$250 for Task Chair with Headrest, \$230 for Standard Chair, \$133 for Saddle/Pony |

6 TEXTILE See pages 35-38 and textile samples for textile codes.

7 TEXTILE COLOR

See pages 35-38 and textile samples for color options and codes.

^{*}Advanced Duron Arms available Q4 2012

^{**}Comes standard with polished aluminum base.

[†] Saddle and Pony Saddle will always ship with aluminum base.

| COMPONENT | CODE | DESCRIPTION | |
|------------------|---|--|---|
| 8 GEL SEAT | — G ¹ | Standard Foam Seat Pan Gel Seat (Add \$76) (Available only with V, B, H, S, G, K, F or W textiles) | |
| 9 CYLINDER | — L T H ² F R X ^{2,3} Z ^{2,3} | Standard 5" Low 3.75" (Add \$26) Tall 5" (Add \$37) High 8" (Add \$37) High 8" w/18" Foot Ring (Add \$110) High 8" w/21" Foot Ring (Add \$152) Extra-High 10" w/18" Foot Ring (Add \$110) Extra-High 10" w/21" Foot Ring (Add \$152) | Note: Polished Aluminum chairs ship with Polished cylinders. Graphite and Titanium chairs ship with Black cylinders. Extra-high (X, Z) available in Black only. |
| 10 CASTERS | — G S K | Standard Hard Casters Glides (Add \$21) Soft Casters (Add \$22) Locking Casters (Add \$112) | |
| 11 FIRE-PROOFING | _ C | Standard Foams and Plastics CAL 133-Approved Foams and Plastics (Add \$75 for Task Chair with Headrest, \$59 for Standard Task Chair, \$33 for Saddle/Pony) | |
| 12 BASE UPGRADE | —† —† M A | Standard Composite Base to match Graphite or Titani Standard Aluminum Base to match frame color ⁴ Powder-coated Aluminum Base to match Graphite or Polished Aluminum Base on Graphite or Titanium Fra | Titanium frame color (Add \$46) |
| 13 SHIPPING | — В | Individually Boxed Blanket Wrapped ^s | |

¹ Not available on Saddle Seat

² Only available on Saddle Seat

³ Requires Glides or Locking Casters

⁴ Standard Aluminum Base should be selected with A and M frame colors

⁵ See Terms and Conditions, page 101, for minimum order requirements

[†] Must be selected for Saddle and Pony Saddle.

Liberty® Features & Characteristics

Liberty, with Form-Sensing Mesh Technology, is unlike any mesh chair you've seen or experienced. With its tri-panel construction, Liberty has the body-fitting contours that single-panel stretch mesh chairs simply can't achieve. And it offers perfect lumbar support for everyone, without external devices or manual adjustments. Liberty's mesh back is formed by combining three panels of non-stretch mesh in the same way a tailor combines multiple pieces of material to form a shirt. So its contours are custom-made to both fit and support the human body in unprecedented comfort.



PHYSICAL CHARACTERISTICS

CUSHIONS

- Non-stretch, tri-panel mesh back
- Molded polyurethane foam seat cushion
- Duron arm pads
- Optional arm pads and seats have top layer of Technogel®
- Seats upholstered with a variety of materials customized to the unique form of the cushion

CUSHION PAN, BACK FRAME, FIVE-ARM BASE

- Injection-molded, structural, integral color plastics
- Optional stainless steel caps on base

EXTERNAL FRAME

 Die-cast aluminum with fused plastic coating or polished aluminum finish

STORED ENERGY DEVICES

- Nitrogen-charged gas cylinder for adjustable seat height
- Coil spring in the self-adjusting recline mechanism
- · Torsion spring in the pivoting backrest

OPTIONAL FOOT RING

• Chrome-plated steel

STANDARD FEATURES

SELF-ADJUSTING RECLINE

- Intelligent counter-balance recline mechanism automatically provides the right amount of support through the full range of recline motion, regardless of user size and weight
- · No tension springs to adjust
- · No recline locks to set/release
- During recline, the angle between torso and legs opens up for better body function
- User maintains near-constant eye level during recline

PIVOTING BACKREST

- Extra motion of the backrest during recline automatically adjusts to the changing needs of the spine
- Provides additional lumbar support as needed

FORM-SENSING MESH

- Tri-panel, non-stretch mesh construction creates body-fitting contours and self-adjusting lumbar support for a customized fit
- No external lumbar devices to adjust, break or lose
- · Low-abrasion mesh protects clothing
- Modular for easy replacement

STANDARD CYLINDER

 Provides seat height range that accommodates 95% of the population

CONTOURED SEAT CUSHION

- Carefully sculpted to match body contours
- Increased contact area reduces pressure points
- Modular for easy replacement

BODY FIT

- Size adjustable to fit more than 95% of the population
- Form-sensing mesh provides perfect lumbar support—automatically
- · Manual adjustments for fit-to-size:
 - Seat Height: 5" adjustment range
 - Seat Depth: 2.25" adjustment range

CASTERS

• 3" casters for carpeted floors

OPTIONAL FEATURES

ARMREST OPTIONS

- Armless
- · Fixed armrests
- Height-adjustable armrests with 5" range of adjustment

GEL SEAT CUSHION

- Non-degradable, non-compressible Technogel® layer on top of foam core
- Provides maximum pressure distribution
- Offers unmatched long-term comfort

ARM PAD OPTIONS

- Standard Flexible Duron
- · Duron with Gel for optimal comfort

CYLINDER OPTIONS

- Low cylinder for small users
- Tall cylinder for very tall users
- High cylinder with foot ring

FIREPROOFING

- CAL 133-approved
 - Fireproof barrier between textile and foam
 - Fire-retardant plastics

CASTER OPTIONS

- 3" soft casters for hard floors
- Non-rolling glides for fixed location use

POLISHED BASE CAPS

 Stainless steel caps on five-star base for wear protection and aesthetic appeal

FOOT RING

- Polished finish
- Height-adjustable
- 18" or 21" diameter

Liberty® Options & Prices

CONFERENCE CHAIR



| Armless | L110 |
|--|------|
| Fixed Duron Arms | L116 |
| Fixed Duron Arms with Matching Textile Cover | L117 |
| Fixed Duron Gel Arms | L11X |
| Fixed Gel Arms with Matching Textile Cover | L11M |

TASK CHAIR



Height-Adjustable Duron Arms

L111

Height-Adjustable Duron Arms with Matching Textile Cover

Height-Adjustable Duron Gel Arms

L11D

Height-Adjustable Gel Arms with Matching Textile Cover

L11C

SIDE CHAIR



Armless
L400

Fixed Duron Arms
L406

Fixed Duron Arms with Matching Textile Cover*

L407

Fixed Duron Gel Arms
L40X

Fixed Gel Arms with Matching Textile Cover*

^{*} Available with textile-covered seat only.

| TEXTILE 0 | TEXTILE 1 | TEXTILE 2 | TEXTILE 3 | LEATHER 0 | LEATHER 1 | LEATHER 2 | LEATHER 3 |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| \$945 | \$965 | \$995 | \$1,045 | \$1,145 | \$1,395 | \$1,605 | \$1,605 |
| | | | | | | | |
| \$1,055 | \$1,075 | \$1,105 | \$1,155 | \$1,255 | \$1,505 | \$1,715 | \$1,715 |
| \$1,080 | \$1,100 | \$1,130 | \$1,180 | \$1,280 | \$1,530 | \$1,740 | \$1,740 |
| \$1,085 | \$1,105 | \$1,135 | \$1,185 | \$1,285 | \$1,535 | \$1,745 | \$1,745 |
| \$1,110 | \$1,130 | \$1,160 | \$1,210 | \$1,310 | \$1,560 | \$1,770 | \$1,770 |
| | | | | | | | |
| | | | | | | | |
| \$1,135 | \$1,155 | \$1,185 | \$1,235 | \$1,335 | \$1,585 | \$1,795 | \$1,795 |
| \$1,160 | \$1,180 | \$1,210 | \$1,260 | \$1,360 | \$1,610 | \$1,820 | \$1,820 |
| \$1,165 | \$1,185 | \$1,215 | \$1,265 | \$1,365 | \$1,615 | \$1,825 | \$1,825 |
| \$1,190 | \$1,210 | \$1,240 | \$1,290 | \$1,390 | \$1,640 | \$1,850 | \$1,850 |
| | | | | | | | |
| MESH | TEXTILE 0 | TEXTILE 1 | TEXTILE 2 | TEXTILE 3 | | | |
| | | | | | | | |
| \$510 | \$550 | \$570 | \$595 | \$615 | _ | _ | _ |
| \$600 | \$640 | \$660 | \$685 | \$705 | _ | _ | _ |
| _ | \$665 | \$685 | \$710 | \$730 | _ | _ | _ |
| \$630 | \$670 | \$690 | \$715 | \$735 | _ | _ | _ |
| _ | \$695 | \$715 | \$740 | \$760 | _ | _ | _ |

Liberty® Options & Prices

REPLACEMENT PARTS[†]

Replacement Cushions

| Seat (Foam) | LSF | 1222 | С | _ |
|---|------|------|---|-------|
| Seat (Gel) | LSG | 1222 | С | _ |
| Mesh Backrest | LB | 3422 | | \$180 |
| Fixed Duron Arm Pads (Pair) | LDA | 5 | | \$50 |
| Fixed Duron Gel Arm Pads (Pair) | LGA | | | \$80 |
| Height-Adjustable Duron Arm Pads (Pair) | LDV | 5 | | \$50 |
| Height-Adjustable Duron Gel Arm Pads (Pair) | LGV | | | \$80 |
| Fixed Duron Arm Pads with Matching Textile (Pair) | LDAM | 1222 | С | _ |
| Fixed Gel Arm Pads with Matching Textile (Pair) | LGAM | 1222 | С | _ |
| Height-Adjustable Duron Arm Pads with Matching (Pair) | LDVM | 1222 | С | _ |
| Height-Adjustable Gel Arm Pads with Matching Textile (Pair) | LGVM | 1222 | С | _ |

LIBERTY SIDE CHAIR
Replacement Cushions

LSCB Mesh Backrest \$180 LSCS \$180 Mesh Seat Cushion LSCSM Textile-covered Seat Cushion** **LSDA** Duron Arm Pads (Pair) \$50 LSGA \$80 Duron Gel Arm Pads (Pair) LSDAM Duron Arm Pads with Matching Textile Cover (Pair)* LSGAM 1222 Gel Arm Pads with Matching Textile Cover (Pair)*

^{1 -} Textile Code (pages 35-38) 2 - Cushion Color (pages 35-38) 3 - Frame Color (B, V, L, A, P) 4 - Mesh (M, C, T, A, N) 5 - Arm Pad Color (S, B)

^{*} Available with textile-covered seat only.

^{**} U, E, Z, R, Y not available on textile-covered seat.

[†] All Liberty Replacement and Retrofit Parts are CAL 133-approved.

| TEXTILE 0 | TEXTILE 1 | TEXTILE 2 | TEXTILE 3 | LEATHER 0 | LEATHER 1 | LEATHER 2 | LEATHER 3 | |
|--------------|---------------|---------------|---------------|----------------|----------------|----------------|----------------|--|
| | | | | | | | | |
| \$125 | \$135 | \$160 | \$210 | \$320 | \$555 | \$760 | \$835 | |
| \$200 | \$210 | \$235 | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| | _ | _ | | | | | | |
| \$60 | \$70 | \$90 | \$90 | \$100 | \$120 | \$150 \$100 | \$190 | |
| \$90 \$60 | \$100 \$70 | \$120 \$90 | \$120 \$90 | \$130 \$100 | \$150 \$120 | \$180 \$150 | \$220 \$190 | |
| \$90 | \$100 | \$120 | \$120 | \$100 | \$150 | \$180 | \$220 | |
| ΨΟΟ | \$100 | Ψ120 | Ψ120 | Ψ100 | Ψ100 | Ψ100 | ΨΖΖΟ | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| \$195 | \$205 | \$225 | \$225 | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| | - | | | £100 | <u></u> | ÷150 | <u></u> | |
| \$60 \$90 | \$70 \$100 | \$90 \$120 | \$90 \$120 | \$100 \$130 | \$120 \$150 | \$150 \$180 | \$190 \$220 | |
| ΦЭU | ΦΙΟΟ | ΦΙΖΟ | ΦΙΖΟ | Φ13U | Φ10U | ΦΙΟυ | ΦZZU | |

Liberty® Options & Prices

RETROFIT PARTS

| LIBERTY CONFERENCE/TASK | Fixed Duron Arms (Pair) | LKFD | 35 | \$120 |
|-------------------------|---|--------|---------|-------|
| Retrofit Armrest Kits | Fixed Duron Gel Arms (Pair) | LKFG | 3 | \$150 |
| | Height-Adjustable Duron Arms (Pair) | LKD | 35 | \$165 |
| | Height-Adjustable Duron Gel Arms (Pair) | LKA | 3 | \$200 |
| | Fixed Duron Arms with Matching Textile (Pair) | LKFDM | 31222 C | _ |
| | Fixed Gel Arms with Matching Textile (Pair) | LKFGM | 31222 C | _ |
| | Height-Adjustable Duron Arms with Matching Textile (Pair) | LKDM | 31222 C | _ |
| | Height-Adjustable Gel Arms with Matching Textile (Pair) | LKAM | 31222 C | _ |
| | | | | |
| LIBERTY SIDE CHAIR | Fixed Duron Arms (Pair) | LSKFD | 35 | \$110 |
| Retrofit Armrest Kits | Fixed Duron Gel Arms (Pair) | LSKFX | 3 | \$140 |
| | Fixed Duron Arms with Matching Textile Cover (Pair)* | LSKFDM | 31222 | _ |
| | Fixed Gel Arms with Matching Textile Cover (Pair)* | LSKFGM | 31222 | _ |


^{1 –} Textile Code 2 – Cushion Color 3 – Frame Color (B,V,L,A,P) 4 – Mesh (M,C,T, A, N) 5 – Arm Pad Color (S,B)


^{*} Available with textile-covered seat only.

[†] All Liberty Replacement and Retrofit Parts are CAL 133-approved.

| TEXTILE 0 | TEXTILE 1 | TEXTILE 2 | TEXTILE 3 | LEATHER 0 | LEATHER 1 | LEATHER 2 | LEATHER 3 | |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--|
| | | | | | | | | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| \$130 | \$140 | \$160 | \$160 | \$170 | \$190 | \$220 | \$260 | |
| \$160 | \$170 | \$190 | \$190 | \$200 | \$220 | \$250 | \$290 | |
| \$180 | \$190 | \$210 | \$210 | \$220 | \$240 | \$270 | \$310 | |
| \$210 | \$220 | \$240 | \$240 | \$250 | \$270 | \$300 | \$340 | |
| | | | | | | | | |
| | | | | | | | | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| _ | _ | _ | _ | _ | _ | _ | _ | |
| \$120 | \$130 | \$150 | \$150 | \$160 | \$180 | \$210 | \$250 | |
| \$150 | \$160 | \$180 | \$180 | \$190 | \$210 | \$240 | \$280 | |
| | | | | | | | | |

Liberty° Specifications





| CODE | DESCRIPTION | MEASUREMENT |
|------|---|--|
| а | seat depth (from face of lumbar to front of seat) | 16.5" – 18.75" |
| b | seat height (from floor to compressed front center of seat cushion) | 16" – 21" standard chair 15.25" – 19" low chair 17" – 22.25" tall chair 20.5" – 28.5" high chair with foot ring |
| С | seat width | 21" |
| d | backrest height (from seat cushion to top of backrest) | 22.5" |
| е | backrest width | 20" |
| f | armrest height (from compressed seat cushion to top of armrest) | 10" fixed 6.5" – 11.5" adjustable |
| g | armrest length (from face of lumbar to front of armrest) | 12.25" |
| h | distance between armrests | 19" |
| i | height | 38.5" – 43.5" standard chair 37.75" – 41.5" low-cylinder chair 39.5" – 44.75" tall-cylinder chair 43" – 51" high chair with foot ring |
| j | base diameter | 25" |
| k | chair width | 26.5" |

SCOPE OF USERS

- Conference/Task chair fits more than 95% of the office population
 - $5^{\prime}0^{\prime\prime}$ Woman to $6^{\prime}4^{\prime\prime}$ Man
 - 100 to 300 lbs.
- Users outside the standard range can be accommodated by Low or Tall Cylinder


WEIGHT

- 27 lbs. Conference/Task chair TILT AND RECLINE
- 17° recline plus 7° backrest tilt Conference/Task chair


REFERENCE ANGLE BETWEEN SEAT AND BACK

• 100° to 124° Conference/Task chair

Liberty® Specifications



| DESCRIPTION | MEASUREMENT |
|---|---|
| seat depth (from face of lumbar to front of seat) | 17.5" |
| seat height (from floor to compressed front center of seat cushion) | 18" |
| seat width | 20.75" |
| backrest height (from seat cushion to top of backrest) | 18.5" |
| backrest width | 19.75" |
| armrest height (from compressed seat cushion to top of armrest) | 9.5" |
| armrest length (from face of lumbar to front of armrest) | 12" |
| distance between armrests | 19.25" |
| height | 35.5" |
| base diameter | N/A |
| chair width | 24.75" |
| | seat depth (from face of lumbar to front of seat) seat height (from floor to compressed front center of seat cushion) seat width backrest height (from seat cushion to top of backrest) backrest width armrest height (from compressed seat cushion to top of armrest) armrest length (from face of lumbar to front of armrest) distance between armrests height base diameter |



SCOPE OF USERS

Side chair fits more than
 95% of the office population

– 5'0" Woman to 6'4" Man

- 100 to 300 lbs.

WEIGHT

• 15 lbs. Side chair

Liberty® Build Your Product Code

| Line | Style | Mech | Armrests | Frame Color | Backrest Mesh Style | Backrest Mesh Color | Seat Mesh/ Textile Style | Seat Mesh/ Textile Color | Gel Seat | Cylinder | Casters/ Glides | Fire- Proofing | Base Caps | Shipping |
|------|-------|------|----------|----------------|---------------------------|---------------------------|-----------------------------------|-----------------------------------|-------------|----------------|--------------------|-------------------|--------------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| _ | _ | _ | _ | _ | _ | | _ | | For S | ide Chair code | s, skip compo | nents 10 throu | igh 15 | _ |

| COMPONENT | CODE | DESCRIPTION | |
|--------------|-------------|---|--|
| LINE | L | Liberty | |
| STYLE | 1 | Conference/Task chair | |
| 9 01122 | 4 | Side chair | |
| MECHANISM | 0 | Side chair | |
| | 1 | Conference/Task chair | |
| ARMRESTS | 0 | Armless | |
| ArtiviriLoro | 1 | Adjustable Duron Arms* | |
| | 2 | Adjustable Duron Arms with Matching Textile* | |
| | 6 | Fixed Duron Arms | |
| | 7 | Fixed Duron Arms with Matching Textile [†] | |
| | X | Fixed Duron Gel Arms | |
| | M | Fixed Gel Arms with Matching Textile [†] | |
| | D | Adjustable Duron Gel Arms* | |
| | С | Adjustable Gel Arms with Matching Textile* | |
| FRAME | В | Black with Black Trim | Note: Frame Color refers to all |
| COLOR | \vee | Silver with Silver Trim | metal parts (back support, arm |
| | L | Silver with Black Trim | supports), Trim Color refers to all |
| | Α | Polished Aluminum with Black Trim and Polished Base Caps (see pricing below) | plastic parts (base, backrest frame, |
| | Р | Polished Aluminum with Silver Trim and Polished Base Caps (see pricing below) | seat shell, etc.) |
| | For A or P, | add \$131 for Conference/Task chair, \$87 for Side chair | , |
| BACKREST | М | Monofilament Stripe | |
| MESH STYLE | С | Silver Check | See page 37 and textile samples |
| | Т | Torque [†] | for mesh descriptions and specifications. |
| | А | Dash | <i>ъреспісацин</i> ъ. |
| | Ν | Pinstripe | |

| COM | PONENT | CODE | DESCRIPTION | |
|-----|-----------------------------|------------------|--|---|
| 7 | BACKREST MESH COLOR | | See page 38 and textile samples for mesh color options and codes. | |
| 8 | SEAT MESH/ TEXTILE STYLE | | See pages 35-38 and textile samples for textile codes. | Note: Extended lead times may apply for Liberty Side Chairs with textile-covered seat. Please consult your Humanscale representative. |
| 9 | SEAT MESH/ TEXTILE COLOR | | See pages 35-38 and textile samples for color options and codes. | Note: U, E, Z, R, Y not available on Side chair |
| 10 | GEL SEAT* | — G | Standard Seat Pan Gel Seat (Add \$76) | Available only with V, B, H, S, F, K, G or W textiles |
| 11 | CYLINDER* | L T F R | Standard 5" Low 3.75" (Add \$26) Tall 5" (Add \$37) High 8" w/18" Foot Ring (Add \$110) High 8" w/21" Foot Ring (Add \$152) | Note: Silver Trim chairs ship with Polished Aluminum cylinders. Black Trim chairs ship with Black cylinders |
| 12 | CASTERS/* GLIDES | S G | Standard 3" Casters for carpeted floors Soft Casters Glides (Add \$21) | |
| 13 | FIREPROOFING | _ C | Standard Foams and Plastics CAL 133-Approved Foams and Plastics (Add \$44) | Note: Standard Side Chair is CAL 133-approved |
| 14 | BASE CAPS* | A | Standard Base to Match Trim Color Polished Base Caps with Polished Aluminum Frame Polished Base Caps with Black or Silver Frame (Add \$43) | |
| 15 | SHIPPING | — В | Individually Boxed Blanket Wrapped** | |

^{*} Not available on Side chair

^{**}See Terms and Conditions, page 101, for minimum order requirements

[†] On Side chairs available with textile-covered seat only

Diffrient VVOI C Features & Characteristics

Diffrient World marks Humanscale's first foray into all-mesh task seating. Like its mesh-backed forerunner, Liberty, Diffrient World's tri-panel backrest hugs the body to provide tailor-made lumbar support, while its mesh seat eliminates contact stress under the thighs. But Diffrient World's major innovation is its mechanism-free recline action, which leverages two parts of the chair's frame, the user's body weight, and the laws of physics to provide automatic and balanced support throughout the full range of recline. No chair is more intuitive, creating the ultimate user-friendly sitting experience.



PHYSICAL CHARACTERISTICS

CUSHIONS

- Non-stretch, tri-panel mesh back
- · Non-stretch mesh seat
- Optional upholstered polyurethane foam seat cushion

EXTERNAL FRAME

• Injection-molded, structural, integral color glass-filled Nylon 6

STORED ENERGY DEVICES

• Pneumatic cylinder for adjustable seat height

OPTIONAL FOOT RING

• Chrome-plated steel

STANDARD FEATURES

SELF-ADJUSTING RECLINE

- Mechanism-free counter-balance recline action automatically provides the right amount of support through the full range of recline motion, regardless of user size and weight
- No tension springs to adjust
- No recline locks to set/release
- During recline, the angle between torso and legs opens up for better body function
- User maintains near-constant eye level during recline

PIVOTING BACKREST

- Extra motion of the backrest during recline automatically adjusts to the changing needs of the spine
- Provides additional lumbar support as needed

FORM-SENSING MESH

- Tri-panel, non-stretch mesh construction creates body-fitting contours and selfadjusting lumbar support for a customized fit
- No external lumbar devices to adjust, break or lose.
- · Low-abrasion mesh protects clothing
- Modular for easy replacement and upgrades

NON-STRETCH MESH SEAT

- Automatically sculpts to match body contours
- Cradles the body in flexible, breathable mesh
- Frameless front edge eliminates contact stress under the thighs

STANDARD CYLINDER

 Provides seat height range that accommodates 95% of the population

BODY FIT

- Size adjustable to fit 95% of the population
- Form-sensing mesh provides perfect lumbar support—automatically
- Manual adjustments for fit-to-size:
 - Seat Height: 5" (127mm) adjustment range
- Seat Depth: 3.5" (89mm) adjustment range

CASTERS

• 3" (76mm) standard hard casters

OPTIONAL FEATURES

ARMREST OPTIONS

- Armless
- Fixed armrests
- Height-adjustable armrests with 3.2" (81mm) range of adjustment

ARM PAD OPTIONS

- Flexible Duron
- · Matching textile-covered arm pad

UPHOLSTERED SEAT CUSHION

- Mesh topped with a thin layer of polyurethane foam
- · Upholstered in a variety of textile options

CYLINDER OPTIONS

- · Low cylinder for small users
- Tall cylinder for very tall users
- High cylinder with foot ring

FIREPROOFING

CAL 133-approved

CASTER OPTIONS

- Non-rolling glides for fixed location use
- Optional soft casters for hard floors

FOOT RING

- Chrome finish
- Height-adjustable



CONFERENCE / TASK CHAIR

| Armless | W10 |
|---|-----|
| Fixed Duron Arms | W16 |
| Fixed Duron Arms with Matching Textile Cover* | W17 |
| Height-Adjustable Duron Arms | W11 |
| Height-Adjustable Duron Arms with Matching Textile Cover* | W12 |

REPLACEMENT PARTS

| Replacement Cushions | Mesh Backrest | DWCB | 3422 |
|----------------------|--|-------|-------|
| | Mesh Seat Cushion | DWCS | 3422 |
| | Textile-Covered Seat Cushion | DWCSM | 31222 |
| | Fixed Duron Arm Pads (Pair) | DWFD | 35 |
| | Fixed Duron Arm Pads with Matching Textile Cover (Pair)* | DWFDM | 1222 |
| | Height-Adjustable Duron Arm Pads (Pair) | DWAD | 35 |
| | Height-Adjustable Duron Arm Pads with Matching Textile Cover (Pair)* | DWADM | 1222 |

RETROFIT PARTS

| Retrofit Armrest Kits | Fixed Duron Arms (Pair) | DWKFD | 35 |
|-----------------------|--|--------|-------|
| | Fixed Duron Arms with Matching Textile Cover (Pair)* | DWKFDM | 31222 |
| | Height-Adjustable Duron Arms (Pair) | DWKAD | 35 |
| | Height-Adjustable Duron Arms with Matching Textile Cover (Pair)* | DWKADM | 31222 |


^{1 -} Textile Code (pages 35-38) 2 - Cushion Color (pages 35-38) 3 - Frame Color (B, W, V) 4 - Mesh (M, C, T, A, N) 5 - Arm Pad Color (S, B)


^{*} Available with textile-covered seat only

[†] All World Chair Replacement and Retrofit Parts are CAL 133-approved

| MESH | TEXTILE C | TEXTILE 1 | TEXTILE 2 | TEXTILE : | 3 |
|-------|--------------|--------------|-----------|-------------|---|
| ¢700 | # 000 | \$000 | 0000 | CO40 | |
| \$790 | \$820 | \$860 | \$900 | \$940 | |
| \$870 | \$900 | \$940 | \$980 | \$1,020 | |
| - | \$925 | \$965 | \$1,005 | \$1,045 | |
| \$960 | \$990 | \$1,030 | \$1,070 | \$1,110 | |
| - | \$1,015 | \$1,055 | \$1,095 | \$1,135 | |
| | | | | | |
| | | | | | |
| \$147 | _ | _ | _ | _ | |
| \$147 | _ | _ | _ | _ | |
| | | | | | |
| _ | \$190 | \$210 | \$232 | \$253 | |
| \$47 | - | _ | - | _ | |
| - | \$58 | \$68 | \$90 | \$90 | |
| \$47 | - | - | - | - | |
| - | \$58 | \$68 | \$90 | \$90 | |
| | | | | | |
| | | | | | |
| \$95 | _ | _ | _ | _ | |
| _ | \$105 | \$115 | \$137 | \$137 | |
| \$190 | | _ | | | |
| \$190 | _ | | _ | _ | |
| _ | \$200 | \$210 | \$232 | \$232 | |
| | | | | | |
| | | | | | |

SPECIFICATIONS





| CODE | DESCRIPTION | MEASUREMENT |
|------|---|--|
| а | seat depth (from face of lumbar to front of seat) | 16.5" – 20" (419mm – 508mm) |
| b | seat height (from floor to compressed front center of seat cushion) | 16" – 21" (406mm – 533mm) standard chair 15.25" – 19" (387mm – 483mm) low chair 17" – 22.25" (432mm – 565mm) tall chair 20.5" – 28.5" (521mm – 724mm) high cylinder with foot ring |
| С | seat width | 21.1" (536mm) |
| d | backrest height (from seat cushion to top of backrest) | 23" (584mm) |
| е | backrest width | 19" (483mm) |
| f | armrest height (from compressed seat cushion to top of armrest) | 9.75" (248mm) fixed 7.75" – 11" (198mm – 279mm) adjustable |
| g | armrest length (from face of lumbar to front of armrest) | 12.5" (318mm) |
| h | distance between armrests | 19" (483mm) |
| i | height | 36.5" – 41.5" (927mm – 1,054mm) standard chair 35.75" – 39.5" (908mm – 1,003mm) low-cylinder chair 37.5" – 42.75" (953mm – 1,086mm) tall-cylinder chair 41" – 49" (1,041mm – 1,245mm) high cylinder chair with foot ring |
| j | base diameter | 24" (610mm) |
| k | chair width | 26" (660mm) |

SCOPE OF USERS

- Conference/Task chair fits 95% of the office population
- 5'0" (152cm) Woman to 6'4" (193cm) Man
- 100 to 300 lbs. (45.4kg 136kg)
- Users outside the standard height range can be accommodated by Low or Tall Cylinder

WEIGHT


- 27 lbs. (12.2kg) Conference/Task chair
- 25 lbs. (11.3kg) Armless chair

TILT AND RECLINE

• 17° recline plus 8° backrest tilt

REFERENCE ANGLE BETWEEN SEAT AND BACK

• 100° to 125°



| Line | Style | Armrests | Frame Color | Backrest Mesh Style | Backrest Mesh Color | Seat Mesh/Textile Style | Seat Mesh/Textile Color | Cylinder | Casters/ Glides | Base Caps | Shipping |
|------|-------|----------|----------------|---------------------------|---------------------------|-------------------------------|-------------------------------|----------|--------------------|--------------|----------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| _ | _ | _ | _ | _ | _ | | _ | _ | _ | _ | _ |

| COMPONENT | CODE | DESCRIPTION | | | | | |
|---------------|-------------|--|---|--|--|--|--|
| 1 LINE | W | Diffrient World Chair | Note: Diffrient World Chair is CAL 133-approved | | | | |
| 2 STYLE | 1 | Conference/Task Chair | | | | | |
| 3 ARMRESTS | S 0 Armless | | Note: White and Gray frames ship with | | | | |
| | 1 | Adjustable Duron Arms | Gray Duron Arm Pads, Black frame ships | | | | |
| | 2 | Adjustable Duron Arms with Matching Textile* | with Black Duron Arm Pads | | | | |
| | 6 | Fixed Duron Arms | | | | | |
| | 7 | Fixed Duron Arms with Matching Textile* | | | | | |
| 4 FRAME COLOR | В | Black | Note: White frame ships standard with Brushed | | | | |
| 4 THANE COLOR | W | White (Add \$40) | Stainless Steel Caps and translucent casters | | | | |
| | V | Gray | | | | | |
| BACKREST | М | Monofilament Stripe** | See page 37 and textile samples for mesh descriptions | | | | |
| MESH STYLE | C | Silver Check** | | | | | |
| | T | Torque** | | | | | |
| | A | Dash | | | | | |
| | N | Pinstripe | | | | | |

6 BACKREST
MESH COLOF

See page 37 and textile samples for mesh color options and codes

^{*} Available with textile-covered seat only

^{**} M, C, T available on backrest only

| СО | MPONENT | CODE | DESCRIPTION | |
|-------------------------|-------------------------------|------------------|--|--|
| SEAT MESH/TEXTILE STYLE | | | See pages 35-38 and textile samples for mesh color options and codes | Note: Extended lead times may apply for Diffrient World Chair with textile-covered seat. Please consult your Humanscale representative |
| 8 | SEAT MESH/TEXTILE COLOR | | See pages 35-38 and textile samples for color options and codes | Note: U, E, Z, R, Y not availabile on Diffrient World Chair |
| 9 | CYLINDER | — L Т F | Standard 5" Low 3.75" (Add \$26) Tall 5" (Add \$37) High 8" w/18" Foot Ring (Add \$110) | Note: White and Gray frame chairs ship with Chrome cylinders, Black frame chairs ship with Black cylinders |
| 10 | CASTERS/ GLIDES | — S G | Standard Hard Casters Soft Casters (Add \$16) Glides (Add \$21) | |
| 11 | BASE CAPS | — Н | Standard Brushed Stainless Steel Caps on Black or Gray Base (Add \$21) | |
| SHIPPING — B | | <u>—</u> В | Individually Boxed Blanket Wrapped‡ | |

[‡] See Terms and Conditions, page 101, for minimum order requirements

Cinto[™] Features & Characteristics

Appropriate for a wide range of commercial and residential environments, Cinto sets a new standard for ergonomic stackable seating through unique design and manufacturing innovations. Spanish for "belt," Cinto features a floating backrest that is attached to the chair's frame via a flexible belt, allowing it to move with the body to provide recline and automatic lumbar support. Stress-relief cross-slits on Cinto's seat pan flex independently under the sitting bones to evenly distribute body weight and reduce pressure points, while air vents on the backrest and seat pan enable air circulation for cool seated comfort.



PHYSICAL CHARACTERISTICS

SEAT PAN, BACKREST

• Injection-molded polypropylene

ARM PAD

Polyethylene

FRAME

Steel tube

BELT

Elastomer

STANDARD FEATURES

FLEXIBLE BACKREST

- Attached to the chair's frame via a flexible belt, the floating backrest bends and adjusts with the sitter
- Flexibility of backrest creates virtual pivot point for automatic lumbar support
- · No adjustments required

STRESS-RELIEF CROSS-SLITS

 Seat pan cross-slits flex independently under the sitting bones for even weight distribution and reduced pressure points

VENTED SEAT PAN AND BACKREST

• Promotes air circulation and prevents "hot spots"

STACKABILITY

- · Freestanding Cintos stack six chairs high
- Up to 15 chairs can be stacked on the optional Cinto Dolly

BACKREST HANDLE

Provides easy transport

LOW MAINTENANCE

Washable with soap and water

OPTIONAL FEATURES

ARMREST OPTIONS

- Armless
- Fixed arms

FRAME OPTIONS

- Silver
- Black

BASE OPTIONS

- Sled base
- · Four legs on glides
- · Four legs on casters

COLOR OPTIONS

- White with Gray Belt
- Black with Black Belt
- Gray with Gray Belt
- Taupe with Gray Belt
- · Light Gray with Gray Belt
- · Yellow with Gray Belt
- · Green with Gray Belt
- Light Blue with Gray Belt
- Blue with Gray Belt
- · Red with Gray Belt

FIREPROOFING

• CAL 133-approved

SPECIFICATIONS

SCOPE OF USERS

• Weight capacity: 300 lbs.

WEIGHT


- 12 lbs. Armless chair
- 13 lbs. Fixed-Arm chair


CINTO DOLLY EMPTY

- Height 44"
- Depth 41"
- Width 26"

CINTO DOLLY FULLY STACKED WITH 15 CHAIRS

- Height 67"
- Depth 41"
- Width 26"





cinto[™] Options & Prices

| ARMLESS STACKING CHAIR | OPTIONS | CODE | LIST PRICE |
|----------------------------|--|-------------------|-------------------------|
| | Four Legs/Glides Four Legs/Casters Sled Base | C10 C20 C30 | \$225 \$255 \$265 |
| FIXED-ARM STACKING CHAIR | | | |
| | Four Legs/Glides Four Legs/Casters Sled Base | C15 C25 C35 | \$275 \$305 \$315 |
| 5 | Sied Base | 655 | 3510 |
| SEAT PAD | 0 % 10 48 4 | | A 40 |
| | Optional Seat Pad | V | \$42 |
| CINTO DOLLY | | | |
| | Cinto Dolly | CINTODLY | \$240 |
| REPLACEMENT/RETROFIT PARTS | OPTIONS | CODE | LIST PRICE |
| | Seat Pan | CRS 11 | \$52 |
| | Seat Pan, CAL 133-Approved | CRS 11 C | \$62 |
| | Seat Pad | CRP 4555 | \$42 |
| | Casters (Black, Set of 4) | CRCAST | \$31 |
| | Glides (Set of 4) | CRGLIDE 2 | \$11 |
| | Arm Sleeves (Pair) | CRA 3 | \$27 |
| | Retrofit Armrest Kit (Pair) | CKA 23 | \$80 |

¹⁻ Backrest, Seatpan Color; 2 - Frame Color (S-Silver, B-Black); 3 - Trim Color (G-Gray, B-Black); 4 - Upgrades (Standard Plastics, C-Fireproofing/Cal 133 Approved)

cinto Build Your Product Code

| Line | Style | Armrests | Frame Color | Backrest, Seat Pan Color | Optional Seat Pad | Fire-proofing |
|------|-------|----------|----------------|-----------------------------|----------------------|---------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| _ | _ | _ | _ | —— | _ | _ |

| CON | MPONENT | CODE | DESCRIPTION | |
|-----|-------------------|--------|--|--|
| 1 | 1 LINE | | Cinto (Base price \$225) | |
| 2 | STYLE | 1 2 | Four Legs, Glides Four Legs, Casters (Add \$30) | |
| | | 3 | Sled Base (Add \$40) | |
| 3 | ARMRESTS | 0 | Armless | |
| | | 5 | Fixed Arms (Add \$50) | |
| 4 | FRAME COLOR | S | Silver | |
| | | В | Black | |
| 5 | BACKREST, | 01 | White | Note: Belt is Black on Black chairs, Gray on all other colors. |
| | SEAT PAN COLOR | 10 | Black | |
| | | 15 | Gray | |
| | | 17 | Taupe | |
| | | 18 | Light Gray | |
| | | 33 | Yellow | |
| | | 41 | Green | |
| | | 52 | Light Blue | |
| | | 53 | Blue | |
| | | 72 | Red | |
| | OPTIONAL SEAT PAD | | No seat pad | |
| 6 | | V101 | Vellum Black (Add \$42) | |
| | | V102 | Vellum Graphite (Add \$42) | |
| | | V414 | Vellum Greenwood (Add \$42) | |
| | | V713 | Vellum Pomegranate (Add \$42) | |
| 7 | FIREPROOFING | _ | Standard Plastics | |
| | | С | CAL 133-Approved (Add \$21) | |

Textiles

TEXTILE

The cushions on all Humanscale chairs utilize advanced technology developed primarily for the sportswear and sporting goods industries. In a single step, a high-tech molding process combines the textile, foam or Technogel®, and plastic support shell into a single, modular unit which can be attached to our seating with four screws. Because of this advanced process, the textiles used on the cushions are as unique as the rest of the chair, and satisfy requirements more demanding than typical upholstery textiles.

WAVE

| Textile Code: W | Textile Grade: 1 |
|-------------------------|------------------------|
| Developed initially for | or sportswear, Wave |
| responds to the uniq | ue form and produc- |
| tion requirements of | Humanscale seating. |
| This four-way stretch | n fabric exceeds all |
| contract interior test | ing requirements for |
| heavy-duty upholste | ry. The colors of Wave |
| are taken from the p | henomenal hues |
| found in nature. | |

Colors:

| 101 | Black |
|-----|-------------|
| 102 | Graphite |
| 104 | Smoke |
| 201 | Dark Brown |
| 213 | Rattan |
| 402 | Loden |
| 415 | Sage |
| 502 | Blue |
| 507 | Navy |
| 601 | Ultraviolet |
| 714 | Poppy |
| 803 | Cayenne |

VELLUM

| Textile Code: V | Textile Grade: 1 |
|-----------------------|-------------------------------|
| Constructed of a sin | mple weave using a blend |
| of nylon, Cordura a | nd elastic yarn, this textile |
| offers a pleasing te | xture and extreme durabil- |
| ity. Because of the | Cordura content, this four- |
| way stretch woven | textile performs to the |
| rigors of the most of | demanding environments. |
| The color palette in | cludes brights, classics, |
| and neutrals. | |

Colors:

| 101 | Black |
|-----|------------|
| 102 | Graphite |
| 106 | Ash |
| 114 | Light Gray |
| 202 | Seal |
| 211 | Beech |
| 212 | Mahogany |
| 404 | Moss |
| 407 | Grass |
| 414 | Greenwood |
| 507 | Navy |
| 607 | Periwinkle |
| | |

Pomegranate

SQUIGGLE

| Textile Codes: | Textile Grade: 0 |
|------------------------|-------------------------|
| Vertical: S | |
| Horizontal: G | |
| Composed of 100% | recycled polyester, |
| Squiggle offers an in | novative weave |
| structure to create a | modern organic wave |
| pattern resembling ri | pples of water. This |
| environmentally sour | nd textile may be |
| applied either horizor | ntally or vertically to |
| Humanscale seating. | |
| | |

Colors:

| COIO | 15. |
|------|-----------|
| 106 | Ash |
| 208 | Chocolate |
| 262 | Sand |
| 275 | Espresso |
| 507 | Navar |

GINKGO

| Textile Code: F | Textile Grade: 2 |
|------------------------|-------------------------|
| Composed of 90% V | Vool, Ginkgo offers a |
| pleasing texture and | durability. Its subtle |
| and elegant pattern r | nakes this textile |
| appropriate for a vari | ety of environments. |
| Ginkgo comes in vibr | rant and saturated |
| colors, expanding the | e scope of Humanscale's |
| upholstery line. | |

Colors:

| 001010 | ·· |
|--------|----------------|
| 101 | Black |
| 197 | Charcoal |
| 281 | Walnut |
| 315 | Wheat |
| 463 | Green |
| 507 | Navy |
| 556 | Storm |
| 568 | Horizon |
| 816 | Harvest Orange |
| | |

SENSUEDE

| Textile Code: D | Textile Grade: 3 |
|---------------------------------|---------------------|
| Offering style and performance, | |
| Sensuede was develo | ped to be the best |
| and most luxurious er | gineered suede |
| available. The silky fee | el is the result of |
| recycled microfibers t | hat are breath- |
| able, extra-strong, and | resistant to most |
| stains and wrinkles. | |

Colors: 111 E 115 P

| 208 | Chocolate |
|-----|-----------|
| 305 | Goldenrod |
| 406 | Olive |
| 411 | Pear |
| 413 | Arbor |
| 512 | Denim |
| 517 | Persian |
| 709 | Pampas |

712

Ebony

Pewter

Oxblood

BRIDGET STRIPE

Textile Codes: Textile Grade: 2

Vertical: B

Horizontal: H

Composed primarily of renewable merino wool, Bridget Stripe offers a five-color 50-stripe pattern with shifting color sequence that creates an undisrupted movement across the surface of the fabric. Boasting exceptional durability for a wool textile, Bridget Stripe may be applied either horizontally or vertically to Humanscale seating.

Colors:

104 Smoke 266 Kohl

PROMESSA

Textile Code: E Textile Grade: 3
This Ultraleather textile from Ultrafabrics is environmentally friendly, wipeable and antimicrobial, and ideally suited to healthcare, hospitality and industrial applications. Made without PVC, Promessa has a pebbled, highly textured finish that will work beautifully in a wide variety of environments.

Colors:

111 Ebony 158 Shale 215 Horsehair 219 Fields 224 Cashmere 245 Bronze 255 Leather 518 Atlantic

LOTUS

Textile Code: K Textile Grade: 1
Water repellent and easy to clean, Lotus is an ideal textile for the healthcare and hospitality environments. Its polyurethane finish with nylon backing boasts a soft texture that is pleasant to the touch while offering exceptional durability.

Colors

Black 101 White 128 158 Shale 182 Hematite 2C4 Umber 281 Walnut 302 Ochre 459 Verdant 507 Navy 603 Plum 608 Crocus 624 Eggplant 757 Earth Red

Lucky Red



Textiles

SPINNEYBECK LEATHER

VICENZA

| Textile Code: Z | Leather Grade: 0 | |
|---|-------------------------|--|
| A lightly corrected, aniline-dyed leather | | |
| produced from Europe | an hides, Vicenza | |
| receives a special retain | nnage which enriches | |
| the leather and tighten | s the grain. A | |
| breathable protective f | inish offers durability | |
| and comfort. | | |

Colors:

| 101 | Black |
|-----|------------|
| 201 | Dark Brown |
| 214 | Saddle |
| 506 | Night Blue |

Colors:

Black

Carbon Platinum

Green

Atlantic

Amber

Alloy

Topaz

10

11

14 41

51

81

12

32

Colors:

These translucent textiles were created to provide optimal ergonomic support and comfort by melding strength, f exibility and resiliency. They surpass the performance criteria for contract seating textiles and meet a variety of environmental standards in both the United States and Europe, while remaining gentle on clothing.

MONOFILAMENT STRIPE

| Mesh Code: M |
|---|
| Using only monofilament yarns that are thin |
| and strong, a simple but classic stripe pattern |
| is achieved through weave structure and yarn |
| placement. This pattern has slight elasticity |
| but terrific memory. |

SILVER CHECK Mesh Code: C

| Wicoli Code. C |
|--|
| This unique translucent pattern is achieved |
| using monofilament and a silver-plated yarn |
| spun with polyester at its core. More than |
| simply an aesthetic choice, the silver-plated |
| yarn gives the textile flexibility and strength. |

PINSTRIPE

Mesh Code: N

Designed specifically to work with the Diffrient World Chair, this lightweight fabric provides the strength and support of a much heavier mesh by using two different monofilament stretch yarns to provide proper support.

CERVO

| Textile Code: R | Leather Grade: 3 | Co |
|------------------------|-----------------------------|-----|
| Cervo is thicker than | the other leathers in our | 1A6 |
| collection. Specialize | ed milling adds additional | 2F0 |
| character providing a | a soft pebble grain texture | 2E8 |
| unmatched by any o | ther leather in its class. | 2E9 |

ACQUA

| Textile Code: Y | Leather Grade: 1 |
|---------------------------|------------------------------|
| Acqua's combination | of a special retannage and |
| technically-advanced | finishing process results in |
| a leather that is not or | nly water-resistant but also |
| practical for application | ns that require a durable |
| finish | |

| Colo | rs: |
|------|----------------|
| 1A6 | Pietra Lentina |
| 1A7 | Sasso Nero |
| 2F0 | Mantefalcone |
| 2E8 | Aveto |
| 2E9 | Metaponto |
| 470 | Campigna |

| Colors | S: |
|--------|-------------------|
| 1C0 | Leviathan |
| 1C1 | Black Sea |
| 1A9 | Aquitania |
| 2F1 | Tahiti |
| 2F2 | Mississippi Delta |
| 2F3 | Sea Wolf |
| 471 | Flying Dutchman |
| 573 | Cote d' Azur |
| 763 | Yardarm |

TORQUE

| Т |
|---|
| |

This proven weave construction gives the look of a solid yet translucent textile. Originally developed as a protective layer for motorcycle riders, Torque is woven with nylon, polyester and urethane yarns. It is both unique and durable.

Colors:

| 0010101 | |
|---------|----------|
| 10 | Black |
| 13 | Aluminum |
| 31 | Soleil |
| 61 | Lagoon |
| | |

DASH

Mesh Code: A

Designed to resemble embroidery floss, Dash is stronger, more responsive, lighter weight and uses less material than most mesh textiles. It gives the user support, comfort and ease of movement, while meeting Humanscale's seating requirements.

Colors:

| 14 | Platinur |
|----|----------|
| 19 | 7inc |

Colors:

| 01 | White | 34 | Cadmium Yellow |
|-----|----------|----|----------------|
| 02 | Silver | 43 | Citron* |
| 03 | Graphite | 74 | Crimson* |
| 4.0 | BI I | | |

^{*} Available Q1 2013

TEXTILE PURCHASE PROGRAM

All Humanscale textiles (with the exception of Leather, Sensuede, Promessa and Spirit Millennium) are available for purchase by the linear yard. The prices below are net (standard discounts do not apply). A \$20 cut charge will apply to each order. Please see your Humanscale representative for more information.

Wave \$35/yd (61" width) Monofilament Stripe \$60/yd (50" width) Vellum \$45/vd (50" width) Silver Check \$70/yd (53" width) Torque \$70/yd (57" width) Sauiaale \$25/vd (54" width) Bridget Stripe \$55/yd (55" width) Lotus \$36/yd (54" width) Ginkgo \$75/yd (51" width)

CUSTOM COLORS

Textiles:

Most Humanscale textiles are available in any customer-specified color. Delivery time frames for custom color orders will depend on color approval. A surcharge of \$200 will apply to custom color orders of 100 or more chairs, and a surcharge of \$350 will apply to custom color orders of less than 100 chairs. The following minimums are required for custom textile colors.

Vellum:

50-chair minimum (Freedom), 100-chair minimum (Liberty & Diffrient World)

Wave

175-chair minimum (Freedom), 350-chair minimum (Liberty & Diffrient World) Torque:

110-chair minimum

Lotus:

200-chair minimum (Freedom), 400-chair minimum (Liberty & Diffrient World)

Ginkgo:

240-chair minimum (Freedom), 480-chair minimum (Liberty & Diffrient World)

Non-Stocked Colors:

Vicenza, Acqua and Cervo leathers, Sensuede, Spirit Millennium, and Promessa can be ordered in a ny color standard to these textile lines, even if it isn't stocked by Humanscale. Ordering any non-stocked color may impact the lead time for delivery. The list price upcharge for these non-stocked colors is as follows:

Sensuede, Spirit Millennium, Promessa:

\$30 per chair (Freedom), \$20 per chair (Liberty & Diffrient World)

Vicenza, Acqua, Cervo:

\$30 per chair (Freedom), \$20 per chair (Liberty)

Vicenza, Acqua, Cervo:

2-chair minimum (Freedom), 4-chair minimum (Liberty)

Civilization advances by the number of important operations which we can perform without thinking about them.

—Alfred North Whitehead



Build Your Element Light Product Code


Element Light

To create the product code for your Element Light, simply choose your preferred style, plug, mount and color, and combine the respective codes for each.


Element Light Product Code:

| Style | Plug | Mount | Color |
|-------|------|-------|-------|
| 1 | 2 | 3 | 4 |
| | | | |







EL \$405 Element Classic: 5-Watt MCX LED Light




E N/C
North America




ED \$449 Element 790: 5-Watt Hi-Output MCX LED with Dimmer



U Add \$4 Universal (4 interchangeable plugs)



EV \$499 Element Vision: 7-Watt Hi-Output MCX LED with Dimmer and Occupancy Sensor



EC \$499 Element Disc: 7-Watt Thin Film LED Technology™ with Dimmer and Occupancy Sensor





C N/C

Clamp

For grommet or edge mount. Fits surfaces up to 2" thick and grommet holes 2" or more in diameter.



G Add \$10

Clamp with Grommet Cover

For grommet holes 2" - 3.25" in diameter.



K Add \$15

2-Piece Clamp

Requires minimum 1/4" clearance between desk and wall or panel.



Add \$35

2-Piece Clamp with Theft Deterrent

т

S

Requires minimum 1/4" clearance between desk and wall or panel. By Special Order.



Panel Mount Add \$25

PC Allsteel Concensys

P2 Allsteel Terrace 2.6 & 3.4, Align

PH Haworth Places, Unigroup

PM Haworth Premise

PA Herman Miller Action Office

PR Herman Miller Resolve

P9 Steelcase 9000

PB Teknion Boulevard

PI Teknion IE

PL Teknion Leverage, Transit Not compatible with corner mount applications. For other panel systems, see your Humanscale representative.



U Add \$25

Universal Panel Mount

Adjusts to fit most panels that use vertical <u>slotted</u> rails for mounting accessories. Not compatible with corner applications.



W N/C

Wall

Screws into vertical surface.



B Add \$50 Element Desktop Base

8" diameter



N/C

Universal Slatwall

Adjusts to fit most standard slatwalls.



A N/C
Humanscale Access Rail

NM N/C

No Mount



D N/C Direct

DirectScrews into horizontal surface.



R Add \$25

Direct with Theft Deterrent

Screws into horizontal surface.
By Special Order.

Note: All Silver lights ship with Silver mounts.

All Black lights ship with Black mounts.

All White lights ship with Silver mounts, except Desktop Base (B),

Two-Piece Clamp (K), Two-Piece Clamp with Theft Deterrent (T),

Direct (D), and Direct with Theft Deterrent (R), which ship White.



S Silver W White B Black ONLY available with ED & EV styles

Element Light Replacement Parts (if purchased separately)

ELEMENT LIGHT MOUNTS

| Universal Plug Set | ELPLUGU | \$50 |
|---------------------------------|---|------|
| North American Plug Set | ELPLUGE | \$35 |
| For use with Clamp Mount C | | |
| Grommet Cover | DLGC (black) | \$10 |
| | (1): Panel System Code, (2): Color (B or S) | |
| Panel Mount | DL 1 1 2 | \$60 |
| | ELUW (white) | |
| Universal Panel Mount | DLUS (silver), DLUB (black) | \$60 |
| Wall | DLWS (silver) | \$35 |
| Universal Slatwall | DLSS (silver) | \$35 |
| Theft Deterrent | ELRW (white) | |
| Direct with | ELRS (silver), ELRB (black) | \$60 |
| | DLDB (black) | |
| Direct | DLDS (silver), ELDW (white) | \$35 |
| Theft Deterrent | ELTW (white) | |
| 2-Piece Clamp with | ELTS (silver), ELTB (black) | \$75 |
| 2-1 lece Glamp For eage mount | DLKB (black) | ΨΟ |
| 2-Piece Clamp For edge mount | DLKS (silver), ELKW (white) | \$50 |
| Clamp For grommet or edge mount | DLCS (silver), DLCB (black) | \$35 |
| Access Rail | DLAS (silver), DLAB (black) | \$35 |
| · | ELBB (black) | |
| Element Desktop Base | ELBS (silver), ELBW (white) | \$85 |

Build Your Horizon Product Code

Horizon Light


To create the product code for your Horizon Light, simply choose your preferred style, plug, mount and color, and combine the respective codes for each.

Horizon Light Product Code:





with Dimmer, Base Style





Technology can make simple things complicated or complicated things simple – we prefer the latter.

Build Your Artemide Tolomeo Light Product Code


Tolomeo Light

To create the product code for your Tolomeo Light, simply choose your preferred style, mount, color, and lamp and combine the respective codes for each.

Special dealer discounting for Tolomeo product line. Consult your Humanscale rep.




-TOLOMEO LED LIGHT (TL SERIES)—



TLC \$435 10-Watt Tolomeo Classic LED Light


TLM \$415 10-Watt Tolomeo Mini LED Light

2 Mount



B Add \$160

Desktop Base for Classic 9" diameter




B Add \$150 Desktop Base for Mini

8" diameter

Tolomeo Light Product Code:



- TOLOMEO CFL LIGHT (TT SERIES)







V Add \$40

For mounting into horizontal surfaces. Requires a hole 0.65" in diameter

Mount, cont.



w Add \$55 Wall Surface

N/C No Mount

S Silver

Tolomeo Light Replacement Parts (if purchased separately)

TOLOMEO LIGHT MOUNTS (TL & TT SERIES)

| Desktop Base for Classic, 9" | TABCS (silver) | \$220 |
|------------------------------|----------------|-------|
| Desktop Base for Mini, 8" | TABMS (silver) | \$210 |
| Clamp | TACS (silver) | \$115 |
| In-Set Pivot | TAVS (silver) | \$100 |
| Wall | TAWS (silver) | \$115 |

TOLOMEO CFL LIGHT ACCESSORIES (TT SERIES)

| Lamp 18W, 3500K | DLCFL1 | \$8 |
|--------------------------------|--------|------|
| Lamp 23W, 3500K | DLCFL2 | \$8 |
| Lamp 13W, 3500K | DLCFL3 | \$8 |
| Lamp 9W, 3500K | DLCFL4 | \$8 |
| Lamp 18W, 2700K | DLCFL6 | \$8 |
| Lamp 18W, 5500K, Full spectrum | DLCFL7 | \$30 |
| | | |

Lamp

TOLOMEO 10-WATT LED LIGHT INCLUDED (TL SERIES)

Standard LED N/C

| | (TT SERIES) | |
|---|---------------------------|----------|
| 1 | 18W, 3500K (standard) | Add \$5 |
| 2 | 23W, 3500K | Add \$5 |
| 3 | 13W, 3500K | Add \$5 |
| 4 | 9W, 3500K | Add \$5 |
| 6 | 18W, 2700K | Add \$5 |
| 7 | 18W, 5500K, Full Spectrum | Add \$20 |
| 0 | No Bulb | N/C |

TOLOMEO CFL LIGHT—

Build Your Diffrient Light Product Code

Diffrient Task Light II and Work Light II

To create the product code for your Diffrient Light, simply choose your preferred style, mount, color and lamp, and combine the respective codes for each.



Style


DIFFRIENT TASK LIGHT II (DA SERIES) ———

Compatible with GU24 2-pin compact fluorescent bulbs.



DA1E \$290 Single Arm with Task Shade

Mount



DA2E \$322 **Double Arm with Task Shade**



Add \$90

Diffrient Desktop Base 9" diameter



C N/C

Clamp

For grommet or edge mount. Fits surfaces up to 2" thick and grommet holes 2" or more in diameter.

Diffrient Task Light II and Work Light II Product Code:




-DIFFRIENT WORK LIGHT II (DX SERIES)-

E26 socket compatible with screw-in bulbs up to 60W.



DX1E \$290 Single Arm with Work Shade DX1M (for Mexico)



DX2E \$322 **Double Arm with Work Shade** DX2M (for Mexico)



Add \$10

Clamp with Grommet Cover For grommet holes 2" - 3.25" in diameter.



N/C **Humanscale Access Rail**

Mount, cont.



Panel Mount Add \$25

PC Allsteel Concensys

P2 Allsteel Terrace 2.6 & 3.4, Align

PH Haworth Places, Unigroup

PM Haworth Premise

PA Herman Miller Action Office

PR Herman Miller Resolve

P9 Steelcase 9000

PB Teknion Boulevard

Teknion IE

PL Teknion Leverage, Transit Not compatible with corner mount applications. For other panel systems, see your Humanscale representative.



Add \$25

Universal Panel Mount

Adjusts to fit most panels that use vertical slotted rails for mounting accessories. Not compatible with corner applications.



S N/C **Universal Slatwall**

Adjusts to fit most standard slatwalls.



w N/C

Wall

Screws into vertical surface.



D N/C

Direct

Screws into horizontal surface.



Add \$25

Direct with Theft Deterrent

Screws into horizontal surface. By Special Order.



NM N/C

No Mount

K Add \$15

2-Piece Clamp

Requires minumium 1/4" clearance between desk and wall or panel.



Add \$35 2-Piece Clamp

with Theft Deterrent

Requires minumium 1/4" clearance between desk and wall or panel. By Special Order.



Lamp

DIFFRIENT TASK II LIGHT -

(DA SERIES) Α 18W, 3500K, GU24 base (standard) N/C C 13W, 3500K N/C D 9W, 3500K N/C E 18W, 2700K N/C

Color

S

Silver

В Black

-DIFFRIENT WORK LIGHT II -(DX SERIES)

1 18W, 3500K, E26 socket (standard) N/C 2 23W, 3500K N/C 3 13W, 3500K N/C 4 9W, 3500K N/C 6 18W, 2700K N/C 7 18W, 5500K, Full Spectrum Add \$20 No Bulb Less \$5

Build Your Diffrient Technology Light Product Code

Diffrient Technology Light

To create the product code for your Diffrient Light, simply choose your preferred style, base features, color, lamp, and accessories and combine the respective codes for each.



DIFFRIENT TECHNOLOGY LIGHT (DTECH SERIES)

E26 socket compatible with screw-in bulbs up to 60W



DTECH1E \$429 Single Arm with Work Shade



Double Arm with Work Shade

Diffrient Technology Light Product Code:




—DIFFRIENT TECHNOLOGY LIGHT (DTECHT SERIES) -

By special order, consult your Humanscale rep. Compatible with GU24 2-pin compact fluorescent bulbs.







Double Arm with Task Shade





P N/C
2 Outlets



T Add \$20

2 Outlets with CAT5/6 Data Port

3 Color

S B Silver BI

| | —— DIFFRIENT TECHNOLOGY LIGHT— (DTECH SERIES) | |
|--------|---|------------|
| 1 | 18W, 3500K, E26 socket (standard) | N/C |
| 2 | 23W, 3500K | N/C |
| 3 | 13W, 3500K | N/C |
| 4 | 9W, 3500K | N/C |
| 6 | 18W, 2700K | N/C |
| 7 | 18W, 5500K, Full Spectrum | Add \$20 |
| 0 | No Bulb | Less \$5 |
| | —— DIFFRIENT TECHNOLOGY LIGHT— (DTECHT SERIES) | |
| A C | 18W, 3500K, GU24 base (standard) 13W, 3500K | N/C N/C |
| D | 9W, 3500K | N/C |

| 5 | Accessories For Base "T" ONLY |
|---|-------------------------------|

18W, 2700K

Ε

| _ | No accessories | N/C |
|-----|---------------------------------------|----------|
| C3 | 3' CAT5 User Internet Cord (red) | Add \$5 |
| C10 | 10' CAT5 Supply Internet Cord (black) | Add \$10 |
| CB | Both 3' User Internet Cord and | Add \$15 |
| | 10' Supply Internet Cord | |

Diffrient Light Replacement Parts (if purchased separately)

TASK and Work LIGHT Accessories (DT & DW Series)

| Electronic Ballast | DLBALE (gray) | \$126 |
|-----------------------------|------------------------------------|-------|
| Magnetic Ballast | DLBALM (black) No longer available | |
| Lamp 26W, 3500K, 4-Pin Base | DLBULB | \$22 |

Diffrient Light Replacement Parts, cont. (if purchased separately)

| TASK LIGHT II AND WORK LIGHT Diffrient Desktop Base | II MOUNTS (DA & DX SERIES) DLBS (silver), DLBB (black) \$125 |
|---|---|
| Access Rail | DLAS (silver), DLAB (black) \$35 |
| Clamp For grommet or edge mount | DLCS (silver), DLCB (black) \$35 |
| 2-Piece Clamp For edge mount | DLKS (silver), DLKB (black) \$50 |
| 2-Piece Clamp with Theft Deterren | t ELTS (silver), ELTB (black) \$75 |
| Direct | DLDS (silver), DLDB (black) \$35 |
| Direct with Theft Deterrent | ELRS (silver), ELRB (black) \$60 |
| Universal Slatwall | DLSS (silver), DLSB (black) \$35 |
| Wall | DLWS (silver), DLWB (black) \$35 |
| Universal Panel Mount | DLUS (silver), DLUB (black) \$60 |
| Panel Mount | DL <u>1</u> <u>1</u> <u>2</u> \$60 (1): Panel System Code, (2): Color (B or S) |
| Grommet Cover For use with Clamp Mount C | DLGC (black) \$10 |

WORK LIGHT II AND TECHNOLOGY LIGHT ACCESSORIES (DX & DTECH SERIES)

| Lamp 18W, 3500K, screw-in base | DLCFL1 | \$8 |
|--------------------------------|--------|------|
| Lamp 23W, 3500K, screw-in base | DLCFL2 | \$8 |
| Lamp 13W, 3500K, screw-in base | DLCFL3 | \$8 |
| Lamp 9W, 3500K, screw-in base | DLCFL4 | \$8 |
| Lamp 18W, 2700K, screw-in base | DLCFL6 | \$8 |
| Lamp 18W, 5500K, Full spectrum | DLCFL7 | \$30 |

TASK LIGHT II AND TECHNOLOGY LIGHT ACCESSORIES (DA SERIES & DTECHT SERIES)

| Lamp 18W, 3500K, GU24 base | DLSLIMA | \$8 |
|-----------------------------------|---------|-----|
| Lamp 13W, 3500K, GU24 base | DLSLIMC | \$8 |
| Lamp 9W, 3500K, GU24 base | DLSLIMD | \$8 |
| Lamp 18W, 2700K, GU24 base | DLSLIME | \$8 |


TECHNOLOGY LIGHT ACCESSORIES (DTECH & DTECHT SERIES)

| 3' CAT5 User Internet Cord | CAT5CORD3 | \$5 |
|-------------------------------|------------|------|
| 10' CAT5 Supply Internet Cord | CAT5CORD10 | \$10 |

N/C

Lighting Accessories

Occupancy Sensor Power Strip



OCCSTRIP

\$240

8-outlet power strip with energy-saving personal occupancy sensor

Benefits of Energy-Efficient Task Lighting

Improve Comfort

Different tasks and different users can require significantly different levels of light, and therefore can't be accommodated by single-source overhead lighting schemes.

Task lighting is essential for ergonomic comfort by supplying the right amount of adjustable illumination for each user and task while reducing eyestrain, headaches, monitor glare, and other symptoms caused by poor office lighting.

Save Energy

When task lights are implemented at each workstation in an office, ambient lighting levels can be reduced. And when lower levels of overhead lighting are combined with energy-efficient task lights, the cost-savings can be significant.



SINGLE SourceBright Ambient Lighting



DUAL Source Low Ambient Lighting with Task Lighting



\$419

ZÖN Personal Air Purifier

Pricing Chart



| Code | Description | Price |
|---------------------|--|-------|
| Standard Configurat | ion and 2 VOC filters (6-month supply) | · |
| HZABBS | Black ZÖN Personal Air Purifier, Base Mount | \$339 |
| HZABRS | Red (Metallic) ZŌN Personal Air Purifier, Base Mount | \$339 |
| HZABWS | White ZŌN Personal Air Purifier, Base Mount | \$339 |
| Multipack Value Con | figuration and 4 VOC filters (12-month supply) | |
| HZABBM | Black ZÖN Personal Air Purifier, Base Mount | \$419 |
| HZABRM | Red (Metallic) ZÕN Personal Air Purifier. Base Mount | |

White ZŌN Personal Air Purifier, Base Mount

Replacement Filters

(if purchased separately)

HZABWM

| Code | Description | Price |
|-------|---|-------|
| HZP1 | Particulate Filter | \$60 |
| HZV2 | Double Pack VOC Filters | \$45 |
| HZPAK | Value Pack (2 Particulate, 4 VOC) 12-month supply | \$150 |

Accessories

| Code | Description | Price |
|-------------|--------------------------------------|-------|
| HZCORDNA | ZÕN Power Supply, North America Cord | \$15 |
| HZPREFILTER | ZŌN Personal Prefilter | \$10 |

ZŌN Efficacy


Boasting breeze-free and ozone-free operation, the ZŌN Personal Air Purifier silently and unobtrusively filters out more than 99% of airborne contaminants of all sizes—including dust, smoke, germs, allergens, smog, viruses, and even volatile organic compounds like formaldehyde—for the freshest air possible.



Monitor Arms




M/Flex Common Configurations



\$405

MF2AX*

12" Post, Clamp Mount, Adjustable Bracket for One Monitor, (1) #2 Style Arm (Straight/Dynamic)




12" Post, Clamp Mount, (2) Adjustable Brackets for Two Monitors (2) #2 Style Arms (Straight/Dynamic)



MF2BX*

\$315

12" Post, Clamp Mount, Adjustable Bracket for One Monitor, (1) #3 Style Arm (Straight/Straight)




12" Post, Clamp Mount, (2) Adjustable Brackets for Two Monitors (2) #3 Style Arms (Straight/Straight)

^{*}X Denotes color. Replace with S for silver/gray trim, W for polished aluminum/white trim or B for black/black trim


M/Flex Common Configurations (continued)

\$590




12" Post, Clamp Mount, (3) Adjustable Brackets for Three Monitors (2) #3 Style Arms (Straight/Straight) and Ball Joint Turret


MF2EX*



24" Post, Clamp Mount, 2-Row High Adjustable Brackets for 2 Over 2 Configuration, (4) #3 Style Arms (Straight/Straight)



24" Post, Clamp Mount, 2-Row High Adjustable Brackets for 1 Over 2 Configuration, (3) #3 Style Arms (Straight/Straight)




24" Post, Clamp Mount, 2-Row High Adjustable Brackets for 3 Over 3 Configuration, (4) #3 Style Arms (Straight/Straight), 2 Ball Joint Turrets

^{*}X Denotes color. Replace with S for silver/gray trim, W for polished aluminum/white trim or B for black/black trim

Build Your M/Flex Product Code

To determine the list price for your monitor arm solution, identify your choice for each component and build the product code as shown below. Add the prices for all the options selected.





^{*}For M2/M8 Accessories please refer to page 65 in the price guide.

M/Flex Component Pricing Chart

| COMPONENT | CODE | DESCRIPTION | LIST | PRICE |
|-----------------------|------------|--|------|-------|
| PRODUCT GROUP | MF2 MF8 | M/Flex for M2 Arms M/Flex for M8 Arms | M2 | M8 |
| BRACKET | 1 | Base Bracket for 1 Monitor | \$50 | \$70 |
| Specify # of Brackets | 2 | Brackets for 2 Monitors | 100 | 140 |
| Equals # of Monitors | 3 | Brackets for 3 Monitors | 140 | N/A |
| COLOR | S | Silver with Gray Trim | 0 | 0 |
| | В | Black with Black Trim | 0 | 0 |
| | W | Polished Aluminum with White Trim | 0 | 0 |
| ARM CONFIGURATION | 0 | Ball Joint Turret | 50 | 55 |
| # of Arms must equal | 1 | Fixed Angled Link/Dynamic Link | 225 | 380 |
| the # of Brackets | 2 | Straight Link/Dynamic Link | 225 | 380 |
| For multiple, specify | 3 | Straight Link/Straight Link | 135 | 190 |
| from left to right | 4 | Fixed Angled Link/Straight Link | 145 | 220 |
| | 5 | Single Dynamic Link Only | 180 | 240 |
| | 6 | Single Straight Link Only | 70 | 135 |
| | 7 | Single Fixed Angled Link Only | 70 | 135 |
| | X | No Arm | 0 | 0 |
| MOUNT | С | Clamp Mount | 90 | 90 |
| | В | Bolt-Thru Mount | 50 | 50 |
| | S | Universal Slatwall Mount | N/A | N/A |
| | Н | Hardwall Mount | N/A | N/A |
| | P | c:scape Mount | 100 | 110 |
| | N | No Mount | 0 | 0 |
| | D | Dual Mount - Clamp + Bolt-Through Mount | 115 | 115 |
| | F | Frame One Mount | 110 | 110 |
| POST HEIGHT | 12 | 12" High Post | 40 | 40 |
| | 18 | 18" High Post | 70 | 70 |
| | 24 | 24" High Post (Two 12" High Stackable Posts) | 80 | 80 |
| | 30 | 30" High Post (12" and 18" High Stackable Posts) | 110 | 110 |
| | 36 | 36" High Post (Two 18" High Stackable Posts) | 140 | 140 |
| | N | No Post | 0 | 0 |
| VESA PLATE | - | Standard 100mm x 100mm (also used for 75mm x 75mm) | 0 | 0 |
| | 1 | 100mm x 200mm | 21 | 21 |
| | 2 | 200mm x 200mm | 32 | 32 |
| | 3 | 200mm x 400mm | 52 | 52 |
| | N | Notebook Holder | 150 | 150 |
| POST STOP | P | Only Available on double or triple configurations | 40 | 40 |
| INDIVIDUAL PACKAGING | - | Standard bulk packaging for orders of 3 or more | 0 | 0 |
| | IND | Individual pacakging for all units in an order | 11** | 11* |

^{*} When specifying 2-row high posts, the upper arm must be configured as a separate line item; should have no mount and no post. Example: MF22S33NN, M/Flex for M2, 2 Brackets, silver, Straight/Straight on left, Straight/Straight on right, No Mount, No Post.


^{**} List price per unit

M/Flex Add-On Component Pricing Chart

| | COMPONENT | CODE DESCRIPTION | | LIST PRICE | | |
|---|--|--------------------------------------|--|---|---|--|
| | | | | M2 | M8 | |
| 1 | PRODUCT GROUP | AD2 AD8 | M/Flex Add-Ons for M2 Arms M/Flex Add-Ons for M8 Arms | | | |
| 2 | BRACKET | 2 | Bracket for 2nd Monitor Bracket for 3rd Monitor | \$50 40 | \$70 N/A | |
| 3 | COLOR | S B W | Silver with Gray Trim Black with Black Trim Polished Aluminum with WhiteTrim | 0 0 0 | 0 0 0 | |
| 4 | ARM CONFIGURATION # of Arms must equal the # of Brackets For multiple arms, specify from left to right | 0 1 2 3 4 5 6 7 | Ball Joint Turret Fixed Angled Link/Dynamic Link Straight Link/Dynamic Link Straight Link/Straight Link Fixed Angled Link/Straight Link Single Dynamic Link Only Single Straight Link Only Single Fixed Angled Link Only | 50 225 225 135 145 180 70 | 55 380 380 190 220 240 135 135 | |
| 5 | MOUNT | N | No Mount | 0 | 0 | |
| 6 | POST HEIGHT | N | No Post | 0 | 0 | |


^{*}When adding a 2nd monitor to a single Base Bracket or 3rd monitor to 2 brackets, use prefix AD2 and specify each bracket/arm style separately.

M2/M8 Common Configurations









M8CX-C* \$620 M8 with Clamp Mount and Crossbar

M8BX-C* \$620


M8 with Bolt-Through Mount and Crossbar

^{*}X denotes color. Substitute S for Silver with Gray trim, W for Polished Aluminum with White trim or B for all Black

Build Your M2/M8 Product Code

To determine the list price for your monitor arm solution, identify your choice for each component and build the product code as shown below. Add the prices for all the options selected.





M2/M8 Component Pricing Chart

| COMPONENT | CODE | DESCRIPTION | LIST F | PRICE |
|---|--------------------------------------|--|---|--|
| 1 PRODUCT GROUP | M2 M8*** | M2 Monitor Arm ¹ M8 Monitor Arm ² | M2 | M8*** |
| 2 MOUNT Note: M2 and M8 mounts are not interchangeable | M8*** N C B S H D F | M8 Monitor Arm ² No Mount Two-Piece Clamp Mount with Base Bolt-Through Mount with Base Universal Slatwall Mount Direct Hardwall Mount Dual Mount – Clamp & Bolt-Through Mount Frame One Mount | \$0 85 85 85 85 110 100 | \$0 105 105 105 105 130 |
| 3 COLOR | S W B | Silver with Gray Trim Polished Aluminum with White Trim Black with Black Trim | 0 0 0 | 0 0 0 |
| 4 ARM STYLE | 0 1 2 3 4 5 6 7 | Ball Joint Only Fixed Angled Link/Dynamic Link Fixed Straight Link/Dynamic Link Fixed Straight Link/Fixed Straight Link Fixed Angled Link/Fixed Straight Link Dynamic Link Only Straight Link Only Fixed Angle Link Only | _ 225 225 135 _ _ _ _ _ | 55 380 380 190 220 240 135 |
| 5 END STYLE | S C | Standard Ball Joint only Crossbar for 2 monitors | 0 – | 0 135 |
| 6 VESA PLATE | - 1 2 3 N | Standard 100mm x 100mm (also used for 75mm x 75mm) 100mm x 200mm 200mm x 200mm 200mm x 400mm Notebook Holder | 0 21 32 52 150 | 0 21* 32* 52* 150 |
| 7 INDIVIDUAL PACKAGING | - IND | Standard bulk packaging for orders of 3 or more units Individual Packaging for all units in an order | 0 11 ** | 0 11 ** |

¹ Supports one monitor up to 20 lbs.

² Supports one or two monitors up to a total of 42 lbs.

^{*} If ordered with Crossbar, multiply price by two as two VESA Plates will ship with order

^{**} List price per unit


^{***} Available Q3 2013

M2/M8 Accessories Pricing Chart

| COMPONENT | CODE | DESCRIPTION | LIST PRICE |
|---------------------------------|---|---|---|
| Front-End Adjuster | UFEA-S-M8 ² | Universal Front-End Adjuster for M2 and M8 - Silver | \$130 |
| Mounts ¹ | M2CM-X M8CM-X M8CM-X M8BT-X M8SM-X M8SM-X M8HW-X M8HW-X MFP-S MFP-W MFP-B MFF-S MFF-B MFF-W M2P-S M2P-W M2P-B M2F-S M2P-W M2P-B M2F-S M2F-W M2P-B M2F-S M2F-W M2P-B M3F-S M3F-S M3P-W M3P-S M3P- | M2 Clamp Mount with Base M8 Clamp Mount with Base M2 Bolt-Through Mount with Base M3 Bolt-Through Mount with Base M2 Universal Slatwall Mount M3 Universal Slatwall Mount M4 Direct Hardwall Mount M5 Direct Hardwall Mount M6 Direct Hardwall Mount M7 Direct Hardwall Mount M8 C:Scape Mount, Silver M8 C:Scape Mount, White M9 C:Scape Mount, Myhite M9 C:Scape Mount, White M9 C:Scape Mount, Black M9 Frame One Mount, Black M9 Frame One Mount, White M8 C:Scape Mount, Silver M8 C:Scape Mount, Silver M8 C:Scape Mount, Black M8 Frame One Mount, Silver M8 C:Scape Mount, Black M8 Frame One Mount, Silver | 85 105 85 105 85 105 85 106 100 100 110 110 110 100 100 100 100 |
| M8 Conversion Kits ¹ | M8CB-X M8BJ-X | Crossbar Conversion Kit, converts single M8 to M8 with Crossbar Ball Joint Conversion Kit, coverts M8 with Crossbar to single M8 | 210 65 |
| M8 Handle | M8HA-X | M8 Handle | 80 |
| VESA Plates For M2 and M8 | M2DVP VM28-11 VM28-12 VM28-22 VM28-24 | Drop-Down VESA Plate for M2 or M8 Standard 100mm x 100mm (also used for 75mm x 75mm), with hardware 100mm x 200mm, with hardware 200mm x 200mm, with hardware 200mm x 400mm, with hardware | 21 21 32 42 62 |
| Notebook Holder | M2NHS M2NHW | Notebook Holder in bracket for M2 and M8 - Silver Notebook Holder in bracket for M2 and M8 - White with Polished Aluminum | 150 150 |

¹X denotes color. Substitute S for Silver with Gray trim, W for Polished Aluminum with White trim or B for all Black


M7/M4 Common Configurations



M7C \$365

M7S-C Silver M7B-C Black


B1 Bracket-Mounted Arm, Two M7 Standard 8" Links, Two-Piece Low-Profile Clamp Mount with Slim Post. Accommodates one monitor up to 30 pounds.



M7M \$375

M7S-M Silver M7B-M Black

B1 Bracket-Mounted Arm, Two M7 8" Folding Links, Two-Piece Low-Profile Clamp Mount with Slim Post. Accommodates one monitor up to 30 pounds



M7L \$340

M7S-L Silver M7B-L Black

B1 Bracket-Mounted Arm, Two M7 Standard 8" Links, Bolt-Through Mount with Slim Post. Accommodates one monitor up to 30 pounds.




M7R \$585

M7S-R Silver M7B-R Black

B2 Bracket-Mounted Arms, Two M7 Standard 8" Links for each arm, Two-Piece Heavy Duty Clamp Mount, Non-Adjustable Standard Post. Accommodates two monitors up to 30 pounds each.


M7/M4 Common Configurations (continued)



M7S \$530

M7S-S Silver M7B-S Black


B2 Bracket-Mounted Arms, Two M7 Standard 8" Links for each arm, Bolt-Through Mount with Non-Adjustable Standard Post. Accommodates two monitors up to 30 pounds each.



M4U \$890

M4S-U Silver M4B-U Black

B2 Bracket-Mounted Arms, Two M4 Adjustable Double-Link Arms, Bolt-Through Mount with Non-Adjustable Standard Post. Accommodates two monitors, 5 – 20 pounds each.



M4T \$945

M4S-T Silver M4B-T Black

B2 Bracket Mounted Arms, Two M4 Adjustable Double-Link Arms, Two-Piece Heavy-Duty Clamp Mount with Non-Adjustable Standard Post. Accommodates two monitors, 5 – 20 pounds each.




M4V \$490

M4S-V-PP* Silver M4B-V-PP* Black

N1 No-Post Arm Bracket, M4 Adjustable Double-Link Arm, Panel Mount. Accommodates one monitor, 5-20 pounds.

^{*}Replace "PP" with model-specific systems furniture panel mount; see page 71.


M7/M4 Common Configurations (continued)



M4W \$545

M4S-W Silver M4B-W Black


B1 Bracket-Mounted Arm, M4 Adjustable Double-Link Arm, Two-Piece Low-Profile Clamp Mount with Slim Post. Accommodates one monitor, 5 – 20 pounds.



M4Y \$525

M4S-Y Silver M4B-Y Black


Top-Mounted Arm Bracket, M4 Adjustable Double-Link Arm, Two-Piece Low-Profile Clamp Mount with Slim Post. Accommodates one monitor, 5 – 20 pounds.



M4X \$520

M4S-X Silver M4B-X Black

B1 Bracket-Mounted Arm, M4 Adjustable Double-Link Arm, Bolt-Through Mount with Slim Post. Accommodates one monitor, 5 – 20 pounds.



M4Z \$500

M4S-Z Silver M4B-Z Black

Top-Mounted Arm Bracket, M4 Adjustable Double-Link Arm, Bolt-Through Mount with Slim Post. Accommodates one monitor, 5-20 pounds.

Build Your M7/M4 Product Code

MOUNT STYLE


for Mounts

Choose the desired Mount based

on your mounting surface. There are

two characters in the product code

To determine the list price for your monitor arm solution, identify your choice for each component and build the product code as shown below. Add the prices for all the options selected.



ACCESSORIES

Monitor Arm Accessories are ordered separately from the monitor arm itself. Product codes for Accessories, detailed on page 76, are not included in your monitor arm product code.

M7 Component Pricing Chart

| | COMPONENT CODE DESCRIPTION | | | NO POST BRACKETS | | TOP-MOUNT BRACKET | | POST WITH BRACKET MOUNT | | |
|----|----------------------------|------|--|---------------------|---------------|----------------------|---------------|----------------------------|---------------|---------------|
| 1 | BRACKET STY | LE — | | 1 Monitor | 2 Monitors | 1 Monitor | 2 Monitors | 1 Monitor | 2 Monitors | 3 Monitors |
| | | | | | | | | | | |
| | | | | N1 | N2 | T1 | T2 | B1 | B2 | В3 |
| | | | Base Price: | \$ 60 | \$ 70 | \$ 40 | \$ 70 | \$ 60 | \$ 70 | \$ 80 |
| 2 | COLOR | В | Black | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | S | Silver | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| _ | | Α | Polished Aluminum ¹ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | ARM STYLE | 0 | Ball Joint Only | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| | | 1 | One Standard 8" Link | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| | | 2 | Two Standard 8" Links | 160 | 160 | 160 | 160 | 160 | 160 | 160 |
| | | 3 | One Standard 12" Long Link | 140 | 140 | 140 | 140 | 140 | 140 | 140 |
| | | 4 | Two Standard 12" Long Links | 185 | 185 | 185 | 185 | 185 | 185 | 185 |
| | | 5 | One 12" Long Link/One 8" Standard Link | 175 | 175 | 175 | 175 | 175 | 175 | 175 |
| | | 8 | One 8" Folding Link | 125 | 125 | 125 | 125 | 125 | 125 | 125 |
| | | 9 | Two 8" Folding Links | 170 | 170 | 170 | 170 | 170 | 170 | 170 |
| 3b | ARM STYLE | 0 | Ball Joint Only | _ | 55 | _ | 55 | _ | 55 | 55 |
| | If necessary. | 1 | One Standard 8" Link | _ | 120 | _ | 120 | _ | 120 | 120 |
| | Use with N2, | 2 | Two Standard 8" Links | _ | 160 | _ | 160 | _ | 160 | 160 |
| | B2 or B3 only. | 3 | One Standard 12" Long Link | _ | 140 | _ | 140 | _ | 140 | 140 |
| | | 4 | Two Standard 12" Long Links | _ | 185 | _ | 185 | - | 185 | 185 |
| | | 5 | One 12" Long Link/One 8" Standard Link | _ | 175 | - | 175 | - | 175 | 175 |
| | | 8 | One 8" Folding Link | _ | 125 | - | 125 | - | 125 | 125 |
| | | 9 | Two 8" Folding Links | - | 170 | - | 170 | - | 170 | 170 |
| 3c | ARM STYLE | 0 | Ball Joint Only | _ | _ | _ | _ | _ | _ | _ |
| | If necessary. | 1 | One Standard 8" Link | _ | _ | _ | _ | _ | _ | 120 |
| | Use with B3 only. | 2 | Two Standard 8" Links | _ | _ | _ | _ | _ | _ | 160 |
| | | 3 | One Standard 12" Long Link | _ | _ | _ | _ | _ | _ | 140 |
| | | 4 | Two Standard 12" Long Links | _ | _ | - | _ | - | - | 185 |
| | | 5 | One 12" Long Link/One 8" Standard Link | - | _ | - | _ | - | _ | 175 |
| | | 8 | One 8" Folding Link | - | _ | - | _ | - | _ | 125 |
| _ | | 9 | Two 8" Folding Links | - | - | - | - | - | - | 170 |
| 4 | MOUNT | NM | No Mount, except as noted with Stackable Posts belo | w – | _ | 0 | 0 | 0 | 0 | 0 |
| | STYLE ² | XV | No Mount, with Stackable Post for Vertical Surface | - | _ | 0 | 0 | 0 | 0 | 0 |
| | | XH | No Mount, with Stackable Post for Horizontal Surface | - | - | 0 | 0 | 0 | 0 | 0 |
| | Horizontal — | BT | Bolt-Through Mount | - | - | 45 | 45 | 45 | 45 | 45 |
| | Surfaces | CIM | Two-Piece Heavy-Duty Clamp Mount | - | - | 100 | 100 | 100 | 100 | 100 |
| | | LC | Two-Piece Low Profile Clamp Mount | - | - | 70 | 70 | 70 | 70 | 70 |
| | | DM | Direct Mount | - | - | 45 | 45 | 45 | 45 | 45 |

M7 Component Pricing Chart (Continued)

| Standard Wall Stud Mount, Supports Multiple Monitors: Universal Wall Stud Mount, Single Monitors Only Knuckle Wall Stud Mount Dates Weiser Slatwall EDP Contour Slatwall EDP Slatwall Eurocraft Slatwall Evans Consoles Forecast Slatwall Herman Miller Slatwall Humanscale Access Rail Innovant (CBA) Slatwall Kimball Slatwall LaCour Extrusion (Beam) LaCour Standard Slatwall Novalink Slatwall SBFI Universal Slatwall SBFI Universal Slatwall SBFI/Triax Slatwall TBC Slatwall | \$85 85 45 85 85 85 85 85 85 85 85 85 85 85 85 85 | \$ 85 85 85 85 85 85 85 85 85 85 | \$ 85 85 85 85 85 85 85 85 85 85 85 85 85 8 | \$ 85 85 85 85 85 85 85 85 85 85 | \$ 85 - 85 85 85 85 85 85 85 85 85 85 | \$ 85 85 85 85 85 85 85 85 85 85 85 85 85 8 | \$ 85 - |
|---|---|--|--|---|--|---|---|
| Standard Wall Stud Mount, Supports Multiple Monitors Universal Wall Stud Mount, Single Monitors Only Knuckle Wall Stud Mount Dates Weiser Slatwall EDP Contour Slatwall EDP Slatwall Eurocraft Slatwall Evans Consoles Forecast Slatwall Herman Miller Slatwall Humanscale Access Rail Innovant (CBA) Slatwall Kimball Slatwall LaCour Extrusion (Beam) LaCour Standard Slatwall Novalink Slatwall SBFI Universal Slatwall SBFI Universal Slatwall SBFI/Triax Slatwall | \$85 85 45 85 85 85 85 85 85 85 85 85 85 85 85 85 | \$ 85 85 85 85 85 85 85 85 85 85 85 85 85 85 | \$ 85 | \$ 85 | \$ 85 - 85 85 85 85 85 85 85 85 85 85 | \$ 85 - 85 85 85 85 85 85 85 85 85 85 | \$ 85 - 85 85 85 85 85 85 85 85 85 85 |
| Dates Weiser Slatwall EDP Contour Slatwall EDP Slatwall Eurocraft Slatwall Evans Consoles Forecast Slatwall Herman Miller Slatwall Humanscale Access Rail Innovant (CBA) Slatwall Kimball Slatwall LaCour Extrusion (Beam) LaCour Standard Slatwall Novalink Slatwall SBFI Universal Slatwall SBFI/Triax Slatwall | 85 85 85 85 85 85 85 85 85 85 85 85 85 8 | 85 85 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 |
| EDP Contour Slatwall EDP Slatwall Eurocraft Slatwall Evans Consoles Forecast Slatwall Herman Miller Slatwall Humanscale Access Rail Innovant (CBA) Slatwall Kimball Slatwall LaCour Extrusion (Beam) LaCour Standard Slatwall Novalink Slatwall SBFI Universal Slatwall SBFI/Triax Slatwall | 85 85 85 85 85 85 85 85 85 85 85 85 85 8 | 85 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 85 | 85 85 85 85 85 85 85 85 85 |
| Wall Street Trading Perma Groove Slatwall | 85 85 85 | 85 85 85 | 85 85 85 85 | 85 85 85 85 85 | 85 85 85 85 85 | 85 85 85 85 85 85 | 85 85 85 85 85 85 |
| Wilson Slatwall Woodtronics Slatwall | 85 85 | 85 85 | 85 85 | 85 85 | 85 85 | 85 85 | 85 85 |
| Universal Slatwall, Supports Single Monitors Only: Dates Weiser, Eurocraft, Forecast, Haworth, Innovant (CBA Currents, Knoll Extra, LaCour, SBFI/Triax, Steelcase Details, Teknion Leverage, Teknion Transit, Woodtronics, Wright Lin | TBC, | - | 80 | - | 80 | _ | - |
| Universal Slatwall, Supports Single Monitors Only: Humanscale Access Rail, Kimball, Evans Console | 80 | - | 80 | - | 80 | - | - |
| Universal Slatwall w/Post | _ | - | - | - | 65 | 65 | 65 |
| Universal Slatwall w/No Post | 45 | - | - | _ | - | - | _ |
| Allsteel Concensys Allsteel Terrace 2.6, 3.4 Haworth Places Haworth Premise Haworth Unigroup Herman Miller Action Office Herman Miller Ethospace Herman Miller Resolve Steelcase 9000 | 90 90 90 90 90 90 90 90 90 90 | 90 90 90 90 90 90 90 90 90 | 90 90 90 90 90 90 90 90 90 90 90 | 90 90 90 90 90 90 90 90 90 90 | 90 90 90 90 90 90 90 90 90 90 | 90 90 90 90 90 90 90 90 90 | 90 90 90 90 90 90 90 90 90 90 |
| | Allsteel Terrace 2.6, 3.4 Haworth Places Haworth Premise Haworth Unigroup Herman Miller Action Office Herman Miller Ethospace Herman Miller Resolve Steelcase 9000 Teknion ie Teknion Leverage | Allsteel Concensys 90 Allsteel Terrace 2.6, 3.4 90 Haworth Places 90 Haworth Premise 90 Haworth Unigroup 90 Herman Miller Action Office 90 Herman Miller Ethospace 90 Herman Miller Resolve 90 Steelcase 9000 90 Teknion ie 90 Teknion Leverage 90 | Allsteel Concensys 90 90 Allsteel Terrace 2.6, 3.4 90 90 Haworth Places 90 90 Haworth Premise 90 90 Haworth Unigroup 90 90 Herman Miller Action Office 90 90 Herman Miller Ethospace 90 90 Herman Miller Resolve 90 90 Steelcase 9000 90 Teknion ie 90 90 Teknion Leverage 90 90 | Allsteel Concensys 90 90 90 Allsteel Terrace 2.6, 3.4 90 90 90 Haworth Places 90 90 90 Haworth Premise 90 90 90 Haworth Unigroup 90 90 90 Herman Miller Action Office 90 90 90 Herman Miller Ethospace 90 90 90 Herman Miller Resolve 90 90 90 Steelcase 9000 90 90 Teknion ie 90 90 90 | Allsteel Concensys 90 90 90 90 90 Allsteel Terrace 2.6, 3.4 90 90 90 90 90 90 90 90 90 90 90 90 90 | Allsteel Concensys 90 90 90 90 90 90 Allsteel Terrace 2.6, 3.4 90 90 90 90 90 90 90 90 90 90 90 90 90 | Allsteel Concensys 90 90 90 90 90 90 90 90 Allsteel Terrace 2.6, 3.4 90 90 90 90 90 90 90 90 90 90 90 90 90 |

M7 Component Pricing Chart (Continued)

| | | | N BR | O POST ACKETS | TOF BF | P-MOUNT RACKET | POST WITH BRACKET MOUNT | | VITH MOUNT |
|-----------------------|--|--|-------------------------------|------------------------------------|--|--|---|---|---|
| | | | Monitor | 2 Monitors | Monitor | 2 Monitors | Monitor | 2 Monitors | 3 Monitors |
| 5 POST STYLE | NP 1V 2V TV 1H 2H TH SL | No Post One-Row Stackable Post for Vertical Surfaces Two-Row Stackable Post for Vertical Surfaces Top Row Stackable Post for Vertical Surfaces One-Row Stackable Post for Horizontal Surfaces Two-Row Stackable Post for Horizontal Surfaces Top Row Stackable Post for Horizontal Surfaces Slim (non-adjustable) ⁴ | \$ 0 - - - - - | \$ 0 - - - - - - | \$ 0 - - - - - - 75 | \$ 0 - - - - - - 75 | \$ 0 65 120 55 115 175 55 | \$ 0 65 120 55 115 175 55 | \$ 0 65 120 55 115 175 55 |
| ADD-ONS | SP | Standard Post, Non-Adjustable | - | _ | 95 | 95 | 95 | 95 | 95 |
| Ga QUICK RELEASE | – QR | Standard, No Quick Release Quick Release | 0 21 | 0 42 | 0 21 | 0 42 | 0 21 | 0 42 | 0 63 |
| 6b POST STOP | - PS | Standard, No Post Stop Post Stop (180°) | 0 – | 0 – | 0 21 | 0 63 | 0 32 | 0 63 | 0 – |
| 6c CROSSBAR | - C2 C3 | Standard, No Crossbar Crossbar For 2 Monitors ⁵ Crossbar For 3 Monitors ⁵ | 0 - - | 0 230 305 | 0 - - | 0 230 305 | 0 - - | 0 230 305 | 0 - - |
| 6d NOTEBOOK HOLDER | – NH | Standard, No Notebook Holder Notebook Holder ⁸ | 0 120 | 0 120 | 0 120 | 0 120 | 0 120 | 0 120 | 0 120 |
| 6e KEYBOARD HOLDER | - KS KW | No Keyboard Holder Keyboard Holder, Standard ⁷ Keyboard Holder, Wide ⁸ | 0 290 295 | 0 - - | 0 - - | 0 - - | 0 290 295 | 0 - - | 0 - - |
| 6f PHONE MOUNT | - PM | No Phone Mount Phone Mount ⁹ | 0 27 | 0 27 | 0 27 | 0 27 | 0 27 | 0 27 | 0 27 |

¹ Polished Aluminum requires 8–10 weeks for delivery after receipt of order.

² Choose one mount from Horizontal Surfaces, Wall Stud Mounts, Slatwall Mounts (Standard or Universal) or Panel Mounts.

³ Standard Slatwall accommodates multiple monitors or a post. Universal Slatwall is for single monitors only.

⁴ Slim Posts only available for use with single arms or double arms with maximum monitor weight of 30 pounds.

⁵ Crossbar only available with a T2 and B2 Bracket and two M7 8" Folding Link Arms (Arm Style 9) or two M4 Adjustable Double Link Arms (Arm Style A).

⁶ When ordering Notebook Holder with two-monitor configurations, a single Notebook Holder will be placed on the right arm.

⁷ Standard Keyboard Holder consists of 19" board with 8" round mousing surface and gel palm support for both; Humanscale #90011RG.

Wide Keyboard Holder consists of 25" keyboard/mousing board with gel palm support.

One Phone Mount provided. With double or triple arms the phone mount can be placed on any arm.

M4 Component Pricing Chart

| COMPON | IENT | CODE | DESCRIPTION | NO I BRAC | POST CKETS | | -MOUNT ACKET | | T WITH T MOUNT |
|-----------------------|------------|------------|--|--------------|---------------|----------|-----------------|----------|-------------------|
| BDACKE | ACKET STYL | | | 1 | 2 | 1 | 2 | 1 | 2 |
| BRACKE | .1311 | LE - | • | Monitor | Monitors | Monitor | Monitors | Monitor | Monitors |
| | | | | | | | | | |
| | | | | N1 | N2 | T1 | T2 | B1 | B2 |
| | | | Base Price: | \$ 60 | \$ 70 | \$ 40 | \$ 70 | \$ 60 | \$ 70 |
| COLOR | | В | Black | 0 | 0 | 0 | 0 | 0 | 0 |
| | | S | Silver | 0 | 0 | 0 | 0 | 0 | 0 |
| ARM ST | YLE | Α | Adjustable Double-Link Arm | 340 | 340 | 340 | 340 | 340 | 340 |
| | | В | Adjustable Single-Link Arm | 290 | 290 | 290 | 290 | 290 | 290 |
| | | D | Dampened Double-Link Arm | 375 | 375 | 375 | 375 | 375 | 375 |
| | | E | Dampened Single-Link Arm | 320 | 320 | 320 | 320 | 320 | 320 |
| ARM ST | YLE | Α | Adjustable Double-Link Arm | _ | 340 | _ | 340 | _ | 340 |
| (If applical | ble) | В | Adjustable Single-Link Arm | - | 290 | - | 290 | _ | 290 |
| | | D | Dampened Double-Link Arm | - | 375 | - | 375 | _ | 375 |
| | | Е | Dampened Single-Link Arm | _ | 320 | _ | 320 | - | 320 |
| MOUNT | | NM | No Mount | _ | - | 0 | 0 | 0 | 0 |
| STYLE ² | | BT | Bolt-Through Mount | - | - | 45 | 45 | 45 | 45 |
| Horizonta | al | CM | Two-Piece Heavy-Duty Clamp Mount | - | - | 100 | 100 | 100 | 100 |
| Surfaces | | LC — DM | Two-Piece Low Profile Clamp Mount Direct Mount | _ | _ | 70 45 | 70 45 | 70 45 | 70 45 |
| | | | | | | | | | |
| Wall Stud | d | WD | Standard Wall Stud Mount, Supports Multiple Monito | | 85 | 85 | 85 | 85 | 85 |
| | | WU WK | Universal Wall Stud Mount, Single Monitors Only | 85 45 | _ | _ | _ | _ | _ |
| | | VVIX | Knuckle Wall Stud Mount | 45 | _ | _ | _ | _ | _ |
| Standard | | SD | Dates Weiser Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| Slatwall ³ | | SW | EDP Contour Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SS | EDP Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SR | Eurocraft Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SN SW | Evans Consoles Forecast Slatwall | 85 85 | 85 85 | 85 85 | 85 85 | 85 85 | 85 85 |
| | | SE | Herman Miller Slatwall | 85 | 85 | 85 85 | 85 | 85 85 | 85 |
| | | SU | Humanscale Access Rail | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SI | Innovant (CBA) Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SU | Kimball Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SX | LaCour Extrusion (Beam) | 85 | 85 | 85 | 85 | 85 | 85 |
| | | sc | LaCour Standard Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SL | Novalink Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SS | SBFI Universal Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SN | SBFI/Triax Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SB | TBC Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SB | Wall Street Trading | 85 | 85 | 85 | 85 | 85 | 85 |
| | | SP | Perma Groove Slatwall | 85 | 85 | 85 | 85 | 85 | 85 |

M4 Component Pricing Chart (Continued)

| | COMPONENT | CODE | DESCRIPTION | N BF | IO POST RACKETS | | -MOUNT RACKET | F BRA | POST WITH CKET MOUNT |
|---|------------------------------------|----------|--|------------|--------------------|-------------|------------------|-------------|-------------------------|
| | | | | Moritor | 2 Maritars | Monitor | 2 Monitors | Moritor | 2 Monitors |
| | | SN SW | Wilson Slatwall Woodtronics Slatwall | \$85 85 | \$ 85 - | \$ 85 85 | \$ 85 85 | \$ 85 85 | \$ 85 - |
| | Universal Slatwall ³ | | | 80 | - | 80 | - | 80 | - |
| | | S4 | Universal Slatwall, Supports Single Monitors Only: Humanscale Access Rail, Kimball, Evans Console | 80 | - | 80 | - | 80 | - |
| | | W1 | Universal Slatwall w/Post | _ | _ | _ | _ | 65 | 65 |
| | | FM | Universal Slatwall w/No Post | 45 | - | - | - | - | _ |
| | Panel | PC | Allsteel Concensys | 90 | 90 | 90 | 90 | 90 | 90 |
| | Mounts | P2 | Allsteel Terrace 2.6, 3.4 | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PH | Haworth Places | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PM | Haworth Premise | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PH | Haworth Unigroup | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PA | Herman Miller Action Office | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PE | Herman Miller Ethospace | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PR | Herman Miller Resolve | 90 | 90 | 90 | 90 | 90 | 90 |
| | | P9 | Steelcase 9000 | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PI | Teknion ie | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PL | Teknion Leverage | 90 | 90 | 90 | 90 | 90 | 90 |
| | | PB | Teknion Boulevard | 90 | 90 | 90 | 90 | 90 | 90 |
| 5 | POST STYLE | NP | No Post | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1V | One-Row Stackable Post for Vertical Surfaces ⁴ | - | - | - | - | 65 | 65 |
| | | 2V | Two-Row Stackable Post for Vertical Surfaces | - | - | - | - | 120 | 120 |
| | | TV | Top Row Stackable Post for Vertical Surfaces | - | - | - | - | 55 | 55 |
| | | 1H | One-Row Stackable Post for Horizontal Surfaces | - | - | - | - | 115 | 115 |
| | | 2H | Two-Row Stackable Post for Horizontal Surfaces | - | _ | - | _ | 175 | 175 |
| | | TH | Top Row Stackable Post for Horizontal Surfaces | - | _ | - | _ | 55 | 55 |
| | | SL | Slim (non-adjustable) ⁴ | - | - | 75 | 75 | 75 | 75 |
| | | SP | Standard Post, Non-Adjustable | - | - | 95 | 95 | 95 | 95 |

M4 Component Pricing Chart (Continued)

| COMPONENT | CODE | DESCRIPTION | N BF | IO POST RACKETS | TOF BI | P-MOUNT RACKET | I BR <i>A</i> | POST WITH ACKET MOUNT |
|-----------------------|---------------|---|-----------------|--------------------|-----------------|-------------------|------------------|--------------------------|
| | | | Moritor | 2 Monital's | Monitor | 2 Monitors | Monitor | 2 Maritales |
| ADD-ONS | | | | | | | | |
| Ga QUICK RELEASE | – QR | Standard, No Quick Release Quick Release | \$ 0 21 | \$ 0 42 | \$ 0 21 | \$ 0 42 | \$ 0 21 | \$ 0 42 |
| 6b POST STOP | - PS | Standard, No Post Stop Post Stop (180°) | 0 – | 0 – | 0 21 | 0 63 | 0 32 | 0 63 |
| 6c CROSSBAR | - C2 C3 | Standard, no Crossbar Crossbar for 2 Monitors ⁵ Crossbar for 3 Monitors ⁵ | 0 - - | 0 230 305 | 0 - - | 0 230 305 | 0 - - | 0 230 305 |
| 6d NOTEBOOK HOLDER | – NH | Standard, No Notebook Holder Notebook Holder ⁶ | 0 120 | 0 120 | 0 120 | 0 120 | 0 120 | 0 120 |
| 6e KEYBOARD HOLDER | - KS KW | No Keyboard Holder Keyboard Holder, Standard ⁷ Keyboard Holder, Wide ⁸ | 0 290 295 | 0 - - | 0 290 295 | 0 - - | 0 290 295 | 0 - - |
| 6f PHONE MOUNT | – PM | No Phone Mount Phone Mount ⁹ | 0 27 | 0 27 | 0 27 | 0 27 | 0 27 | 0 27 |

¹ Polished Aluminum not available with M4 Adjustable Monitor Arms.

² Choose one mount from Horizontal Surfaces, Wall Stud Mounts, Slatwall Mounts (Standard or Universal) or Panel Mounts.

³ Standard Slatwall accommodates multiple monitors or a post, Universal Slatwall is for single monitors only.

⁴ Slim Posts only available for use with single arms or double arms with maximum monitor weight of 30 pounds.

⁵ Crossbar only available with a T2 or B2 Bracket and two M7 8" Folding Link Arms (Arm Style 9) or two M4 Adjustable Double Link Arms (Arm Style A).

⁶ When ordering Notebook Holder with two-monitor configurations, a single Notebook Holder will be placed on the right arm.

Standard Keyboard Holder consists of 19" board with 8" round mousing surface and gel palm support for both. Humanscale #90011RG. Available with D and E arms only.


Wide Keyboard Holder consists of 25" keyboard/mousing board with gel palm support. Available with D and E arms only.


⁹ One Phone Mount provided. With double arms the phone mount can be placed on either arm.

M7 and M4 Accessories

| MODEL # | DESCRIPTION | LIST PRICE | |
|-------------------------|---|-------------------|--|
| UFEA-S | Universal Front-End Adjuster for M7, Silver only (supports up to 30 lbs.) | \$130 | |
| VBK | VESA Bracket Kit for M7 and M4 (Contains 75mm, 100mm Plates and Hardware) | 21 | |
| SCK | Security Kit for M7 and M4 (Kensington Only, No Security Bolts Available) | 45 | |
| DVP | Drop Down VESA Plate for M7 and M4 | 45 | |
| PST-B PST-S | 180° Arm Stop, Top Mount, Black 180° Arm Stop, Top Mount, Silver | 21 21 | |
| PBS-B PBL-B PBF-B | 180° Post Stop, Bracket Mount, Standard 8" Link, Bla 180° Post Stop, Bracket Mount, Long 12" Link, Black 180° Post Stop, Bracket Mount, Folding Link, Black | ck 32 32 32 | |
| M7PM | Phone Mount | 30 | |

Para/Flex 2 Common Configurations







^{*}X Denotes color. Replace with S for silver/gray trim, W for polished aluminum/white trim or B for black/black trim

Build Your Para/Flex 2 Product Code

To determine the list price for your Para/Flex 2 solution, identify your choice for each component and build the product code as shown below. Add the prices for all the options selected.





| COMPONENT | CODE | DESCRIPTION | LIST PRICE |
|--|---------------------------------|--|--------------------------------|
| PRODUCT GROUP | PF | Para/Flex | |
| 1 COLOR | S B W | Silver with Gray Trim Black with Black Trim Polished Aluminum with White Trim | \$0 0 0 |
| 2 NUMBER OF CROSSBARS Choose from 1 or 2 crossbars to create 1 or 2 rows of monitors | 1 2 | One Crossbar Two Crossbars | 550 1100 |
| 3 MOUNT [†] | C B N | Clamp Mount Bolt-Thru Mount No Mount | 180 100 0 |
| 4 POST HEIGHT** | 12 18 24 30 36 N | 12" High Post 18" High Post 24" High Post (Two 12" High Stackable Posts) 30" High Post (12" and 18" High Stackable Posts) 36" High Post (Two 18" High Stackable Posts) No Post | 80 140 160 220 280 |


[†]Pricing includes 2 Mounts

[‡]Pricing includes 2 Posts

^{*}Posts come in 12" or 18" high stackable sections. Specify the desired post height, which will be a combination of 12" and 18" posts. 24 – 36" high posts will ship with the attachment. Specify N for No Mount.

Build Your Para/Flex Product Code

To determine the list price for your Para/Flex solution, identify your choice for each component and build the product code as shown below. Add the prices for all the options selected.





| | COMPONENT | CODE | DESCRIPTION | LIST PRICE |
|---|--------------------|--|--|--|
| 1 | COLOR ¹ | B S | Black Silver | _ |
| 2 | FIRST ROW | 1 X | Base Unit with Standard Lower Crossbar No Base Unit, No First-Row Crossbar (use when ordering Second-Row only) | \$1,050 0 |
| 3 | SECOND ROW | 2 X | Second-Row Crossbar Assembly No Second-Row Crossbar Assembly (use when ordering one row only) | 630 0 |
| 4 | MOUNT STYLE | NM DM CM | No Mount (use when ordering Second-Row only Desk Mount Clamp Mount | 0 210 210 |
| | | HW HI HL HS HD | Horizontal Beam Mount for Woodtronics Horizontal Beam Mount for Innovant AX50 Horizontal Beam Mount for LaCour Horizontal Beam Mount for SBFI Horizontal Beam Mount for DAS ² | 210 210 210 210 210 210 |
| | | VW VI VS VE VT VL VB | Vertical Slatwall Mount for Woodtronics Vertical Slatwall Mount for Innovant Vertical Slatwall Mount for SBFI Universal ² Vertical Slatwall Mount for Evans ² Vertical Slatwall Mount for SBFI Triax ² Vertical Slatwall Mount for LaCour ² Vertical Slatwall Mount for LaCour Beam System | 210 210 210 210 210 210 210 210 |
| 5 | WING LENGTH | _ L | Standard 14.5" Wings Long 20" Wings ³ | 0 105 |

¹ Silver unit has Light Gray accents (cable managers, trim, etc.), Black unit has Black accents.

²Contact Humanscale Rep for availability.


³ If ordering a two-row Para/Flex Plus, add \$210 as two long 20" wings will ship with order.

Float Table



Build Your Float Table

To determine the list price for your Float Table, identify your choice for each component and build the product code as shown below. Add the prices for all the options selected.





Float Component Pricing

| COMPONENT | CODE | DESCRIPTION | LIST PRICE |
|------------------------|--|---|--|
| 1 PRODUCT | FN FT | Float Base Only (No Top) Float with Top | \$ - |
| 2 BASE COLOR | B S W | Black Silver White | 0 0 0 |
| 3 COUNTERBALANCE CRANK | M R | Mounted Removable | 100 |
| 4 WIDTH | 4 6 | For 48 inch - 54 inch wide tops For 60 inch - 72 inch wide tops | 1,799 1,849 |
| 5 DEPTH | 2 3 | For 24 inch deep tops For 30 inch deep tops | - |
| 6 TOP SIZE LAMINATE | 2448 2454 2460 2466 2472 3048 3054 3060 3066 3072 XXXX | 24 inch deep by 48 inch wide top 24 inch deep by 54 inch wide top 24 inch deep by 60 inch wide top 24 inch deep by 66 inch wide top 24 inch deep by 72 inch wide top 30 inch deep by 48 inch wide top 30 inch deep by 54 inch wide top 30 inch deep by 60 inch wide top 30 inch deep by 60 inch wide top 30 inch deep by 66 inch wide top 30 inch deep by 72 inch wide top No Table Top | 395 425 450 480 510 425 450 475 495 535 |
| 7 TOP FINISH | BL GY PL TN WH XX | Black Gray Platinum Tan White No Table Top | 0 0 0 0 0 |
| 8 TOP EDGE | F K X | Flat Knife¹ No Table Top | 0 0 |



Desk-Mounted Access Rail

Build Your Product Code

To determine the product code and list price for the first segment of your Access Rail, identify each component required for your two-post configuration and insert the appropriate code in the chart below. For configurations requiring more than two Posts, you must create a separate product code for add-on configurations, which require only one Post. To calculate list price, total the cost of all components.

| Product | Post Height/ Number Of Collars | Color (Silver) | Post Quantity & Mount Style | Number Of Rails | Rail Length |
|-------------|--------------------------------------|-------------------|--------------------------------|--------------------|-------------|
| Access Rail | 1 | 2 | 3 | 4 | 5 |
| A1 | _ | s | | _ | |

1 POST HEIGHT/NUMBER OF COLLARS

The number of Collars is dependent upon the number of Rails, the desired Rail height, and the configuration. Two-Collar Posts accommodate one Rail. Three-Collar Posts accommodate one or two Rails. Four-Collar Posts accommodate one to three Rails. Five-Collar Posts accommodate one to four Rails. The maximum number of Collars for Rails longer than 48" is two (1-Rail).

2 COLOR

The Access Rail is currently available in Silver. Custom colors may be available. Consult your Humanscale representative.

3 POST QUANTITY & MOUNTING STYLE

For your first Access Rail segment, select a two-post configuration with the Mount that is appropriate for your work surface. Add-on configurations consist of one Post. Complete a separate product code for each configuration segment.

- NUMBER OF RAILS
 Select the desired number of Rails noting that the maximum number of Rails is one less than the total number of Collars on each Post.
- **RAIL LENGTH**Select the appropriate Rail length for your work space solution, noting that Rail length specified is the actual Rail length—
 not desk width—and that the Posts, Mounts and Rail Endcaps take up space that must be accommodated (see Access Rail Spec Guide).

Desk-Mounted Access Rail Component Pricing Chart

| | COMPONENT | CODE | DESCRIPTION | TWO COLLARS | THREE COLLARS | FOUR COLLARS | FIVE COLLARS |
|---|------------------------------------|-------|-------------------------------|-------------|---------------|--------------|--------------|
| 1 | POST HEIGHT/ NUMBER OF COLLARS | s | | 2 | 3 | 4 | 5 |
| 2 | COLOR | S | Silver | \$ 0 | \$ 0 | \$ 0 | \$ 0 |
| 3 | POST QUANTITY & MOUNT STYLE | | | | | | |
| | Two Posts for Initial | 2BT | 2 Posts, Bolt-Through Mount | 380 | 460 | 680 | 760 |
| Α | Access Rail Configuration | 2DM | 2 Posts, Direct Mount | 380 | 460 | 680 | 760 |
| | | 2CM | 2 Posts, Heavy-Duty Clamp Mo | unt 490 | 570 | 790 | 870 |
| | | - 2LC | 2 Posts, Low-Profile Clamp Mo | unt 430 | 530 | _ | _ |
| | On Buildin | - 1BT | 1 Post, Bolt-Through Mount | 190 | 230 | 340 | 380 |
| | One Post for Add-On Configurations | 1DM | 1 Post, Direct Mount | 190 | 230 | 340 | 380 |
| | - Comgulations | 1CM | 1 Post, Heavy-Duty Clamp Mou | int 245 | 285 | 395 | 435 |
| | | - 1LC | 1 Post, Low-Profile Clamp Mou | | 265 | _ | _ |

| COMPONENT | CODE | DESCRIPTION | TWO COLLARS | THREE COLLARS | FOUR COLLARS | FIVE COLLARS |
|-------------------|-------------|-------------|-------------|---------------|--------------|--------------|
| 4 NUMBER OF RAILS | | | 1 | 2 | 3 | 4 |
| 5 RAIL LENGTH | — 18 | 18" Rail | \$180 | \$360 | \$540 | \$720 |
| | 24 | 24" Rail | 200 | 400 | 600 | 800 |
| | 30 | 30" Rail | 220 | 440 | 660 | 880 |
| Rail — | 36 | 36" Rail | 260 | 520 | 780 | 1040 |
| | 42 | 42" Rail | 300 | 600 | 900 | 1200 |
| | 48 | 48" Rail | 345 | 690 | 1035 | 1380 |
| | 54 | 54" Rail | 390 | _ | _ | _ |
| | 60 | 60" Rail | 440 | _ | _ | _ |

Wall-Mounted Access Rail

Build Your Product Code

To determine the product code and list price for the your Wall-Mounted Access Rail, identify each component required for your configuration and insert the appropriate code in the chart below. To calculate list price, total the cost of all required components.



- 1 COLOR
 - The Access Rail is currently available in Silver. Custom colors may be available. Consult your Humanscale representative.
- 2 RAIL LENGTH
 Select the appropriate Rail length for your work space solution, noting that Rail length specified is the actual Rail length.
 Note: Wall Mounted Access Rails up to 42" include two Wall Mount Brackets and 48-60" Rails include three Wall Mount Brackets.

IMPORTANT: Humanscale bears no responsibility for installation of the Wall-Mounted Access Rail and is not liable in any way for the manner in which the Wall-Mounted Access Rails are attached to the wall. Installation should be managed by a structural engineer.

Wall-Mounted Access Rail Pricing Chart

| Component | Code | Description | Price | |
|---------------|-----------------|----------------------------------|-------------------|--|
| 1 Color | S | Silver | \$0 | |
| 2 Rail Length | 18 24 30 | 18" Rail 24" Rail 30" Rail | 330 350 370 | |
| | Rail — 36 42 | 36" Rail 42" Rail | 410 450 | |
| | 48 54 | 48" Rail 54" Rail | 545 590 | |
| | 60 | 60" Rail | 640 | |

Access Rail Extras

The following components and accessories are ordered separately from the Access Rail.

ADDITIONAL RAILS

An add-on for adding Rails to an existing installation.

| Code | Description | Price |
|-------|-------------|-------|
| A118S | 18" Rail | \$180 |
| A124S | 24" Rail | 200 |
| A130S | 30" Rail | 220 |
| A136S | 36" Rail | 260 |
| A142S | 42" Rail | 300 |
| A148S | 48" Rail | 345 |
| A154S | 54" Rail | 390 |
| A160S | 60" Rail | 440 |

EXTENSION KIT

Extends a 2-Collar Post to 4-Collar, or extends 3-Collar Post to 5-Collar: as an add-on for an existing Access Rail installation.

| Code | Description | Price |
|-------|------------------------|-------|
| A1EX2 | 2-Collar Extension Kit | \$180 |

MONITOR ARMS

Consult the Humanscale Monitor Arms Pricing and Specification Guide for complete specs and additional configuration options.

| Code | Description | Price |
|----------|---|-------|
| M7N1S9S4 | M7 with Folding Links, Silver | \$310 |
| M4N1SAS4 | M4 Adjustable Arm, Silver | 480 |
| M2SW2S | M2 Adjustable Arm, Polished Aluminum with White Trim | 310 |

NOTEBOOK HOLDERS

Consult the Humanscale Monitor Arms Pricing and Specification Guide for complete specs.

| Code | Description | Price |
|------------|---------------------------|-------|
| M7N1S9S4NH | M7 with Folding Links and | \$430 |
| | Notebook Holder, Silver | |
| M4N1SAS4NH | M4 Adjustable Arm, with | 600 |
| | Notebook Holder, Silver | |

TASK LIGHTS

Consult the Humanscale Ergo Tools Pricing and Specification Guide for complete specs.

| Code | Description | Price |
|---------|---|-------|
| ELUAS | Element LED Task Light, All Silver | \$409 |
| ELUAW | Element LED Task Light, White | 409 |
| | with Silver Accents | |
| DA1EASA | Diffrient Task Light II, Single Arm, Silver | 290 |
| DA1EABA | Diffrient Task Light II, Single Arm, Black | 290 |
| DA2EASA | Diffrient Task Light II, Double Arm, Silver | 322 |
| DA2EABA | Diffrient Task Light II, Double Arm, Black | 322 |
| DX1EAS1 | Diffrient Work Light II, Single Arm, Silver | 290 |
| DX1EAB1 | Diffrient Work Light II, Single Arm, Black | 290 |
| DX2EAS1 | Diffrient Work Light II, Double Arm, Silver | 322 |
| DX2EAB1 | Diffrient Work Light II, Double Arm, Black | 322 |

ACCESSORIES

| | Code | Description | Price |
|---|---------|---|-------|
| _ | A11000C | Pencil Cup, Clear | \$18 |
| | A11000S | Pencil Cup, Silver | 18 |
| | A11001C | CD Holder, Clear | 30 |
| | A11001S | CD Holder, Silver | 30 |
| | A11003C | Paper Tray, Clear | 54 |
| | A11003S | Paper Tray, Silver | 54 |
| | A11004C | Accessory Tray, Clear | 38 |
| | A11004S | Accessory Tray, Silver | 38 |
| | A11005C | Phone Holder, Clear | 44 |
| | A11005S | Phone Holder, Silver | 44 |
| | A11007C | Legal/A4 Paper Tray, Clear | 55 |
| | A11007S | Legal/A4 Paper Tray, Silver | 55 |
| | A11008C | Folder Sorter Tray, Clear | 64 |
| | A11008S | Folder Sorter Tray, Silver | 64 |
| | A11009C | Binder Holder, Clear | 30 |
| | A11009S | Binder Holder, Silver | 30 |
| | A11014C | Cup Holder, Clear | 20 |
| | A11014S | Cup Holder, Silver | 20 |
| | A1PSSS | Small Peripheral Shelf, 12.5" x 10", Silver | 75 |
| | A1PSLS | Large Peripheral Shelf, 18" x 12.5", Silver | 95 |
| | | | |




Best-Selling Keyboard Systems

With advanced technology, award-winning designs and hundreds of options, Humanscale has remained the market leader in keyboard supports for 10 years running. We pioneered intuitive adjustability and eliminated knee obstruction. And these best-sellers remain several steps ahead of the pack.

All keyboard systems are available to ship within 72 hours.

White 6G System


- Standard White 6GW Mechanism
- White 900 or 950 Platform
- White High Clip Mouse* (8.5" or 10" Mousing Surface)
- · Gray Gel Mouse Pad
- Gray Synthetic Leather Gel Palm Support



| Std 6GW/8.5" | 6GW 900 90H G | \$465 |
|--------------|---------------|-------|
| | 6GW 950 90H G | \$465 |
| Std 6GW/10" | 6GW 900 91H G | \$465 |
| | 6GW 950 91H G | \$465 |

Clip Mouse System

- 2G or 6G Mechanism
- Standard 900 Platform
- High Clip Mouse (8.5" or 10" Mousing Surface)
- Synthetic Leather Palm Support (Gel or Foam)
- · Standard Black color scheme




Shown with 2G mechanism

| 8.5"/Gel | 2G 900 90H G | \$450 |
|-----------|--------------|-------|
| | 6G 900 90H G | \$465 |
| 10"/Gel | 2G 900 91H G | \$450 |
| | 6G 900 91H G | \$465 |
| 8.5"/Foam | 2G 900 90H F | \$432 |
| | 6G 900 90H F | \$447 |
| 10"/Foam | 2G 900 91H F | \$432 |
| | 6G 900 91H F | \$447 |
| | | |

Swivel Mouse System

- 2G or 6G Mechanism
- Standard 900 Platform
- · 8" Swivel Mouse (Right or Dual)
- Synthetic Leather Palm Support (Gel or Foam)
- · Standard Black color scheme



Shown with 6G mechanism

Right/Gel 2G 900 11R G \$430 6G 900 11R G \$445 Dual/Gel 2G 900 11D G \$480 6G 900 11D G \$495 Right/Foam 2G 900 11R F \$412 6G 900 11R F \$427 Dual/Foam 2G 900 11D F \$462 6G 900 11D F \$477

^{*}Standard-height Clip Mouse also available for White 6G System.

Build Your Keyboard System Product Code

Choose from our many mechanisms, keyboard platforms, mouse platforms, palm supports and track lengths to configure your own customized keyboard system.

White mechanisms ship with White keyboard and mouse platform, Gray palm support and mouse pad. Platinum mechanisms ship with Platinum keyboard and mouse platform, Gray palm support and mouse pad. Black mechanisms ship with Black keyboard and mouse platform, Black palm support and mouse pad.

Keyboard System Product Code: Mechanism Keyboard Mouse Palm Track Platform Platform Support (optional)

\$270

1

Mechanism Options

All keyboard mechanisms, with the exception of the KM, offer 0° to -15° tilt for low-risk typing postures. Build-Your-Own configurations are available in Black only, unless otherwise noted.



6G (Black), 6GW (White)

Humanscale's most advanced keyboard mechanism to date, the 6G provides intuitive ergonomic adjustability and unmatched styling.

7" height adjustment

(1.75" above track to 5.25" below track)
Comes standard with 21 625" track



5G (Black), 5GV (Platinum)

The world's best-selling keyboard mechanism, the 5G combines easy dial-a-tilt and height adjustability with the strongest arm on the market.

6.25" height adjustment

(1.25" above track to 5" below track)
Comes standard with 21.625" track



4G

\$375

\$270

The 4G represents revolutionary keyboard technology with simple dial-a-tilt keyboard angle adjustability.

6.25" height adjustment

(1.25" above track to 5" below track)

Comes standard with 21.625" track



2G

\$240

The original standard bearer, the 2G offers independent height and tilt adjustment and unmatched stability.

6.25" height adjustment

(1.25" above track to 5" below track)
Comes standard with 21.625" track



KM

\$220

The Standard Pre-Set Tilt Arm offers total knee clearance, knob-free adjustment and 0° tilt.

6.25" height adjustment

(1.25" above track to 5" below track)
Comes standard with 21 625" track



5GSM (Black), **5GSV** (Platinum)

The 5G Short Mechanism provides 5G functionality with a shorter arm for small workstations and tight spaces.

4" height adjustment

(0.5" above track to 3.5" below track)
Comes standard with 18" track



5GAD

\$335

The 5G Above Desk mechanism provides 5G functionality with a longer arm for use above the work surface.

13.5" height adjustment

(7.5" above track to 6" below track)
Comes standard with 27" track




4GAD

\$335

The 4G Above Desk mechanism provides 4G functionality with a longer arm for use above the work surface.

11.5" height adjustment

(8.5" above track to 3" below track) Comes standard with 27" track



Mechanism Accessory


\$8

The Lateral Slider allows the platform to be adjusted left or right a total of 8" for optimal keyboard positioning. It can be ordered with any keyboard mechanism by indicating "LS" after the mechanism code (e.g., 6GLS or 6GWLS).

2


Keyboard Platform Options

All Build-Your-Own platforms are available in Black only, unless otherwise noted.



900 Standard \$100


Available in White with 6GW. Available in Platinum with 5GV or 5GSV.




950 Standard Compact \$100

Available in White with 6GW.

Available in Platinum with 5GV or 5GSV.



700 Diagonal \$100



500 Big \$150

Comes with built-in mousing surface.

Not available with other mouse platform options.

Available in White with 6GW.

Available in Platinum with 5GV or 5GSV.



550 Big Compact \$150

Comes with built-in mousing surface.

Not available with other mouse platform options.


Available in White with 6GW.


Available in Platinum with 5GV or 5GSV.




100 Diagonal Big \$150


Comes with built-in mousing surface. Not available with other mouse platform options.








Not available with a palm support.



3

Mouse Platform Options

All Build-Your-Own mouse platforms are available in Black only, unless otherwise noted.




| 90 | 8.5" Clip | \$70 |
|-----|----------------|------|
| 90H | 8.5" High Clip | \$70 |

Available in White with 6GW. Available in Platinum with 5GV or 5GSV.




| 91 | 10" Clip | \$70 |
|-----|---------------|------|
| 91H | 10" High Clip | \$70 |

Available in White with 6GW. Available in Platinum with 5GV or 5GSV.




| 11R | 8" Swivel Right | \$50 |
|-----|----------------------------------|-------|
| 11L | 8" Swivel Left (not pictured) | \$50 |
| 11D | 8" Swivel Dual (not pictured) | \$100 |

Available in White with 6GW. Not available with 5GV, or 5GSV.



| 12R | 10" Swivel Right | \$50 |
|-----|--------------------------------|-------|
| 12L | 10" Swivel Left (not pictured) | \$50 |
| 12D | 10" Swivel Dual | \$100 |

Available in White with 6GW. Not available with 5GV, or 5GSV.




| 81R | M ² Right | \$50 |
|-----|----------------------|-------|
| 81L | M² Left | \$50 |
| | (not pictured) | |
| 81D | M ² Dual | \$100 |
| | (not nictured) | |

Available in White with 6GW. Not available with 5GV, or 5GSV.

4

Palm Support Options

All Build-Your-Own palm supports are available in Black only, unless otherwise noted.





Track Options

All keyboard systems ship with track lengths noted on page 91 unless a different track length is specified. Please use these codes to order a specific track for your system.



| F | 19" Foam with synthetic leather cover | \$22 |
|------|--|------|
| G | 19" Gel with Black or Gray synthetic leather cover | \$40 |
| SS | 19" Slim Palm Support Silver | \$40 |
| SB | 19" Slim Palm Support Black | \$40 |
| F20 | 20" Foam with synthetic leather cover | \$22 |
| G20 | 20" Gel with synthetic leather cover | \$40 |
| F25 | 25" Foam with synthetic leather cover | \$28 |
| G25 | 25" Gel with synthetic leather cover For 550 boards only | \$46 |
| F27 | 27" Foam with synthetic leather cover | \$28 |
| G27 | 27" Gel with Lycra knit cover For 400 and 500 boards only | \$45 |
| FMP | 20" and 7" Foam with synthetic leather cover | \$35 |
| GMP | 20" and 7" Gel with synthetic leather cover | \$55 |
| | For 400 and 500 boards only | |
| MP7F | 7" Foam with synthetic leather cover | \$14 |
| MP7G | 7" Gel with synthetic leather cover | \$18 |
| | | |

| 27 | 27" track | N/C |
|----|------------------------|-----|
| 25 | 25" track | N/C |
| 22 | Standard 21.625" track | N/C |
| 18 | 18" track | N/C |
| 16 | 16" track | N/C |
| 14 | 14" track | N/C |
| 11 | 11" track | N/C |

Replacement Tracks with Hardware Pack (if ordering without mechanism)

| RT27 | 27" track | \$60 |
|------|------------------------|------|
| RT25 | 25" track | \$55 |
| RT22 | Standard 21.625" track | \$45 |
| RT18 | 18" track | \$45 |
| RT16 | 16" track | \$45 |
| RT14 | 14" track | \$45 |
| RT11 | 11" track | \$45 |
| | | |

Keyboard System Accessories

For 10" mouse platforms

For 91 or 91H Clip Mouse

10" Gel Mouse Pad

Mouse Pads



| HSMP12TIPS | |
|-------------------------------|-----|
| 8" Ergo Tips Mouse Pad | |
| For 8" – 8.5" mouse platforms | |
| HSMP12TIPS10 | \$7 |
| 9" Ergo Tips Mouse Pad | |




| CMPGEL8 | \$27 | |
|-----------------------------|------|--|
| 8.5" Gel Mouse Pad - Black | | |
| CMPGEL8SLV | \$27 | |
| 8.5" Gel Mouse Pad - Silver | | |
| For 90 or 90H Clip Mouse | | |
| CMPGEL | \$27 | |
| 10" Gel Mouse Pad - Black | | |
| CMPGELSLV | \$27 | |
| 10" Gel Mouse Pad - Silver | | |



| MPGEL8 | \$22 |
|--------------------|------|
| 8.5" Gel Mouse Pad | |
| MPGEL10 | \$27 |

Palm Support




MM10 \$17 Mouse Mate

Corner Sleeves



DE100 \$135

29.5" x 12.188" Fits desks 1" to 1.5" thick



DE200/DE250 \$85

16" diameter
DE200 fits desks 1" to 1.5" thick
DE250 fits desks 1.5" to 2.5" thick



DE400/DE450 \$220

DE400 fits desks 1" to 1.5" thick DE450 fits desks 1.5" to 2.5" thick

Ergonomic Accessories

Input Device



Switch Mouse

38.5" x 13.75"

SMUSB

\$125

Switch Mouse with USB connector, optical sensor and navigation dish

Ergonomic Accessories

Laptop Holders



Notebook Manager

\$160

Maximum Dimensions: 13.5" W x 10.9" D x 10.1" H 7.3" height adjustability

(Accommodates notebook computers at least 10" wide and 6" deep, and up to 1.5" thick)



Removable USB Hub

L6USB \$32



Tech Tray

TT \$105

12" W x 14" D

Comes standard with 16" track. Sits 3.5" below track.



Keyed Security Lock

TT1 \$32

Foot Rests



Rocking Foot Machine

FM500C (Cherry) \$160 FM500K (Black) \$160

12.25" D x 16.75" W x 4.5" H



Foot Machine with Massage Balls

FM300B (Natural) \$190 FM300BDC (Dark Cherry) \$190

11.875" D x 16" W Height Range: 3.75" to 6.75"

Foot Machine

FM300 (Natural) \$140 11.875" D x 16" W

Height Range: 3.75" to 6.75"



Tilting Foot Rest

FM100 (Natural) \$130

11.75" D x 19" W x 3.375" H

Cable Management



NeatLinks - Small 17"

NL17SB (Black) \$20 NL17SG (Grav) \$20 Small 2.6" Diameter, 17" Length



NeatLinks - Small 24"

NL24SB (Black) \$22 NL24SG (Gray) \$22

Small 2.6" Diameter, 24" Length



NeatLinks - Large 17"

NL17LB (Black) \$22 NL17LG (Grav) \$22 Large 3.6" Diameter, 17" Length



NeatLinks - Large 24"

NL24LB (Black) \$24 NL24LG (Gray) \$24

Large 3.6" Diameter, 24" Length

Ergonomic Accessories

CPU Holders



CPU200 (Black) \$160 **CPU200W** (White) \$160

Fits CPUs 1" to 5" wide by 12" high Max CPU Weight: 15 lbs.

Installed Dimensions: 6.7" Width, CPU Height + 3.8" (plus additional 1.2" with spacer option)



CPU300 \$150

Fits CPUs 3.25" to 9" wide by 10.5" to 18" high Max CPU Weight: 70 lbs.

Installed Dimensions: CPU Width + 1.5", CPU Height + 3"





CPU450 \$140

Fits CPUs 4" to 8" by 11.5" to 20" Max CPU Weight: 50 lbs.

Installed Dimensions: CPU Width + 2.5", CPU Height + 3.75"

CPU450STK \$35

Swivel Track Upgrade Kit





CPU555 \$170

Fits CPUs 3" to 9.5" wide by 12" to 22" high Max CPU Weight: 70 lbs.

Installed Dimensions: CPU Width + 3.5", CPU Height + 4.5"

CPU555SEC \$205

With Security System

CPU555STOOL \$28

Replacement Tool Kit for CPU555SEC (comes standard with CPU555SEC)

CPU555SECKIT

Retrofit Security Kit for CPU555 (comes standard with CPU555SEC)



CPU600 (Black) \$175 **CPU600W** (White) \$175

Fits CPUs 3.5" to 9" wide by 12" to 20" high Max CPU Weight: 50 lbs.

Installed Dimensions: 7" or CPU Width + 1.7" (whichever is greater), CPU Height + 3.6"



CPU Dolly

CPUDLY
Fits CPUs 3.25" to 9" wide
Installed Dimensions:
CPU Height + 3.75"

CPUDLYPLT \$170

With Platform For CPUs 1.5" to 9" wide

CPUPLATFORM \$18

CPU Dolly Retrofit Platform

CPUDLYH \$40

Telescoping Pull Handle

\$55

Ouick Track



Quick Track and Bracket

| 16QT | 16" Quick Track | \$60 |
|------|-----------------|------|
| 22QT | 22" Quick Track | \$60 |

Easily removable (without tools) front bracket makes swap-outs a snap.

To order, simply add "16QT or 22QT" to end of product code (e.g., CPU55516QT).

Comes standard with CPU600.

In-Line Document Holders



Copy Drawer

CH3000 (Putty) \$160 **CH3000B** (Black)* \$160 15" D x 15.5" W x 3" H



Copy Stand Basic

CH900 (Putty) \$115 **CH900B** (Black)* \$115
11" D x 14" W x 3" H

For use with flat panel monitors



CH1000 (Putty) \$130 CH1000B (Black)* \$130 12" D x 14" W x 3" H

* Black may require up to an 8–10 week lead time. See your Humanscale sales representative for more information.

Security Lock



Security Lock

SECLOCK

For CPUs, laptops, flat panels, etc. Combination lock with 3' cord. Fits all units with standard security keyhole



Keyed Security Lock

TT1

\$32

\$32

For CPUs, laptops, flat panels, etc. Keyed lock with 2' cord.

Fits all units with standard security keyhole

Humanscale Terms and Conditions

THE FOLLOWING TERMS & CONDITIONS APPLY TO ALL HUMANSCALE PRODUCTS.

TERMS OF PAYMENT

Upon approved credit, terms of payment are net 30 from date of shipment. Deposits may be required for large or custom orders. The processing of orders and/or shipment of orders placed may be delayed if the deposit is not received with the order or if customer's account is in "Past Due" status.

CREDIT POLICY

All customers of Humanscale must complete a credit application, with current information, which must be signed by an owner or officer. A line of credit may be set by our Credit Department, however the basis for the line of credit may be changed or cancelled at our discretion and advance payment may be required. Any unpaid balance, upon which payments are not made according to the terms governing the sale, will be considered "Past Due" and will increase by a maximum of 2% per month, without forfeit of Humanscale's right to payment.

Any customer who has failed to pay for goods delivered or services rendered in a timely manner shall be liable for all fees, expenses, disbursements, and charges (including all legal costs) incurred by Humanscale in collecting monies owed, as well as interest (at 24% per annum).

PURCHASE ORDERS

Purchase orders must include the following: "Bill To" and "Ship To" information—Company Name (Ship To company may be end user or installation company), Address, Telephone, Fax, Contact Person; End User Company Name; Requested Ship Date; Purchase Order Number; Special Delivery, Shipping and Packing Instructions (if applicable); Proper Discount Off Current List Price, Product Quantities and Full Model Numbers; and Total (List/Net).

ORDER CHANGES & CANCELLATIONS

All changes to or cancellations of orders placed with Humanscale must be in writing and sent to Customer Service. Orders may be changed or cancelled without penalty if Humanscale is notified at least two (2) weeks before the scheduled ship date for standard orders (under 250 units), or at least three (3) weeks before the scheduled ship date for large orders (250 units or more). Order changes or cancellations made less than two (2) weeks before the scheduled ship date for standard orders or less than three (3) weeks before the scheduled ship date for large orders will incur a minimum change/ cancellation fee of 10% of net. Irrespective of when notified, changes or cancellations are not binding upon Humanscale until Humanscale issues a written acknowledgment of the change or cancellation. Order changes are defined as the deletion of line items; changes in style, color, quantity or requested ship date; or ship-to address changes. Order changes that result in a quantity reduction may be subject to an additional small order fee or adjustment in pricing. Under no circumstances will changes or cancellations be accepted on any custom fabric, special order or custom product orders.

TAXES

Humanscale list prices do not include sales tax. Customer is responsible to remit all such tax. Humanscale requires a State Resale/Exemption Certification to be on file at its main office. Sales made without said Certificate will be charged the appropriate sales tax.

PRICES

All discounts and list prices are subject to change without notice. Prices are those in effect at the time of order entry. If the requested shipment date is more than 90 days after the order date, Humanscale reserves the right to price said order based on the published list price as of the shipment date.

SMALL ORDER FEE

A 3% small order fee applies to all invoiceable orders of \$1,500 net or less, including billable replacement parts, regardless of product category.

SHIPPING AND DELIVERY

All Humanscale orders are acknowledged with a promise date (scheduled ship date) based on the product with the longest lead time. Large orders may increase standard lead times. Standard shipping charges will be billed to customer. Custom platform orders require 4 to 6 weeks.

Seating orders, unless otherwise specified, will ship 4 to 6 weeks from the date of order. Unless otherwise contractually specified, Diffrient World, Freedom and Liberty chairs will ship with the base and frame disassembled. Chairs can be easily assembled in seconds without use of tools. Blanketwrapped shipping is available for full truckloads of 200 or more Diffrient World, Freedom or Liberty Task and Conference chairs. Consult your Humanscale representative for blanket-wrapped shipping requirement for Cinto and the Liberty Side chair.

Ship Sets: All products ordered on a single purchase order will be delivered together in a single ship set. To break a ship set, customers must indicate "Ship as Available" on the purchase order. Upon request, customer accounts may be defaulted to ship all orders on an as-available basis.

Shipping Instructions: Humanscale will attempt to accommodate basic shipping instructions, such as "call ahead" or "deliver before 12:00 p.m.," if clearly identified on the purchase order as "Shipping Instructions."

Packing Instructions: Humanscale will attempt to accommodate basic packing instructions for internal delivery of specific items on an order, such as "Deliver to Joe Smith" or "Deliver to cube #218," if clearly identified on the purchase order as "Packing Instructions."

DELIVERY SHORTAGES

Product shortages must be noted at the time of delivery and reported to the carrier for correction. Claims against Humanscale for shortages, errors, etc., must be made in writing and within three (3) days of the date of delivery or customer waives its right to make such a claim.

FREIGHT CLAIMS

Humanscale will file all F.O.B. destination claims. In order to receive credit, customer agrees to cooperate and assist in the procedures set out by the carrier and Humanscale.

EXTERNAL DAMAGE

If the shipping container shows any external damage, customer is instructed to refuse the product at time of delivery. If it is a multiple piece shipment, customer may refuse only the damaged items. Humanscale will not issue full credit for returned product unless customer takes the following action steps:

- 1. Note damage on the delivery receipt at time of delivery.
- 2. Refuse product at time of delivery.
- 3. Contact Humanscale Customer Service within 24 hours of the attempted delivery and advise them of the damage.
- 4. Enter a chargeable replacement order; credit will be issued after the disposition of damaged product is determined.

CONCEALED DAMAGE/LOSS

If customer determines that there is internal damage not visible at time of delivery, customer will retain all packaging materials and take the following action steps within fifteen (15) calendar days from the date of delivery:

- 1. Request inspection by calling local freight carrier to report damage.
- 2. Retain merchandise in the original box.
- 3. Call your Humanscale Customer Service agent to provide order and product information.
- 4. Get a copy of the inspection report from carrier.
- 5. Enter a chargeable replacement order; credit will be issued after the disposition of damaged product is determined.

STORAGE

If a customer is unable to accept a scheduled product delivery, Humanscale, if notified in writing after product assembly and prior to the scheduled ship date, will store the product at customer's expense. Humanscale shall invoice customer for the product and monthly Storage Fees.

Storage Fees will be 1% of the net order value per month or actual storage costs—whichever is greater. Storage Fees are calculated with a one-month minimum and will not be pro-rated. If customer is unable to accept a scheduled product upon delivery, customer shall be responsible for placing the product in storage and bears the risk of loss. However, payment of the balance due is per Humanscale's Terms of Payment.

RETURN AUTHORIZATIONS & REFUSALS

All returned and non-damaged refused orders are subject to a five percent (5%) restocking fee. Seating and special order returns will not be accepted. Customer must request a Return Authorization through the Humanscale Customer Service Department within 45 days of product receipt to return any product. If Humanscale agrees to restock the product, customer must return it freight prepaid to Humanscale, F.O.B., to the original shipping point or as otherwise instructed by Humanscale Customer Service. If product is returned without a Return Authorization, Humanscale will notify customer of the unauthorized return and customer must provide instructions for its disposition within one week thereafter. Failure of customer to respond within one week will result in Humanscale's right to dispose of the product with no credit. Return Authorizations expire sixty (60) days after the date of issue. If the returned product is not in resalable condition, customer will not receive credit for the return. Customer must promptly provide a purchase order or other acceptance of fees/credit reduction as required.

WARRANTY

THE FOLLOWING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

Humanscale offers the following warranties on its products:

| PRODUCT | WARRANTY |
|---|--|
| All seating and other products detailed in a current Humanscale Price Guide, unless otherwise specified | 15 Years, 24/7 Warranty |
| Fabric/Cushions/Arm Pads | 5 Years, Single-Shift Warranty |
| M4, M7 & M8 Monitor Arms with Gas Cylinder Components | 10 Years, 24/7 Warranty |
| Diffrient Series Lights | 5 Years, 24/7 Warranty |
| Element and Horizon Series Lights, including light source | 5 Years, 24/7 Warranty |
| Artemide Tolomeo Light | 2 Years, 24/7 Warranty |
| CFL Light Bulbs | 1 Year, Single-Shift Warranty |
| ZÕN Air Purifiers | 3 Years, 24/7 Warranty |
| Switch Mouse | 1 Year, 24/7 Warranty |
| Customer's Own Material (COM, COL) | No Warranty |
| All other products NOT detailed in a current Humanscale Price Guide | Varies; consult your Humanscale representative for details |

This Warranty is applicable to the initial purchaser only and is non-transferable. If products are procured through authorized Humanscale Dealerships, the end-user customer name and address must be included on dealer purchase orders with Humanscale for the warranty to be in effect. Humanscale warrants that, at the time of customer's receipt, the product will be in good working order and will be free from defects in material and workmanship. This Warranty does not apply to normal wear and tear or damage caused by accident, neglect, misuse or improper installation or operation. Humanscale will not be responsible for damage due to service, maintenance, modifications or tampering by anyone other than a Humanscale authorized representative. In the event a product is defective and Humanscale receives written notice of the defect within the Warranty period, Humanscale, at its option, will either repair or replace the defective product. This Warranty does not cover damage caused by a carrier or transportation of the product from one location to another, or alterations made by owner.

LIMITATION OF LIABILITY

Purchaser's remedies set forth herein are exclusive and the liability of Humanscale with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the product or part on which such liability is based. In no event will Humanscale be liable to purchasers for any special, collateral, incidental or consequential damages however caused, whether by Humanscale's nedligence or otherwise.

The remedies provided above are the purchaser's sole remedies for any failure of Humanscale to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Humanscale, with respect to or arising out of the product furnished hereunder.



Creating a more comfortable place to work

Customer Service

10 Inverness Drive East Suite 100 Englewood, CO 80112 800 400 0625 303 858 9912 303 858 9916 fax info@humanscale.com

U.S. Headquarters

11 East 26th Street 8th Floor New York, NY 10010 212 725 4749 212 725 7545 fax

International Headquarters

13 Northburgh Street London EC1V OJP United Kingdom +44 207 566 7990 +44 207 566 7991 fax info@humanscale.co.uk