

## tile specifications

style name	float tile
style number	59484
construction	multi-level pattern cut/loop
fiber	eco solution q® nylon
dye method	100% yarn dyed

	english	metric
-----		
pattern repeat	none	
tufted weight	32.0	1,084.98 g/m <sup>2</sup>
gauge	1/12	47.24 per 10 cm
stitches per inch	12.0	47.24 per 10 cm
finished pile thickness	0.185	4.70 mm
total thickness	0.332	8.43 mm
average density	6227	11.59 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	ssp® shaw soil protection	


## testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

## warranties

lifetime commercial limited

## installation method



## coordinating products

paparazzi v2 tile, bloom tile, shadow tile, swirl tile, tailored tile, vivid bloom tile, vivid swirl tile, vivid shadow tile, vivid float tile, smpoom plush, smp float plush, smp swirl plush, smp shadow plush, shadow plush, swirl plush, float plush, bloom plush

## environmental certification

green label plus certification number	glp 9968
nsf140 platinum	
cradle to cradle silver certified	





Specifications are subject to nominal manufacturing variances.  
Material supply and/or manufacturing processes may necessitate changes without notice.

[shawcontractgroup.com](http://shawcontractgroup.com) | 1 800.257.7429

eco impacts

end of life

recyclability	100% recyclable
shaw closed looped recycling	0.0%
environmental guarantee	free pick up & recycling
To recycle call 800.509.SHAW	

materials

ingredients

face fiber	nylon 6
dye method	100% yarn dyed
backing	polyolefin composite
surface treatments	non c8 fluorocarbon chemistry
does not contain PVC, phthalates, or PBD/PBDE	

recycled content

total recycled content (by weight)	44.5 %
pre-consumer	31.3 %
post-consumer	13.2 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA

Meets or exceeds all local and national regulations in country of manufacture.  
Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.  
Recycled content is calculated using system allocation, mass balance, and direct insertion.  
The actual recycled content in this product will likely vary. For more information email [info@shawgreenedge.com](mailto:info@shawgreenedge.com).

third party certifications

MBDC cradle to cradle	silver certified
NSF 140	platinum certified
CRI green label plus	certified glp9968
USGBC LEED	contributes
Good Environmental Choice Australia	certified
Singapore green label	certified 039-003

social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.