shaw contract group®

reflections iv tile collection: Reflections

tile specifications

style name reflections iv tile

style number 59469

construction pattern loop

fiber antron® legacy nylon

dye method 50% solution dyed / 50% yarn dyed

english metric

.....

pattern repeat none

 tufted weight
 26.0
 881.55 g/m²

 gauge
 1/10
 39.37 per 10 cm

 stitches per inch
 10.0
 39.37 per 10 cm

finished pile thickness0.1343.40 mmtotal thickness0.3057.75 mm

average density 6985 13.01 kilotex

product size 24" x 24" 60.96 cm x 60.96 cm

primary backing synthetic
secondary backing ecoworx® tile

protective treatments

gsa approved product yes



testing

radiant panel Class I

nbs smokeless than 450electrostatic propensityless than 3.5 kv

warranties

lifetime commercial limited

installation method



coordinating products

reflections IV

environmental certification

green label plus certification number

nsf140 platinum

cradle to cradle silver certified

glp 9968



Specifications are subject to nominal manufacturing variances.

Material supply and/or manufacturing processes may necessitate changes without notice.

shawcontractgroup.com | 1 800.257.7429

shaw contract group" roll over each term to see a definition

eco impacts

reflections iv tile

end of life

recyclability 100% recyclable

shaw closed looped recycling 0.0%

environmental guarantee free pick up & recycling

To recycle call 800.509.SHAW

materials

ingredients

face fiber nylon 6,6

dye method 50% yarn dyed / 50% solution dyed

backing polyolefin composite

surface treatments non c8 fluorocarbon chemistry

does not contain PVC, phthalates, or PBD/PBDE

recycled content

total recycled content (by weight) 32.6 %

pre-consumer 26.7 % post-consumer 5.9 %

bio-based/rapidly renewable content (by weight)

5.9 %

0.0 %

packaging 100% recyclable

country of origin (manufacturer)

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email info@shawgreenedge.com.

third party certifications

NSF 140 platinum certified
CRI green label plus certified glp9968
USGBC LEED contributes

social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.

Sustainability Through Innovation That's the Shaw Green Edge