

performance broadloom specifications

style name	simple elegance
style number	60682
construction	multi-level pattern loop
fiber	eco solution q® nylon
dye method	71% solution dyed / 29% yarn dyed

	english	metric
pattern repeat	0.5940"w x 3.1880"l	15.09 mm w x 80.98 mm l
tufted weight	22.0	745.93 g/m ²
gauge	1/10	39.37 per 10 cm
stitches per inch	10.0	39.37 per 10 cm
finished pile thickness	0.111	2.82 mm
total thickness	0.283	7.19 mm
average density	7135	13.29 kilotex
product size	12 foot	3.66 m
primary backing	synthetic	
secondary backing	ecoworx® performance broadloom	
protective treatments	ssp® shaw soil protection	
gsa approved product	yes	



testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

warranties

lifetime commercial limited

installation method

direct glue

coordinating products

decorum, at home, easy living, private garden, finer things, simple elegance ultraloc® mp, at home, easy living, finer things, private garden, private garden ump-sample, paradise manor softbac, fine affair, life treasures, grand life, grace view

environmental certification

green label plus certification number	glp 9968
nsf140 platinum	
cradle to cradle silver certified	



Specifications are subject to nominal manufacturing variances.
Material supply and/or manufacturing processes may necessitate changes without notice.

eco impacts

simple elegance

end of life

recyclability	100% recyclable
shaw closed looped recycling	100.0%
environmental guarantee	free pick up & recycling

To recycle call 800.509.SHAW

materials

ingredients

face fiber	nylon 6
dye method	71% solution dyed / 29% yarn dyed
backing	polyolefin composite
surface treatments	non c8 fluorocarbon chemistry
does not contain PVC, phthalates, or PBD/PBDE	

recycled content

total recycled content (by weight)	29.6 %
pre-consumer	8.2 %
post-consumer	21.4 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email info@shawgreenedge.com.

third party certifications

MBDC cradle to cradle	silver certified
NSF 140	platinum certified
CRI green label plus	certified glp9968
USGBC LEED	contributes
Good Environmental Choice Australia	certified
Singapore green label	certified 039-003

social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.