

**broadloom specifications**

style name	tweed
style number	5A111
construction	pattern cut/loop
fiber	antron® legacy nylon
dye method	100% yarn dyed

	english	metric
	-----	
pattern repeat	24.0"w x 24.0"l	60.96 cm w x 60.96 cm l
tufted weight	45.0	1,525.76 g/m <sup>2</sup>
gauge	1/12	47.24 per 10 cm
stitches per inch	12.0	47.24 per 10 cm
finished pile thickness	0.212	5.38 mm
total thickness	0.406	10.31 mm
average density	7642	14.23 kilotex
product size	12 foot	3.66 m
primary backing	synthetic	
secondary backing	ultraloc®	
protective treatments	duratech® soil resistant treatment	

**testing**

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

**warranties**

lifetime commercial limited

**installation method**

direct glue

**coordinating products**

smp faux 3x3, smp coated 3x3, smp felted 3x3, smp sleek rib 3x3, smp structure weave 3x3, smp cross weave 3x3, smp thread 3x3, smp tweed 3x3, smp cloth 3x3, smp cloth shear 3x3, faux tile, felted tile, exaggerated weave tile, flat weave tile, smp exaggerated weave pre6 tile, smp flat weave pre6 tile, felted, faux, structure weave, cross weave, thread, sleek rib, cloth, cloth shear

**environmental certification**

green label plus certification number    glp2271  
nsf140 gold  
cradle to cradle silver certified



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate changes without notice.



## eco impacts

### end of life

**recyclability**

100% recyclable

**shaw closed looped recycling**

0.0%

To recycle call 800.509.SHAW

### materials

#### ingredients

face fiber

nylon 6,6

dye method

100% yarn dyed

backing

performance polymer emulsion

surface treatments

non c8 fluorocarbon chemistry

does not contain PVC, phthalates, or PBD/PBDE

#### recycled content

total recycled content (by weight)

0.0 %

pre-consumer

0.0 %

post-consumer

0.0 %

bio-based/rapidly renewable content (by weight)

0.0 %

packaging

100% recyclable

country of origin (manufacturer)

USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email [info@shawgreenedge.com](mailto:info@shawgreenedge.com).

### third party certifications

NSF 140

gold certified

CRI green label plus

certified glp2271

USGBC LEED

contributes

### social responsibility

Shaw and our people provide financial support, volunteer service and leadership for charitable and civic organizations in the communities where we work and live. Additionally, we strive to adhere to all applicable laws regarding labor, discrimination and harassment, wages and benefits, health and safety, diversity and equal opportunity.

**Sustainability Through Innovation™ That's the Shaw Green Edge®**