

6533 BANDINI BLVD. • LOS ANGELES, CALIFORNIA 90040 4155 SCOFIELD ROAD • DOUGLASVILLE, GEORGIA 30134

(770) 920-6000 (323) 720-3000

MATERIAL SAFETY DATA SHEET and WARRANTY

A424B Rev. 10/12 Date: October 1, 2012

Section I Identification



HEALTH	[2]
FLAMMABILITY	[1]
REACTIVITY	[0]
PROTECTION	[C]

Product Name:	LITHOCHROME® Tintura™ Stain Part B (Base)	
Chemical Name:	Mixture	
Chemical Family:	Copolymer Dispersion	
Chemical Formula:	Mixture	
Emergency Telephone Number:	CHEMTREC (800) 424-9300	

SCOFIELD

Section II Composition/ Information on Ingredients

Composition	Weight	OSHA TWA	ACGIH TLV	CAS Number
Proprietary Acrylic Copolymer	10–20%	NE	NE	Proprietary
Silicic Acid, Lithium Silicate Salt	1–5%	NE	NE	12627-14-14

NE = Not established

Section III Hazards Identification

Emergency Overview:

Spray mist or prolonged or repeated exposure may cause irritation to eyes, skin and upper respiratory tract. In a confined area, vapors in high concentrations may cause headache, nausea, or dizziness. Because of high pH of product, release into surface water is likely to be harmful to aquatic life. Reacts with acids, ammonium salts, and reactive metals.

Signs and Symptoms of Exposure:

Telephone Number for Information:

 $\label{lem:linear_lin$

Eyes — Burning or stinging.

Skin — Irritation, redness and burning.

Ingestion — Burning of mouth and throat nausea, vomiting, diarrhea, or dizziness.

Medical Conditions Generally Aggravated by Exposure: Dermatitis

Section IV First Aid Measures

Emergency and First Aid Procedures:

Eyes — Flush IMMEDIATELY with water while holding eyelids apart for at least 15 minutes. If irritation continues, get medical attention.

Inhalation — If breathing becomes difficult, leave the area to obtain fresh air and give oxygen if needed. If continued difficulty is experienced, get medical attention.

 ${\sf Ingestion-Do\ not\ induce\ vomiting}$. Give conscious victim 1 to 2 glasses of water. Contact local Poison Control Center. Advise them of the estimated quantity ingested and that it contains Lithium.

Skin — Wash thoroughly with soap and water. Remove soiled clothing and footwear and wash before reuse. If irritation occurs, get medical attention.

MATERIAL SAFETY DATA SHEET and WARRANTY

Date: October 1, 2012 LITHOCHROME® Tintura™ Stain – Part B

Section V
Fire and
Explosion
Hazard Data

Flash Point:	> 200° F	
Flammable Limits:	Not determined	
Extinguishing Media:	Water spray, dry chemical, foam, and CO ₂ .	
Special Fire Fighting Procedures:	Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing that is chemical resistant. Cool tightly closed containers exposed to fire with water.	
Unusual Fire and Explosion Hazards:	Cool closed containers exposed to fire with water.	

Section VI Accidental Release Measures

Steps to be Taken in Case Material is Released or Spilled: Only qualified personnel who have read the product Tech-Data Bulletins and this MSDS should conduct these procedures. Persons not wearing protective equipment should be excluded from the area. Follow procedures in Section VIII-Exposure Controls/Personal Protection. Liquid material spills may be slippery.

Cordon off area if necessary to prevent unauthorized traffic or entry. Collect with wet vacuum or absorb with inert material and place in labeled waste container for disposal together with all contaminated matter or equipment. If unable to prevent release to soil or waters of the State, immediate notice to local regulatory authorities is required.

Section VII Precautions for Safe Handling and Use

Precautions to be Taken in Handling and Storing: Persons handling or using this material must be thoroughly familiar with all applicable requirements before using this product. Follow personal protection procedures (Section VIII) when handling the material. Store in tightly closed original containers kept in an upright position, in a cool, dry, and well-ventilated area. Keep containers away from combustible materials and sources of heat. Avoid freezing. Once frozen, do not use. Store between 45°F and 140°F. Do not store in unlabeled or mislabeled containers. Wash hands and equipment thoroughly after handling. Flammable hydrogen gas may be produced on contact with aluminum, tin, lead, and zinc.

Section VIII Exposure Controls/ Personal Protection

Ventilation/Engineering Controls: Adequate ventilation and sufficient local exhaust as needed to control exposure.

Respiratory Protection: P100/organic vapor respirator (NIOSH TC-84A approved) is recommended. 3M Company's Tech Line (1-800-243-4630) may be helpful for respirator advice and availability. For respiratory protection guidelines refer to OSHA 29 CFR 1910.134.

Eye Protection: Chemical-splash goggles recommended.

Skin Protection: Impervious, chemical-resistant gloves recommended.

Other Protective Clothing or Equipment: Wear suitable clothing to avoid skin contact.

Work/Hygienic Practices: **Minimize exposure in accordance with good hygienic practice.**Wash with soap and water immediately after handling.

MATERIAL SAFETY DATA SHEET and WARRANTY

Date: October 1, 2012		LITHOCHROME® Tintura™ Stain – Part B
Section IX Physical and	Appearance: Odor:	Milky liquid Slight odor
Chemical Characteristics	pH:	Approximately 9.5-11.0
	Vapor Pressure (mm Hg.):	Similar to water
	Vapor Density (Air = 1):	Similar to water
	Boiling Point:	Similar to water
	Freezing Point:	Similar to water
	Solubility in Water:	Partially Soluble, completely miscible with water
	Specific Gravity (H ₂ O = 1):	Approximately 1
	Evaporation Rate (Butyl Acetate = 1):	Similar to water
	Volatile Organic Compounds:	< 50 g/L (0.41 lb/gal)
Section X	Stability:	Stable
Stability	Conditions to Avoid:	Freezing. Excessive heat or open flame.
and Reactivity	Incompatibility (Materials to Avoid):	Metal salts, strong oxidizing agents, strong acids or bases. Flammable hydrogen gas may be produced on contact with aluminum, tin, lead, and zinc.
	Hazardous Decomposition or By-products:	Hydrogen, NOx, hydrocarbons, aldehydes, ketones, organic acids, CO and CO ₂ may be produced.
	Hazardous Polymerization:	Will not occur.
Section XI Toxicological Information Section XII	not contain any ingredient at 0.1 or OSHA as probable or suspec	hronic test data are known. This product does % or greater designated by IARC, NTP, ACGIH, ted human carcinogens.
Ecological Information	toxicity data available, it is reas	onable to assume that sufficient quantities will should be taken to prevent the accidental
Section XIII Disposal Considerations	posing of material. Disposal of a and discarded equipment must state, and local regulations. Scofield cannot make specific relocality. Without endorsement Scofield offers the following codisposal of industrial or hazarde Veolia Environmental 1-800-42	26-2382 Heritage Environmental 1-800-827-4374 cardous waste may also be found on the Internet

MATERIAL SAFETY DATA SHEET and WARRANTY

Date: October 1, 2012	LITHOCHROME® Tintura™ Stain – Part B
Section XIV Transport Information	US DOT Hazard Class: Not regulated
Section XV Regulatory Information	U.S. Federal Regulations: This product contains a chemical subject to the reporting requirements of Sections 311–312 of Title III of the Superfund Amendments and Reauthorization Act. OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, material safety data sheets, training, and access to written records. It is your legal duty to make all information in this Material Safety Data Sheet available to your employees. State Regulations: State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65); WARNING: This product contains one or more chemicals known to the State of California to cause cancer, or birth defects or other reproductive harm. For all state regulations, please check with the appropriate state agency. International Regulations: All ingredients of this product are listed within the following Chemical Substance Inventories, are exempt from the inventories, are otherwise compliant with inventory requirements of the governing agency: TSCA,
	EINECS, DSL/NDSL, AICS, ECL, MITI, ENCS, PICCS, IENSC. Consult the regulations of the importing country.
Section XVI Other Information	Before using this product: Completely read Scofield's Tech-Data Bulletin A-424 LITHOCHROME Tintura Stain and the container label.

WARRANTY

Since no control is exercised over product use, L. M. Scofield Company (Scofield) represents and warrants only that its products are of consistent quality within manufacturing tolerances. NO OTHER ORAL OR WRITTEN REPRESENTATION OR STATEMENT OF ANY KIND, EXPRESS OR IMPLIED, NOW OR HEREAFTER MADE IS AUTHORIZED OR WARRANTED BY SCOFIELD, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Liability for breach of contract, negligence, or on any other legal basis is limited to the lesser of refund or replacement of defective materials. SCOFIELD WILL NOT BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING FOR DELAYS OR LOST PROFITS. Communication of this warranty and its limitations to end users is not the responsibility of Scofield, but should be communicated by those in direct contract with the end user. Any claim regarding product defect must be received in writing within one year from the date of manufacture. No claim will be considered without such written notice or after the specified time interval. The end user shall