

GSA prices effective May 1, 2014 (based on February 3, 2014, commercial price list) Published September 2014

Medical Equipment and Supplies

Procedure/Supply Carts

Department of Veteran Affairs Marketing Division for Federal Supply Schedules Authorized Federal Supply Schedule Price List

Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through GSA Advantage!*, a menu-driven database system. The Internet address for GSA Advantage! is www.gsaadvantage.gov. For more information on ordering from Federal Supply Schedules, click on the FSS Schedules button at www.fss.gsa.gov.

FSC Group 65, Part II, Section A, Medical Equipment and Supplies FSC Classes 6515 and 6530 Contract Number: V797D-40147 Contract Period: May 1, 2014, through April 30, 2019

Herman Miller, Inc. 855 East Main Avenue Zeeland, Michigan 49464 (616) 654 3000 Phone (616) 654 8278 Fax www.HermanMiller.com/government

Business Size: Large

1a. Special Item Numbers (SIN)

A-48: Carts, Emergency, Cardiopulmonary Resuscitation (Crash). A-83: Carts, Medical Supplies, Patient Application.

1b. Lowest Price Model:

A-48: CT772. \$64 A-83: CT550.03 \$23

- 2. Maximum Order. \$50,000 net product value.
- 3. Minimum Order. None.
- Geographic Coverage. 50 States, District of Columbia, and Puerto Rico.
- 5. Production Points. Zeeland, Michigan, County of Ottawa.
- **6a. Pricing.** Prices shown are list. To calculate contract prices, deduct 16% up to \$30,000 list. Over \$30,000, deduct 18%.
- **6b. 10-Day or Less Program.** Same discounts as standard lead-time.
- 7. Quantity Discounts. See 6a. above.
- 8. Payment Terms. Net 30 Days.
- **9a. Government Purchase Cards.** Government Purchase Cards are accepted below the micropurchase threshold.
- **9b. Government Purchase Cards.** Government Purchase Cards are accepted above the micropurchase threshold.
- Foreign Items. Not applicable.
- 11a. Time of Delivery. Within 45 days after receipt of order (ARO).
- 11b. Expedited Delivery. Items listed in the 10-day or less section of this price book are available for expedited delivery.
- 11c. Overnight and 2-Day Delivery. Select items may be available for overnight or 2-day delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.
- 11d. Urgent Requirements. Select items may be available for urgent delivery. Contact Herman Miller, Inc., or local authorized dealer for availability.
- **12. F.O.B.** Destination except Alaska, Hawaii, and Puerto Rico, which will be shipped F.O.B. inland carrier point of exportation.

13a. Order Address.

Herman Miller, Inc. Government Customer Care 0161 855 East Main Avenue Zeeland, MI 49464

13b. Order Procedures. For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's), and a sample BPA can be found at the GSA/FSS Schedule home page (www.fss.gsa.gov/schedules).

14. Payment Address.

Herman Miller, Inc. 22764 Network Place Chicago, IL 60673-1227

- Warranty Provisions. Herman Miller, Inc., commercial warranty applies.
- **16. Export Packing Charges.** Prices supplied upon request.
- 17. Terms and Conditions of Government Commercial Credit Card
 Acceptance. Net 30 days (standard payment terms).
- Terms and Conditions of Rental, Maintenance, and Repair. Not applicable.
- Terms and Conditions of Installation. Installation services shall be negotiated between ordering agency and Herman Miller local authorized dealer.
- 20. Terms and Conditions of Repair Parts. Not applicable.
- 20a. Terms and Conditions for Any Other Services. Not applicable.
- List of Service and Distribution Points. Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.
- List of Participating Dealers. Access Herman Miller web site for current list of participating dealers: www.HermanMiller.com.
- 23. Preventive Maintenance. Not applicable.
- **24a. Special Attributes.** Reconfigurable, renewable, recyclable.
- 24b. Section 508 Compliance. Not applicable.
- **25. DUNS Number.** 0060112801
- 26. Registered in Central Contractor Registration (CCR) Database. Herman Miller, Inc., Federal ID Number: 38-0837640 Commercial and Government Entity Code (CAGE): 40636

Government facilities located in geographic areas other than those identified in item 4 above, Geographic Coverage, write or call:

Herman Miller, Inc.

855 East Main Avenue, Zeeland, MI 49464

(616) 654-3000

For answers to any contract questions, call toll free 1-800-221-7158

Introduction	page 2
Procedure/Supply Carts	3
Carts	5
Interior Components	11
Exterior Accessories	44
Indices	89
By Name	89
By Number	91
Appendices	
20-Day or Less/Assigned Lead-Time Order Information-H	ealthcare
Packaging/Keyed-Alike Information-Procedure/Supply Ca	arts
For the latest materials information, refer to the Materials p	oages on
HermanMiller.com.	

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective May 1, 2014, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest $^{1}/_{8}$ ". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon <a> a will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an A are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.


Procedure/Supply Carts

Carts

Interior Components

Exterior Accessories

Single-Wide Cart



CT136. CT142. CT172. CT336. CT342. CT372.

Product Information

Description


This 20"-deep cart has 2 swivel/brake casters in front, 2 swivel casters in back, and bumpers on all 4 corners. It is available with a 20"- or 24"-wide interior. The 36"- and 42"-high carts have a raised-edge top, an optional shelf that slides out on the left or right side, and 5" casters; the 72"-high cart has a flat top and 6" casters. The 36"-high cart has 4 segments with 8 slots; the 42"-high cart has 5 segments with 10 slots; and the 72"-high cart has 10 segments with 20 slots.


Notes

Order the following products separately:

- Cart-mounted shelves, rails, trays, and holders
- Closure and lock components
- Drawers, drawer accessories, shelves, cassettes, and holders
- Rail-mounted electrical components, containers, and holders

Dimensions





Specification Information

Step 1.

СТ

Step 2. Cart Interior Width

3 20" wide

1 24" wide

Step 3. Height

36. 36" high

42. 42" high

72. 72" high

Step 4. Top

For 36" high (36.) or 42" high (42.)

60N raised-edge top

60S raised-edge top with slide-out shelf


For 72" high (72.)

Drings for Change

10N flat top

Prices for Steps 1-4.	
CT336. 60N	\$657
605	\$819
CT342. 60N	\$675
60S	\$837
CT372. 10N	\$1092
CT136. 60N	\$690
60\$	\$852
CT142. 60N	\$710
60S	\$872
CT172. 10N	\$1140

Step 5.	Surface Finish	
HF	inner tone light	+\$ 0
LT	light tone	+\$ 0
LU	soft white	+\$ o
WN	warm grey neutral	+\$o



Description


This 42"-high cart provides access to the interior from the front and back, making it ideal for use as a response cart. It has a raised-edge top and an optional shelf that slides out on the left or right. A breakaway bar at front and back are also included. The cart has 5" casters; 2 swivel/brake casters in front, 2 swivel casters in back. It has a 24"-wide interior and slots at 3" intervals (7 slots in the front and 3 slots in the back) to hold interior components.


Notes

Order the following products separately:

- Cart-mounted shelves, rails, trays, and holders
- Drawers, drawer accessories, shelves, cassettes, and holders
- Rail-mounted electrical components, containers, and holders

Dimensions





Specification Information

Step 1.

CT142.

Step 2. Top


61B raised-edge top

615 raised-edge top with slide-out shelf

Prices for Steps 1-2.	
CT142. 61B	\$836
61S	\$998

Step	3. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WN	warm grev neutral	+\$0

Double-Wide Cart



CT236. CT242. CT272. CT436. CT442. CT472.

Product Information

Description

This 20"-deep cart has 1 swivel/brake caster and 1 swivel/direction-lock caster in front, 2 swivel casters in back, and bumpers on all 4 corners. A pull handle is installed on the left side of segment 4. 36"- and 42"-high carts have a flat top and 5"casters; the 72"-high cart has a flat top and 6" casters. The 36"- and 42"-high carts are available with a top or full spine; the 72"-high cart is available with or without a spine.

Notes

Height, spine, and interior slot combinations are:

 ${\sf Height-Spine-Interior\ Slots}$

36"—top spine—2 single-wide slots and 7 double-wide slots

36"—full spine—16 single-wide slots

42"—top spine—2 single-wide slots and 9 double-wide slots

42"—full spine—20 single-wide slots

72"—no spine—20 double-wide slots

72"—partial spine—16 single-wide slots and 12 double-wide slots


72"—full spine—40 single-wide slots


Top spine extends 3'' from the top of a 36''- or 42''-high cart. Partial spine extends $27^{1}/_{2}''$ from the bottom of a 72''-high cart and includes a doublewide wire shelf.

Order the following products separately:

- Cart-mounted shelves, rails, trays, and holders
- Closure and lock components
- Drawers, drawer accessories, shelves, cassettes, and holders
- Rail-mounted electrical components, containers, and holders

Dimensions






Specification InformationStep 1.

СТ					
Step 2.	. Cart Interior Width				
4	2 20"-wide sections				
2	2 24"-wide sections				
Step 3.	. Height				
36.	36" high				
42.	42" high				
72.	72" high				
Step 4.	Тор				
For 36'	' high (36.) or 42" high (42.)				
60	flat top				
For 72'	' high (72.)				
10	flat top				
Step 5.	Spine				
For 36'	' high (36.) or 42" high (42.)				
T	top spine				
F	full spine				
For 72'	' high (72.)				
N	no spine				
4	partial spine				
F	full spine				
Prices	for Steps 1-5.				
		N	T	4	F
CT436.	. 60	_	\$921	_	1082
CT442.	. 60	_	\$989	_	1109
CT472.	. 10	\$1555	_	1747	1633
CT236.	. 60		\$1066	_	1077
CT242.	. 60		\$1196	_	1210
CT272.	. 10	\$1580		1775	1809

Step 6.	. Surface Finish	
łF	inner tone light	+\$o
.T	light tone	+\$o
.U	soft white	+ \$o
٧N	warm grey neutral	+ \$o



Description

This 42"-high cart has a ventilated CPU compartment with front and back access doors and optional locks, a full-extension keyboard tray, and a monitor platform or flat-screen monitor arm. It has a raised-edge top and an optional shelf that slides out on the left or right side. A power outlet strip and a channel for managing cords and cables are also included. The cart has 5" casters; 2 swivel/brake casters in front, 2 swivel casters in back. It is available with a 20"- or 24"-wide interior and has 6 slots at 3" increments for holding interior components.

The CPU compartment accepts horizontal type units (not towers) up to 7'' high and $18^{1}/_{2}''$ deep. Flat-screen monitor arm has $4^{1}/_{2}''$ of height adjustment.


Notes


Order the following products separately:


- Drawers, drawer accessories, shelves, cassettes, and holders
- Rail-mounted electrical components, containers, and holders For general information on locks, see Keyed-Alike Information in

Dimensions

Appendices.







Specification Information

Step 1.

СТ

Step 2. Cart Interior Width

342. 20" wide

142. 24" wide

Step 3. Top

60C raised-edge top

60SC raised-edge top with slide-out shelf

Step 4. CPU Compartment Lock

N no lock

L keyed differently

K keyed alike


Prices for Steps 1-4.			
	N	L	K
CT342. 60C	\$1379	1459	1459
60SC	\$1540	1621	1621
CT142. 60C	\$1444	1525	1525
60SC	\$1606	1687	1687

Step 5	. Surface Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o

Step 6.	Monitor Support	
2V	monitor platform	+\$0
3V	flat screen arm, manual adjustment	+\$22
6V	flat screen arm, cylinder adjustment	+\$87

Step	7. Key Number	
For k	eyed alike (K)	
01	key number 01	+\$ o
02	key number 02	+\$ o
03	key number 03	+\$ o
04	key number 04	+\$ o
05	key number 05	+\$ o
06	key number o6	+\$ o
07	key number 07	+\$ o
80	key number o8	+\$ o
09	key number 09	+\$o

10	key number 10	+\$0	57	key number 57	+\$o
11	key number 11	+\$o	58	key number 58	+\$0
12	key number 12	+\$o	59	key number 59	+\$0
13	key number 13	+\$o	60	key number 60	+\$0
14	key number 14	+\$0	61	key number 61	+\$0
15	key number 15	+\$0	62	key number 62	+\$0
16	key number 16	+\$0	63	key number 63	+ \$o
17	key number 17	+\$0	64	key number 64	+ \$o
18	key number 18	+\$o	65	key number 65	+\$0
19	key number 19	+\$o	66	key number 66	+\$0
20	key number 20	+\$0	67	key number 67	+\$0
21	key number 21	+\$0	68	key number 68	+\$0
22	key number 22	+\$0	69	key number 69	+\$0
23	key number 23	+\$0	70	key number 70	+\$0
24	key number 24	+\$0	71	key number 71	+\$0
25	key number 25	+\$0	72	key number 72	+\$0
26	key number 26	+\$0	73	key number 73	+\$0
27	key number 27	+\$0 +\$0	74	key number 74	+\$0
28	key number 28	+\$0 +\$0	7 4 75	key number 75	+\$0
29		+\$0	76		+\$0
	key number 29	+\$0 +\$0		key number 76	+\$0
30	key number 30		77 70	key number 77	
31	key number 31	+\$0	78	key number 78	+\$0
32	key number 32	+\$0	79	key number 79	+\$0
33	key number 33	+\$o	80	key number 80	+\$0
34	key number 34	+\$o	81	key number 81	+\$0
35	key number 35	+\$o	82	key number 82	+\$0
36	key number 36	+\$o	83	key number 83	+\$0
37	key number 37	+\$o	84	key number 84	+\$0
38	key number 38	+\$o	85	key number 85	+\$0
39	key number 39	+\$o	86	key number 86	+\$0
40	key number 40	+\$o	87	key number 87	+\$0
41	key number 41	+\$ 0	88	key number 88	+ \$o
42	key number 42	+\$ 0	89	key number 89	+ \$o
43	key number 43	+ \$0	90	key number 90	+ \$o
44	key number 44	+\$o	91	key number 91	+ \$0
45	key number 45	+\$o	92	key number 92	+\$o
46	key number 46	+\$o	93	key number 93	+\$o
47	key number 47	+\$o	94	key number 94	+\$0
48	key number 48	+\$ 0	95	key number 95	+\$0
49	key number 49	+\$ 0	96	key number 96	+\$0
50	key number 50	+\$o	97	key number 97	+\$o
51	key number 51	+\$o	98	key number 98	+ \$o
52	key number 52	+\$o	99	key number 99	+ \$o
53	key number 53	+\$o			
54	key number 54	+\$o			
55	key number 55	+\$o			
56	key number 56	+\$o			



Description

This drawer fits into a single- or double-wide cart and has stops to prevent accidental removal. It is available with no lock, a keyed lock, or keyless lock. Includes 1 label clip.

The 3"-high drawer fills 1 set of cart slots; the 6"-high drawer fills 2 sets of cart slots; the 9"-high drawer fills 3 sets of cart slots.

Notes

Order optional accessories separately:


- 3"-high drawer organizer kit, 20"-wide cart interior (CT580., CT581., CT582., CT583., CT584., or CT585.)
- 3"-high drawer organizer kit, 24"-wide cart interior (CT560., CT561., CT562., CT563., or CT564.)
- 6"-high drawer organizer kit, 20"-wide cart interior (CT575. or CT576.)
- 6"-high drawer organizer kit, 24"-wide cart interior (CT570. or CT571.)
- Clear lid (CT508.)
- Drawer/shelf divider (CT550.)
- Full-extension drawer slides (CT504.) for 3"- or 6"-high drawer with no lock

Drawer with keyed or keyless lock cannot be used with full-extension drawer slides.

Drawer with keyless lock option (P) cannot be used with lockbar installed on left side of cart.

Keyed lock is located on right side; keyless lock is located on left side. For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



CT511. 03

Spec	cification Information				
Step	1.				
CT5					
a.					
	2. Cart Interior Width				
	20" wide				
11.	24" wide				
Step	3. Height				
For 20	o" wide (01.)				
•	3" high				
	6" high				
09	9" high				
For 2	4" wide (11.)				
03	3" high				
06	6" high				
Step	4. Lock				
For n	o lock (*), skip this step.				
L	keyed differently				
K	keyed alike				
P	keyless lock				
Prices	s for Steps 1-4.				
		*	L	K	P
CT50	1. 03	\$49	100	100	320

Step 5	. Drawer Finish	
1B	khaki	+\$o
2B	juniper	+\$o
3B	beachglass	+\$o
4B	plum	+\$o
5B	java	+\$o
5E	aquamarine	+\$o
6F	midnight	+\$o
DA	deep blue	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
VR	vivid red	+\$o
WN	warm grey neutral	+\$ o
YT	yellow	+ \$o
ZP	terra cotta	+\$o
	5. Drawer Key Number	
	yed alike (K)	
01	key number 01	+\$0
02	key number o2	+\$0
03	key number 03	+\$0
04	key number 04	+\$0
05	key number 05	+\$0
06	key number o6	+\$0
07	key number 07	+\$0
80	key number o8	+\$0
09	key number 09	+\$0
10	key number 10	+\$o +\$o
11	key number 11	+\$0
12 13	key number 12	+\$0
14	key number 13 key number 14	+\$0
15	key number 15	+\$0
16	key number 16	+\$0
17	key number 17	+\$0
18	key number 18	+\$0
19	key number 19	+\$0
20	key number 20	+\$0
21	key number 21	+\$0
22	key number 22	+\$0
23	key number 23	+\$0
24	key number 24	+\$0
25	key number 25	+\$0
26	key number 26	+\$0
27	key number 27	+\$0
28	key number 28	+\$0
-	, "	. 40

\$62

\$80


\$50

\$63

+\$o **+\$**o **+\$**0 **+\$**o

+\$0 **+\$**0 **+**\$0 **+\$**0 **+\$**0 **+\$**0 **+**\$o **+\$**0 **+\$**o **+\$**0 **+\$**0 **+\$**0 +\$o +\$o **+\$**o **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o

29	key number 29	+\$o	76	key number 76
30	key number 30	+\$o	77	key number 77
31	key number 31	+\$o	78	key number 78
32	key number 32	+\$o	79	key number 79
33	key number 33	+\$o	80	key number 80
34	key number 34	+\$o	81	key number 81
35	key number 35	+\$o	82	key number 82
36	key number 36	+\$o	83	key number 83
37	key number 37	+\$o	84	key number 84
38	key number 38	+\$o	85	key number 85
39	key number 39	+\$o	86	key number 86
40	key number 40	+\$o	87	key number 87
41	key number 41	+\$o	88	key number 88
42	key number 42	+ \$o	89	key number 89
43	key number 43	+\$o	90	key number 90
44	key number 44	+\$o	91	key number 91
45	key number 45	+\$o	92	key number 92
46	key number 46	+\$o	93	key number 93
47	key number 47	+ \$0	94	key number 94
48	key number 48	+ \$0	95	key number 95
49	key number 49	+ \$0	96	key number 96
50	key number 50	+ \$0	97	key number 97
51	key number 51	+ \$0	98	key number 98
52	key number 52	+\$o	99	key number 99
53	key number 53	+\$o		
54	key number 54	+\$o		
55	key number 55	+\$o		
56	key number 56	+\$o		
57	key number 57	+\$o		
58	key number 58	+\$0		
59	key number 59	+\$0 +\$0		
60 61	key number 60 key number 61	+\$0		
62	key number 62	+\$0		
63	key number 63	+\$0		
64	key number 64	+\$0		
65	key number 65	+\$0		
66	key number 66	+\$0		
67	key number 67	+\$0		
68	key number 68	+\$0		
69	key number 69	+\$0		
70	key number 70	+\$0		
71	key number 71	+ \$0		
72	key number 72	+ \$o		
73	key number 73	+ \$0		
74	key number 74	+ \$o		
75	key number 75	+ \$o		



Description


This 15 $^{1}/_{4}$ "-deep drawer fits into a single- or double-wide cart. It has a soft white, lockable lid that can open when the drawer is pulled out. The drawer has stops to prevent accidental removal and includes 1 label clip. The 3"-high drawer is $2^{7}/_{8}$ " high and fills 1 cart slot; the 6"-high drawer is $5^{7}/_{8}$ " high and fills 2 cart slots; the 9"-high drawer is $8^{7}/_{8}$ " high and fills 3 cart slots.

Notes

To fully extend 3"- or 6"-high drawer in 36"- or 42"-high cart, order full-extension drawer slides (CT504.) separately.

For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only. For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CT5

Step 2. Cart Interior Width

03. 20" wide

13. 24" wide

Step 3. Height

For 20" wide (03.)

03 3" high

06 6" high

09 9" high

For 24" wide (13.)

06 6" high

Step 4. Lid Lock

keyed differently

K keyed alike

Prices for Steps 1-4.

	-	
CT503. 03	\$164	164
06	\$172	172
09	\$190	190


CT513. 06	\$178	178
-----------	-------	-----

Step	Step 5. Drawer Finish				
1B	khaki	+\$0			
2B	juniper	+\$0			
3B	beachglass	+ \$o			
4B	plum	+ \$o			
5B	java	+ \$o			
5E	aquamarine	+ \$o			
6F	midnight	+ \$o			
DA	deep blue	+ \$o			
HF	inner tone light	+ \$o			
LT	light tone	+ \$o			
LU	soft white	+ \$o			
VR	vivid red	+\$ 0			
WN	warm grey neutral	+\$ 0			
ΥT	yellow	+\$ 0			
ΖP	terra cotta	+\$o			

Step	6. Lid Key Number		46	key number 46	+\$0	
For k	eyed alike (K)		47	key number 47	+\$0	
01	key number 01	+\$0	48	key number 48	+\$0	
02	key number 02	+\$0	49	key number 49	+\$0	
03	key number 03	+\$o	50	key number 50	+\$0	
04	key number 04	+\$o	51	key number 51	+\$0	
05	key number 05	+\$o	52	key number 52	+\$0	
06	key number o6	+\$0	53	key number 53	+\$0	
07	key number 07	+\$0	54	key number 54	+\$0	
80	key number o8	+\$0	55	key number 55	+\$0	
09	key number 09	+\$0	56	key number 56	+\$0	
10	key number 10	+ \$0	57	key number 57	+\$0	
11	key number 11	+ \$0	58	key number 58	+\$0	
12	key number 12	+ \$0	59	key number 59	+\$0	
13	key number 13	+ \$0	60	key number 60	+\$0	
14	key number 14	+ \$o	61	key number 61	+\$0	
15	key number 15	+ \$o	62	key number 62	+\$0	
16	key number 16	+ \$o	63	key number 63	+\$0	
17	key number 17	+ \$o	64	key number 64	+\$0	
18	key number 18	+ \$o	65	key number 65	+\$0	
19	key number 19	+ \$o	66	key number 66	+\$0	
20	key number 20	+ \$o	67	key number 67	+\$0	
21	key number 21	+ \$o	68	key number 68	+\$0	
22	key number 22	+ \$o	69	key number 69	+\$0	
23	key number 23	+\$0	70 71	key number 70	+\$0	
24	key number 24	+\$0	71 72	key number 71	+\$0	
25	key number 25	+\$0	72 72	key number 72	+\$0	
26	key number 26	+\$o	73	key number 73	+\$c +\$c	
27	key number 27	+\$o	74 75	key number 74	+\$0	
28	key number 28	+\$o	75 76	key number 75	+\$0	
29	key number 29	+\$o		key number 76	+\$0	
30	key number 30	+\$o	77 70	key number 77 key number 78	+\$0	
31	key number 31	+\$o	78 70	key number 79	+\$0	
32	key number 32	+\$o	79	* **	+\$0	
33	key number 33	+\$o	80	key number 80 key number 81	+\$0	
34	key number 34	+\$o	81 82	*	+\$0	
35	key number 35	+\$o		key number 82		
36	key number 36	+\$o	83	key number 83	+\$c +\$c	
37	key number 37	+\$o	84 85	key number 84	+\$0	
38	key number 38	+\$o	85 86	key number 85	+\$0	
39	key number 39	+\$o	86	key number 86		
40	key number 40	+\$o	87 ee	key number 87	+\$0	
41	key number 41	+\$o	88 en	key number 88	+\$0	
42	key number 42	+\$o	89	key number 89	+\$0	
43	key number 43	+\$o	90	key number 90	+\$0	
44	key number 44	+\$o	91	key number 91	+\$0	
45	key number 45	+\$ 0	92	key number 92	+\$0	,

93	key number 93	+ \$o
94	key number 94	+ \$o
95	key number 95	+ \$o
96	key number 96	+ \$o
97	key number 97	+ \$o
98	key number 98	+\$0
99	key number 99	+\$o

Locked Drawer with Lockable Lid CT505. CT515.



Product Information

Description

This drawer fits into a single- or double-wide cart and has stops to prevent accidental removal. It has a soft white, lockable lid that can open when the drawer is pulled out, and is available with a keyed lock or keyless lock. Includes 1 label clip.


The 3"-high drawer fills 1 set of cart slots; the 6"-high drawer fills 2 sets of cart slots; the 9"-high drawer fills 3 sets of cart slots.

Notes

Drawer with keyless lock option (P) cannot be used with lockbar installed on left side of cart.

Keyed lock is located on right side; keyless lock is located on left side. For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only. For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CT5

Step 2. Cart Interior Width

05. 20" wide

15. 24" wide

Step 3. Height

For 20" wide (05.)

03 3" high

06 6" high

09 9" high

For 24" wide (15.)

03 3" high

06 6" high

Step 4. Drawer/Lid Lock

L keyed differently

K keyed alike

P keyless lock

Prices for Steps 1-4.			
	L	K	Р
CT505. 03	\$212	212	432
06	\$225	225	445
09	\$243	243	463
CT515. 03	\$213	213	433
06	\$226	226	446

Sten	5. Drawer Finish		29	key number 29	+\$0
1B	khaki	+\$o	30	key number 30	+\$0
2B	juniper	+\$0	31	key number 31	+\$0
3B	beachglass	+\$0	32	key number 32	+\$0
4B	plum	+\$0	33	key number 33	+\$0
5B	java	+\$0	34	key number 34	+\$0
5E	aquamarine	+\$0	35	key number 35	+\$0
6F	midnight	+\$0	36	key number 36	+\$0
DA		+\$0	37	key number 37	+\$0
HF	deep blue	+\$0 +\$0	38	key number 38	+\$0
	inner tone light		39	key number 39	+\$
LT	light tone	+\$o	40	key number 40	+\$
LU	soft white	+\$o	41	key number 41	+\$
VR	vivid red	+\$o	42	key number 42	+\$(
WN	warm grey neutral	+\$o	43	key number 43	+\$0
YT	yellow	+\$o	44	key number 44	+\$0
ZP	terra cotta	+\$0	45	key number 45	+\$0
C+ /	/ Duranta Marchan		46	key number 46	+\$0
	6. Drawer Key Number		47	key number 47	+\$0
	eyed alike (K)	.	48	key number 48	+\$0
01	key number 01	+\$0	49	key number 49	+\$0
02	key number 02	+\$0	50	key number 50	+\$0
03	key number 03	+\$0	51	key number 51	+\$0
04	key number 04	+\$o	52	key number 52	+\$0
05	key number 05	+\$0	53	key number 53	+\$0
06	key number o6	+\$0	54	key number 54	+\$0
07	key number 07	+\$0	55	key number 55	+\$0
80	key number o8	+\$o	56	key number 56	+\$0
09	key number 09	+\$o	57	key number 57	+\$(
10	key number 10	+\$0	58	key number 58	+\$(
11	key number 11	+\$0	59	key number 59	+\$(
12	key number 12	+\$0	60	key number 60	+\$(
13	key number 13	+\$0	61	key number 61	+\$(
14	key number 14	+\$0	62	key number 62	+\$(
15	key number 15	+\$0		key number 63	+\$(
16	key number 16	+\$o	63		+\$0
17	key number 17	+\$0	64 65	key number 64	
18	key number 18	+\$0	65	key number 65	+\$0
19	key number 19	+ \$o	66	key number 66	+\$0
20	key number 20	+\$ o	67	key number 67	+\$0
21	key number 21	+\$o	68	key number 68	+\$0
22	key number 22	+ \$o	69	key number 69	+\$0
23	key number 23	+ \$o	70	key number 70	+\$0
24	key number 24	+ \$o	71	key number 71	+\$(
25	key number 25	+\$ 0	72	key number 72	+\$0
26	key number 26	+\$ 0	73	key number 73	+\$0
27	key number 27	+ \$0	74	key number 74	+\$0
28	key number 28	+\$o	75	key number 75	+\$0


76	key number 76	+\$o	21	key number 21	+\$o
77	key number 77	+ \$0	22	key number 22	+\$o
78	key number 78	+ \$0	23	key number 23	+\$o
79	key number 79	+ \$0	24	key number 24	+\$o
80	key number 80	+ \$0	25	key number 25	+\$o
81	key number 81	+\$o	26	key number 26	+\$o
82	key number 82	+\$o	27	key number 27	+\$o
83	key number 83	+\$o	28	key number 28	+\$o
84	key number 84	+\$o	29	key number 29	+\$o
85	key number 85	+\$o	30	key number 30	+\$o
86	key number 86	+\$o	31	key number 31	+\$o
87	key number 87	+\$o	32	key number 32	+\$o
88	key number 88	+\$0	33	key number 33	+\$o
89	key number 89	+\$0	34	key number 34	+\$o
90	key number 90	+\$o	35	key number 35	+\$o
91	key number 91	+\$o	36	key number 36	+\$o
92	key number 92	+\$0	37	key number 37	+\$o
93	key number 93	+\$0	38	key number 38	+\$o
94	key number 94	+\$0	39	key number 39	+\$o
95	key number 95	+\$0	40	key number 40	+\$o
96	key number 96	+\$0	41	key number 41	+\$o
97	key number 97	+\$0	42	key number 42	+\$o
98	key number 98	+\$0	43	key number 43	+\$o
99	key number 99	+\$0	44	key number 44	+\$o
			45	key number 45	+\$o
Step 7	. Lid Key Number		46	key number 46	+\$o
For ke	yed alike (K) or keyless lock (P)		47	key number 47	+\$o
01	key number 01	+\$o	48	key number 48	+\$o
02	key number 02	+\$0	40	key number 49	+\$o
	key number 02	+Φ0	49	,	
03	key number 03	+\$0	50	key number 50	+\$o
03 04					+\$0 +\$0
	key number 03	+\$o	50	key number 50	
04	key number 03 key number 04	+\$0 +\$0	50 51	key number 50 key number 51	+ \$0
04 05	key number 03 key number 04 key number 05	+\$0 +\$0 +\$0	50 51 52	key number 50 key number 51 key number 52	+\$0 +\$0
04 05 06	key number 03 key number 04 key number 05 key number 06	+\$0 +\$0 +\$0 +\$0	50 51 52 53	key number 50 key number 51 key number 52 key number 53	+\$0 +\$0 +\$0
04 05 06 07	key number 03 key number 04 key number 05 key number 06 key number 07	+\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54	key number 50 key number 51 key number 52 key number 53 key number 54	+\$0 +\$0 +\$0 +\$0
04 05 06 07 08	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55	+\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 09	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 09 key number 10	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 09 key number 10 key number 11	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10 11	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 10 key number 11 key number 12	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58 59	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58 key number 59	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10 11 12	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 10 key number 11 key number 12 key number 13	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58 59 60	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58 key number 59 key number 60	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10 11 12 13	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 09 key number 10 key number 11 key number 12 key number 13 key number 14	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58 59 60 61	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58 key number 59 key number 60 key number 61	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10 11 12 13 14	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 09 key number 10 key number 11 key number 12 key number 13 key number 14 key number 15	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58 59 60 61 62	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58 key number 59 key number 60 key number 61 key number 62	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10 11 12 13 14 15	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 09 key number 10 key number 11 key number 12 key number 13 key number 14 key number 15 key number 16	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58 59 60 61 62 63	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58 key number 59 key number 60 key number 61 key number 62 key number 63	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10 11 12 13 14 15 16	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 10 key number 11 key number 12 key number 13 key number 14 key number 15 key number 16 key number 16 key number 17	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58 59 60 61 62 63 64	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58 key number 59 key number 60 key number 61 key number 62 key number 63 key number 64	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0
04 05 06 07 08 09 10 11 12 13 14 15 16 17	key number 03 key number 04 key number 05 key number 06 key number 07 key number 08 key number 10 key number 11 key number 12 key number 13 key number 14 key number 15 key number 16 key number 17 key number 17 key number 18	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0	50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65	key number 50 key number 51 key number 52 key number 53 key number 54 key number 55 key number 56 key number 57 key number 58 key number 59 key number 60 key number 61 key number 62 key number 63 key number 64 key number 65	+\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0 +\$0

68

key number 68

69	key number 69
70	key number 70
71	key number 71
72	key number 72
73	key number 73
74	key number 74
75	key number 75
76	key number 76
77	key number 77
78	key number 78
79	key number 79
80	key number 80
81	key number 81
82	key number 82
83	key number 83
84	key number 84
85	key number 85
86	key number 86
87	key number 87
88	key number 88
89	key number 89
90	key number 90
91	key number 91
92	key number 92
93	key number 93
94	key number 94
95	key number 95
96	key number 96
97	key number 97
98	key number 98
99	key number 99

+\$o
+\$o
+\$ 0
+\$ 0
+\$o
+\$0
+\$0
+\$0
+\$0
+\$0
+\$o
+\$0
+\$0
+\$o
+\$o
+\$0
+\$o
+\$ 0



Description

This drawer fits into a single- or double-wide cart and has stops to prevent accidental removal. It has a soft white lid that can open when the drawer is pulled out, and is available with a keyed lock or keyless lock. Includes 1 label clip.


The 3"-high drawer fills 1 set of cart slots; the 6"-high drawer fills 2 sets of cart slots; the 9"-high drawer fills 3 sets of cart slots.

Notes

Drawer with keyless lock option (P) cannot be used with lockbar installed on left side of cart.

Keyed lock is located on right side; keyless lock is located on left side. For B-size drawer with lockable lid, order A-size subcontainer only. For C-size drawer with lockable lid, order A- or B-size subcontainers only. For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CT5

Step 2.	Cart	Interior	W	id	tl	
---------	------	----------	---	----	----	--

02. 20" wide

12. 24" wide

Step 3. Height

For 20" wide (02.)

03 3" high

06 6" high

09 9" high

For 24" wide (12.)

06 6" high

Step 4. Drawer Lock

keyed differently

K keyed alike


P keyless lock

Prices for Steps 1-4.			
	L	K	Р
CT502. 03	\$165	165	385
06	\$178	178	398
09	\$196	196	446
CT512. 06	\$179	179	399

-		
Step	5. Drawer Finish	
1B	khaki	+\$ o
2B	juniper	+\$0
3B	beachglass	+\$0
4B	plum	+\$0
5B	java	+\$0
5E	aquamarine	+\$0
6F	midnight	+\$0
DA	deep blue	+ \$o
HF	inner tone light	+ \$o
LT	light tone	+ \$o
LU	soft white	+\$ o
VR	vivid red	+\$o
WN	warm grey neutral	+\$o
ΥT	yellow	+ \$o
ΖP	terra cotta	+ \$o

Ste	ep 6. Drawer Key Number		46	key number 46	+\$0
For	keyed alike (K)		47	key number 47	+\$0
01	key number 01	+ \$0	48	key number 48	+\$0
02		+ \$0	49	key number 49	+\$0
03	key number 03	+ \$0	50	key number 50	+\$0
04	key number 04	+ \$0	51	key number 51	+\$0
05		+ \$0	52	key number 52	+\$0
06	•	+ \$0	53	key number 53	+\$0
07		+\$0	54	key number 54	+\$0
80	•	+\$0	55 56	key number 55	+\$o +\$o
09	•	+\$0	56 57	key number 56	+\$0 +\$0
10	•	+\$0	57 50	key number 57	+\$0 +\$0
11	•	+\$o	58 59	key number 58 key number 59	+\$0 +\$0
12		+\$0	60	key number 60	+\$0
13		+\$o	61	key number 61	+\$0
14		+\$o	62	key number 62	+\$0
15		+\$0	63	key number 63	+\$0
16	•	+\$0	64	key number 64	+\$0
17		+\$0	65	key number 65	+\$0
18	•	+\$0	66	key number 66	+\$0
19		+\$0	67	key number 67	+\$0
20	•	+\$0	68	key number 68	+\$0
21	•	+\$0	69	key number 69	+\$0
22		+\$0 +\$0	70	key number 70	+\$0
23 24		+\$0 +\$0	71	key number 71	+\$0
25		+\$0 +\$0	72	key number 72	+\$0
26		+\$0	73	key number 73	+\$0
27	•	+\$0	74	key number 74	+\$0
28		+\$0	75	key number 75	+\$0
29	•	+\$0	76	key number 76	+\$0
30		+\$0	77	key number 77	+\$0
31	, -	+\$0	78	key number 78	+\$o
32	· -	+\$0	79	key number 79	+\$0
33		+\$0	80	key number 80	+\$0
34		+\$0	81	key number 81	+\$0
35	, , ,	+\$0	82	key number 82	+\$0
36		+\$0	83	key number 83	+\$0
37		+\$0	84	key number 84	+\$0
38		+\$0	85	key number 85	+ \$o
39		+\$0	86	key number 86	+\$0
40		+\$0	87	key number 87	+\$0
41		+\$0	88	key number 88	+\$ 0
42		+\$0	89	key number 89	+\$ 0
43		+\$o	90	key number 90	+ \$o
44		+\$0	91	key number 91	+\$0
45		+\$0	92	key number 92	+\$0
	· · · · · ·				

93	key number 93	+\$0
94	key number 94	+\$0
95	key number 95	+\$0
96	key number 96	+\$0
97	key number 97	+\$0
98	key number 98	+\$0
99	key number 99	+\$0



Description

This storage container fits into a drawer or onto a dispensing rail to organize and store small items. Package contains 12.

The A-size subcontainer is used with an A-size drawer (without lid) or A-size dispensing rail. It is $2\sqrt[3]{16}$ high; depth and width dimensions are:

Type-Depth-Width

$$A-1-4^9/_{16}"-4^9/_{16}"$$

$$A-2-9^3/_{16}"-4^9/_{16}"$$

$$A-3-13^{13}/_{16}"-4^{9}/_{16}"$$

$$A-4-18^{7}/_{16}"-4^{9}/_{16}"$$

$$A-5-9^3/_{16}"-9^3/_{16}"$$

$$A-8-13^{13}/_{16}"-2^{1}/_{4}"$$

The B-size subcontainer is used with a B-size drawer (without lid), B-size dispensing rail, or C-size drawer. It is $5^3/_{16}$ " high; depth and width dimensions are:

Type-Depth-Width


B-5-9
$$^3/_{16}$$
"-9 $^3/_{16}$ "


Notes

Order following products separately:

- Drawer (CO207, CO208, or CO209)
- Dispensing rail (CO365, CO366, CO367, or CO368)

Dimensions






Specification Information Step 1. СО Step 2. Size **231FF** a-1 **232FF** a-2 **233FF** a-3 **234FF** a-4 **235FF** a-5 **369FF** a-8 **236FF** b-1 **238FF** b-3 **240FF** b-5 Prices for Steps 1-2. CO231FF \$69 CO232FF \$69 CO233FF \$76 CO234FF \$76 CO235FF \$76 CO369FF \$71 CO236FF \$76 CO238FF \$104 CO240FF \$104 Step 3. Surface Finish LU soft white **+\$**0

3"-High Drawer Organizer Kit, 20"-Wide Cart Interior

CT580. CT581. CT582. CT583. CT584.

CT585.



Product Information

Description

This kit fits inside a 3"-high drawer and has 6 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The A-size subcontainer is 2 $^3\!/_{16}\!''$ high. Width and depth dimensions are:

 $\mathsf{Type}\!-\!\mathsf{Width}\!-\!\mathsf{Depth}$

 $A-1-4^9/_{16}"-4^9/_{16}"$

 $A-2-4^9/_{16}"-9^3/_{16}"$

 $A-3-4^9/_{16}"-13^{13}/_{16}"$

 $A-4-4^9/_{16}"-18^7/_{16}"$

 $A-5-9^3/_{16}"-9^3/_{16}"$


 $A-8-2^{1}/_{4}"-13^{13}/_{16}"$

Notes

Order 3"-high drawer (CT501.03) separately.

Full kit will interfere with drawer locking mechanism.

Dimensions





Specification Information

Step 1.

CT58


Step 2. Components

- **0.03** 4 a-3 subcontainers, 6 a-3 dividers
- **1.03** 1 a-3 subcontainer, 6 a-8 subcontainers, 2 a-3 dividers, 9 a-8 dividers
- 2.03 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers
- 3.03 3 a-3 subcontainers, 2 a-8 subcontainers, 4 a-3 dividers, 3 a-8 dividers
- **4.03** 4 a-2 subcontainers, 1 a-4 subcontainer, 10 a-3 dividers
- 5.03 2 a-1 subcontainers, 2 a-3 subcontainers, 1 a-5 subcontainer, 4 a-3 dividers

Prices for Steps 1-2.	
CT580.03	\$34
CT581.03	\$36
CT582.03	\$36
CT583.03	\$34
CT584.03	\$34
CT585.03	\$34

Subcontainer Divider

CO378 CO379 CO380




Product Information

Description

This divider fits into subcontainers to separate and organize stored items. A divider can be adjusted by sliding it to the desired position. The divider is not available for A-5 and B-5 subcontainers. Package contains 12.

The divider for an A-8 subcontainer is $1^5/8$ " high and $2^1/8$ " wide; the divider for an A-1, A-2, A-3, or A-4 subcontainer is $1^5/8$ " high and $4^1/4$ " wide; and the divider for a B-1 or B-3 subcontainer is 4" high and $4^1/4$ " wide.

Dimensions



Specification Information

Step 1.

CO3

Step 2. Usage		
78FF	for a-8 subcontainer	
79FF	for a-1, a-2, a-3, or a-4 subcontainers	
80FF	for b-1 or b-3 subcontainers	


Prices for Steps 1-2.	
CO378FF	\$64
CO379FF	\$64
CO380FF	\$66

Step 3. Surface Finish

LU soft white +\$0

6"-High Drawer Organizer Kit, 20"-Wide Cart Interior

CT575. CT576.



Product Information

Description

This kit fits inside a 6"- or 9"-high drawer and has 2 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The B-size subcontainer is $5^3\!/_{16}$ " high. Width and depth dimensions are:

 $\mathsf{Type}\!-\!\mathsf{Width}\!-\!\mathsf{Depth}$

B-1-4⁹/₁₆"-4⁹/₁₆"


B-3-4⁹/₁₆"-13¹³/₁₆"


 $B-5-9^3/_{16}"-9^3/_{16}"$

Notes

Order 6"- or 9"-high drawer (CT501.06 or CT501.09) separately. Full kit will interfere with drawer locking mechanism.

Dimensions





Specification Information

Step 1.

CT57

Step 2. Components

5.06 4 b-3 subcontainers, 4 b-3 dividers

6.06 2 b-1 subcontainers, 2 b-3 subcontainers, 1 b-5 subcontainer, 2 b-3 dividers

Prices for Steps 1-2.

CT575.06 \$42

CT576.06 \$42

3"-High Drawer Organizer Kit, 24"-Wide Cart Interior

CT560. CT561. CT562. CT563. CT564.

Product Information

Description

This kit fits inside a 3"-high drawer and has 5 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The A-size subcontainer is $2^3\!/_{16}\!''$ high. Width and depth dimensions are:

 $\mathsf{Type}\!-\!\mathsf{Width}\!-\!\mathsf{Depth}$

 $A-1-4^9/_{16}"-4^9/_{16}"$

A-2-4⁹/₁₆"-9³/₁₆"

 $A-3-4^9/16''-13^{13}/16''$

 $A-4-4^9/_{16}"-18^7/_{16}"$

 $A-5-9^3/_{16}"-9^3/_{16}"$


 $A-8-2^{1}/_{4}"-13^{13}/_{16}"$


Notes

Order 3"-high drawer (CT511.03) separately.

Full kit will interfere with drawer locking mechanism.

Dimensions





Specification Information

Step 1.

CT56


Step 2. (Components
-----------	------------

- **0.03** 4 a-3 subcontainers, 2 a-8 subcontainers, 6 a-3 dividers, 3 a-8 dividers
- 1.03 2 a-1 subcontainers, 2 a-2 subcontainers, 1 a-3 subcontainer, 4 a-8 subcontainers, 4 a-3 dividers, 6 a-8 dividers
- **2.03** 4 a-2 subcontainers, 1 a-4 subcontainer, 2 a-8 subcontainers, 6 a-3 dividers, 3 a-8 dividers
- 3.03 2 a-2 subcontainers, 1 a-3 subcontainer, 1 a-4 subcontainer, 1 a-5 subcontainer, 6 a-3 dividers
- **4.03** 1 a-3 subcontainer, 8 a-8 subcontainers, 2 a-3 dividers, 14 a-8 dividers

Prices for Steps 1-2.	
CT560.03	\$38
CT561.03	\$46
CT562.03	\$38
CT563.03	\$35
CT564.03	\$50

6"-High Drawer Organizer Kit, 24"-Wide Cart Interior

CT570. CT571.



Product Information

Description

This kit fits inside a 6"-high drawer and has 2 combinations of subcontainers and subcontainer dividers. Finish is soft white.

The B-size subcontainer is $5^3/_{16}$ " high. Width and depth dimensions are:

 $\mathsf{Type}\!-\!\mathsf{Width}\!-\!\mathsf{Depth}$

B-1-4⁹/₁₆"-4⁹/₁₆"

B-3-4⁹/₁₆"-13¹³/₁₆"


 $B-5-9^3/_{16}"-9^3/_{16}"$


Notes

Order 6"-high drawer (CT511.06) separately.

Full kit will interfere with drawer locking mechanism.

Dimensions





Specification Information

Step 1.

CT57

Step 2. Components


0.06 5 b-3 subcontainers, 4 b-3 dividers

1.06 2 b-1 subcontainers, 3 b-3 subcontainers, 1 b-5 subcontainer, 3 b-3 dividers

Prices for Steps 1-2.

CT570.06 \$49

CT571.06 \$49




Description


This divider fits inside a drawer or on a solid, single-wide shelf. It organizes IV bags, tape rolls, and other small items. Finish is soft white.

Notes

Order drawer (CT501.) or solid, single-wide shelf (CT523.) separately.

Dimensions






Specification Information

Step 1.

CT550.03

\$24




Description

This clear lid fits on a 20"- or 24"-wide drawer and provides top closure.

Notes

Order drawer (CT501. or CT511.) separately.

Dimensions



Specification Information

Step 1.

CT508.

Step 2. Width

20 20" wide


24 24" wide

Prices for Steps 1-2.

CT508. 20 24

\$74

\$70



Description


These colored plastic strips can be inserted into drawer label holders or adhere directly to drawer handles to provide color-coded identification. Package of 8 includes 1 of each of the following colors: red, pink, green, orange, yellow, blue, purple, and white.

C:	fi L	am Im	forma	4:

Step 1.

CT990.L8

;




Description

These colored plastic strips can be inserted into drawer label holders or adhere directly to drawer handles to provide color-coded identification. Package contains 8 labels of the specified color.

Specif	Specification Information		
Step 1.			
CT991.	A	\$90	
Step 2.	Label Color		
RED	red A	+\$o	
PNK	pink A	+\$o	
GRN	green A	+\$o	
ORN	orange A	+\$o	
YLW	yellow A	+\$o	
BLU	blue A	+\$o	
PRP	purple A	+\$o	
WHT	white A	+\$o	

Full-Extension Drawer Slides, Single-Wide Cart

CT504.





Product Information

Description

These slides are factory installed in the drawer slots of a 36"- or 42"-high, single-wide cart. They hold 3"- or 6"-high non-locking drawers or drawers with lockable lids. The slides extend 15" for easy access to contents. They cannot be field installed.

Dimensions





Specification Information

Step 1.

CT504.

Step:	2. Slot Location
01	top slot
02	2nd slot from top
03	3rd slot from top
04	4th slot from top
05	5th slot from top
06	6th slot from top
07	7th slot from top
80	8th slot from top
09	9th slot from top, 42"-high cart only
10	10th slot from top, 42"-high cart only

Prices for Steps 1-2.	
CT504. 01	\$73
02	\$73
03	\$73
04	\$73
05	\$73
06	\$73
07	\$73
08	\$73
09	\$73
10	\$73


Wire Shelf

CT521.

CT522.

CT525.

CT526.




Product Information


Description


This powder-coated wire shelf fills 1 slot of a single- or double-wide cart. Finish is soft white.

Dimensions



Double-Wide Cart





Specification Information

Step 1.

CT525.

CT52

Step 2. Cart Interior Width/Application


2. 20"-wide, single-wide cart

1. 24"-wide, single-wide cart

6. 20"-wide, double-wide cart

5. 24"-wide, double-wide cart

Prices for Steps 1-2.	
CT522.	\$65
CT521.	\$66
CT526.	\$91




Description

This 7"-high, 15"-deep divider attaches to a double-wide wire shelf. Finish is soft white. Package contains 3.

Notes

Order double-wide wire shelf (CT525. or CT526.) separately.


Dimensions



Specification Information

Step 1.


CT527.



Description

This thermoplastic shelf fills 1 slot of a single-wide cart with an interior width of 20"-wide. Finish is soft white.

Dimensions






Specification Information

Step 1.

CT523.

\$415




Product Information


Description

This rack fits into the slots of a single-wide, 72"-high cart or double-wide cart with full spine to organize catheters. Each pullout slide has 4 prongs, 4 side label clips, and 1 front label holder. Each prong holds up to 10 catheters. Finish is soft white.

The rack is 20" or 24" wide. The 20"-wide rack has 4 independent slides; the 24"-wide rack has 5 independent slides.

Dimensions





Specification Information

Step 1.

CT738.


Step	2.	Cart	Interior	Width

2004 20" wide

2405 24" wide

Prices for Steps 1-2.

CT738. 2004 2405




Description

This keyboard shelf attaches to a single-wide cart. It has full-extension drawer slides and holds up to 25 pounds. Finish is black.

Notes

Keyboard shelf cannot be field installed.

Dimensions



Specification Information

Step 1.

CT801.


Step	2.	Wid	th
20		20"	:

20 20" wide24" wide

Prices for Steps 1-2.

CT801. 20 \$150 **24** \$150

Step 3. Surface Finish **BU** black umber +\$0




Description

This bin fits inside an 8- or 10-bin cassette. Package contains 10 bins, 20 dividers, and 10 label clips. Finish is soft white.

Notes

Order 8-bin (CT542.08) or 10-bin (CT543.10) cassette separately.


Dimensions



Specification Information

Step 1.

CT548. \$86



Description


This cassette fills 2 slots of a single-wide cart or double-wide cart with a spine. It has a cassette shell and 8 or 10 patient bins with dividers and label clips. The cassette does not include a cover. Finish is soft white.


Notes

Order additional or replacement cassette bins (CT548.) separately.

Order optional cassette cover (CT542.C or CT543.C) separately.

Dimensions





Specification Information

Step 1.


CT54

~ .				
Ston	2. Cart	Λnn	licati	On
JICH 2	2. Cart	\neg	ııcatı	OII

2.08 20"-wide cart interior3.10 24"-wide cart interior

Prices for Steps 1-2.

•	
CT542.08	\$241
CT543.10	\$274




Description

This cover fits on an 8- or 10-bin cassette and provides top closure. Finish is soft white.

Notes

Order 8-bin cassette (CT542.08) or 10-bin cassette (CT543.10) separately.

Dimensions





Specification Information

Step 1.

CT54


Step 2.	Cart	Appli	cation

2.C 20"-wide cart interior **3.C** 24"-wide cart interior

Prices for Steps 1-2.

CT542.C \$55 CT543.C

7/8"



Product Information


Description

This door attaches to a single- or double-wide cart to conceal contents. The single-wide cart has 1 door; the double-wide cart has 2. The doors are available with or without locks. The clear door insert is clear plastic.

Notes

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CT7

Step 2. Cart Interior Width

07. 20" wide

17. 24" wide

Step 3. Cart Application

1 single-wide cart

2 double-wide cart

Step 4. Cart Height

36 36"-high cart

42 42"-high cart

72 72"-high cart

Step 5. Lock

N no lock

L keyed differently

K keyed alike

P keyless lock

Prices for S	Steps 1-5.				
		N	L	K	Р
CT707. 1	36	\$220	274	274	440
	42	\$235	289	289	455
	72	\$364	417	417	584
2	36	\$402	493	493	622
	42	\$509	600	600	729
	72	\$667	758	758	887
CT717. 1	36	\$235	289	289	455
	42	\$250	303	303	470
	72	\$394	437	437	614
2		\$427	518	518	647
	42	\$545	636	636	765
	72	\$786	877	877	1006

Step 6	. Door Frame Finish	
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
WN	warm grey neutral	+\$o

Sten	7. Door Insert Finish		39	key number 39	+\$o
HF	inner tone light	+\$o	40	key number 40	+\$o
LT	light tone	+\$0	41	key number 41	+\$o
LU	soft white	+\$0	42	key number 42	+\$o
TR	clear	+\$0 +\$0	43	key number 43	+\$0
			44	key number 44	+\$0
WN	warm grey neutral	+\$o	45	key number 45	+\$0
C+ (2 March Microschau		46	key number 46	+\$0
	3. Key Number		47	key number 47	+\$0
	eyed alike (K)	*	48	key number 48	+\$0
01	key number 01	+\$o	49	key number 49	+\$0
02	key number 02	+\$o	50	key number 50	+\$0
03	key number 03	+\$o	51	key number 51	+\$0
04	key number 04	+\$o	52	key number 52	+\$0
05	key number 05	+\$o			+\$0 +\$0
06	key number o6	+\$o	53	key number 53	+\$0 +\$0
07	key number 07	+\$o	54	key number 54	+\$0 +\$0
80	key number o8	+\$o	55	key number 55	+\$0 +\$0
09	key number 09	+ \$0	56	key number 56	
10	key number 10	+ \$0	57	key number 57	+\$0
11	key number 11	+ \$0	58	key number 58	+\$0
12	key number 12	+\$ 0	59	key number 59	+\$0
13	key number 13	+\$ 0	60	key number 60	+\$0
14	key number 14	+\$ 0	61	key number 61	+\$0
15	key number 15	+\$ 0	62	key number 62	+\$0
16	key number 16	+\$ 0	63	key number 63	+\$0
17	key number 17	+\$ 0	64	key number 64	+\$0
18	key number 18	+\$ 0	65	key number 65	+\$0
19	key number 19	+\$ 0	66	key number 66	+\$0
20	key number 20	+\$ 0	67	key number 67	+\$0
21	key number 21	+\$ 0	68	key number 68	+\$0
22	key number 22	+\$ 0	69	key number 69	+\$0
23	key number 23	+\$ 0	70	key number 70	+\$0
24	key number 24	+\$ 0	71	key number 71	+\$0
25	key number 25	+\$ 0	72	key number 72	+\$0
26	key number 26	+\$ 0	73 	key number 73	+\$0
27	key number 27	+\$ 0	74	key number 74	+\$0
28	key number 28	+\$ 0	75	key number 75	+\$0
29	key number 29	+\$ 0	76	key number 76	+\$0
30	key number 30	+\$o	77	key number 77	+\$0
31	key number 31	+\$o	78	key number 78	+\$o
32	key number 32	+\$o	79	key number 79	+\$o
33	key number 33	+\$o	80	key number 80	+\$o
34	key number 34	+\$o	81	key number 81	+\$0
35	key number 35	+\$o	82	key number 82	+\$o
36	key number 36	+\$o	83	key number 83	+\$0
37	key number 37	+\$o	84	key number 84	+\$0
38	key number 38	+\$o	85	key number 85	+\$ 0

key number 86
key number 87
key number 88
key number 89
key number 90
key number 91
key number 92
key number 93
key number 94
key number 95
key number 96
key number 97
key number 98
key number 99

+\$o
+\$o


Procedure/Supply Carts—Exterior Accessories

\$75

Curtain

CT703. CT705. CT713.

CT715.



Product Information

Description

This removable nylon curtain hangs from the top of a 72"-high, single- or double-wide cart to conceal contents. Curtain color is charcoal.

Specification Information

Step 1.

CT7

C -				1 4 42 1 4 1
Stan	2	(art	Interior	Width

1 20" wide

0 24" wide

Step 3. Cart Application

3.72 single-wide cart

5.72 double-wide cart


Prices for Steps 1-3.

CT713.72

CT715.72 \$97

CT703.72

\$80 \$100



Description

This bar prevents unauthorized access to drawers or cassette bins within a 36"- or 42"-high cart. It offers multiple security and access options and re-locks automatically when closed. The basic keyless entry option allows access using a single programmable code that can be changed by a supervisor. Uses 2 AAA batteries (included).


Notes

Keyless entry options have a sleep mode to provide tamper protection when several incorrect codes are entered.

Keyless entry options have a 9-volt battery "jump" capability and a keyed back-up.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

СТ

Step 2. Type

710. keyed entry

621. basic keyless entry[™]

Step 3. Cart Height

36 36"-high cart

42 42"-high cart

Step 4. Lock Position

L left side lock

R right side lock

Step 5. Lock


For keyed differently (*), skip this step.

K keyed alike

Prices f	or Steps 1-5.		
	, -	*	K
CT710.	36 L	\$181	181
	R	\$181	181
	42 L	\$190	190
	R	\$190	190
CT621.	36 L	\$338	338
	R	\$338	338
	42 L	\$373	373
	R	\$385	373
Step 6.	Surface Finish		
HF	inner tone light		+\$o
LT	light tone		+\$0
LU	soft white		+\$ 0
WN	warm grey neutral		+\$0
Step 7.	Key Number		
For key	ed alike (K)		
01	key number 01		+\$ 0
02	key number 02		+\$o
03	key number 03		+\$o
04	key number 04		+\$o
05	key number 05		+\$ 0
06	key number o6		+\$ 0
07	key number 07		+\$0

08	key number o8	+ \$0	55	key number 55	+\$o
09	key number 09	+\$o	56	key number 56	+ \$0
10	key number 10	+\$o	57	key number 57	+ \$0
11	key number 11	+\$o	58	key number 58	+ \$0
12	key number 12	+\$o	59	key number 59	+ \$0
13	key number 13	+\$o	60	key number 60	+ \$o
14	key number 14	+\$o	61	key number 61	+ \$o
15	key number 15	+\$o	62	key number 62	+\$o
16	key number 16	+\$o	63	key number 63	+\$o
17	key number 17	+\$o	64	key number 64	+\$o
18	key number 18	+\$o	65	key number 65	+\$o
19	key number 19	+\$o	66	key number 66	+\$o
20	key number 20	+\$o	67	key number 67	+\$o
21	key number 21	+\$o	68	key number 68	+ \$o
22	key number 22	+\$o	69	key number 69	+ \$o
23	key number 23	+\$o	70	key number 70	+ \$o
24	key number 24	+\$o	71	key number 71	+ \$o
25	key number 25	+\$o	72	key number 72	+ \$o
26	key number 26	+\$o	73	key number 73	+ \$o
27	key number 27	+\$o	74	key number 74	+ \$o
28	key number 28	+\$o	75	key number 75	+\$o
29	key number 29	+\$o	76	key number 76	+\$o
30	key number 30	+\$o	77	key number 77	+\$o
31	key number 31	+\$o	78	key number 78	+\$o
32	key number 32	+\$o	79	key number 79	+\$o
33	key number 33	+\$o	80	key number 80	+ \$o
34	key number 34	+\$o	81	key number 81	+ \$o
35	key number 35	+\$o	82	key number 82	+ \$0
36	key number 36	+\$o	83	key number 83	+ \$0
37	key number 37	+\$o	84	key number 84	+ \$0
38	key number 38	+\$o	85	key number 85	+ \$0
39	key number 39	+\$o	86	key number 86	+ \$0
40	key number 40	+\$o	87	key number 87	+ \$0
41	key number 41	+\$o	88	key number 88	+ \$0
42	key number 42	+\$o	89	key number 89	+\$o
43	key number 43	+\$o	90	key number 90	+\$o
44	key number 44	+\$o	91	key number 91	+\$o
45	key number 45	+\$o	92	key number 92	+ \$0
46	key number 46	+\$o	93	key number 93	+ \$0
47	key number 47	+\$o	94	key number 94	+ \$0
48	key number 48	+\$o	95	key number 95	+ \$0
49	key number 49	+\$o	96	key number 96	+ \$o
50	key number 50	+\$o	97	key number 97	+ \$o
51	key number 51	+\$o	98	key number 98	+ \$o
52	key number 52	+\$o	99	key number 99	+ \$o
53	key number 53	+\$o			
54	key number 54	+\$o			

Lock Bar CT630.



Product Information

Description

This bar prevents unauthorized access to drawers or cassette bins within a 36"- or 42"-high cart. It offers multiple security and access options and re-locks automatically when closed. It includes an alarm that is supervisor programmable and signifies when the cart is not secure. A sleep mode provides tamper protection when several incorrect codes are entered. Features to overcome low power include a 9-volt battery "jump" capability and a keyed back-up. Uses 6 "C" batteries (included), and has a low battery alert. The proximity version allows up to 250 codes in any combination of "user" and "supervisor." The deluxe version allows up to 89 "user" codes and 11 "supervisor" codes. The proximity version allows access by placing proximity access component near keypad.


Notes

A wide range of capabilities can be utilized with the proximity version when used with the proximity lock bar software kit (CT631.), sold separately.

Proximity reader will read most low frequency HID Prox Cards (125 kHz). The use of a card other than Herman Miller's should be verified. For proximity reader, specify proximity access (CT623. or CT624.), sold separately.

For general information on locks, see Keyed-Alike Information in Appendices.

Dimensions



Specification Information

Step 1.

CT630.

Step 2. Type

D deluxe keyless entry[™]

P deluxe with proximity reader

Step 3. Height

24 24" high

30 30" high

Step 4. Lock Position

L left side lock

R right side lock

Step 5. Lock

K keyed alike

L keyed differently

Prices for S	Steps 1-5.				
		LK	LL	RK	RL
CT630. D	24	\$499	499	499	499
	30	\$529	529	529	529
P	24	\$1185	1185	1185	1185
	30	\$1236	1236	1236	1236


Step	Step 6. Surface Finish			
HF	inner tone light	+\$o		
LT	light tone	+ \$o		
LU	soft white	+ \$o		
WN	warm grey neutral	+ \$o		

Step 7.	Key Number	
For key	ved alike (K)	
01	key number 01	+ \$0
02	key number 02	+ \$0
03	key number 03	+\$o
04	key number 04	+ \$0
05	key number 05	+ \$0
06	key number o6	+ \$0
07	key number 07	+ \$0
80	key number o8	+ \$0
09	key number 09	+\$0
10	key number 10	+\$0
11	key number 11	+\$0
12	key number 12	+ \$o

+\$0 +\$0 +\$0 +\$0 +\$0 +\$0

+\$o **+\$**0 **+\$**0 **+**\$o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+**\$o **+\$**o **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**0 **+\$**o **+\$**0 **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o **+\$**o

13	key number 13	+\$o	60	key number 60
14	key number 14	+\$o	61	key number 61
15	key number 15	+\$ 0	62	key number 62
16	key number 16	+\$ 0	63	key number 63
17	key number 17	+\$ 0	64	key number 64
18	key number 18	+\$ 0	65	key number 65
19	key number 19	+\$ 0	66	key number 66
20	key number 20	+\$ 0	67	key number 67
21	key number 21	+\$o	68	key number 68
22	key number 22	+\$o	69	key number 69
23	key number 23	+\$o	70	key number 70
24	key number 24	+\$o	71	key number 71
25	key number 25	+\$o	72	key number 72
26	key number 26	+\$o	73	key number 73
27	key number 27	+ \$o	74	key number 74
28	key number 28	+ \$o	75	key number 75
29	key number 29	+ \$o	76	key number 76
30	key number 30	+ \$o	77	key number 77
31	key number 31	+ \$o	78	key number 78
32	key number 32	+ \$o	79	key number 79
33	key number 33	+ \$o	80	key number 80
34	key number 34	+ \$o	81	key number 81
35	key number 35	+ \$o	82	key number 82
36	key number 36	+ \$o	83	key number 83
37	key number 37	+\$o	84	key number 84
38	key number 38	+\$o	85	key number 85
39	key number 39	+\$o	86	key number 86
40	key number 40	+\$o	87	key number 87
41	key number 41	+\$ 0	88	key number 88
42	key number 42	+\$o	89	key number 89
43	key number 43	+\$o	90	key number 90
44	key number 44	+\$o	91	key number 91
45	key number 45	+\$o	92	key number 92
46	key number 46	+\$o	93	key number 93
47	key number 47	+\$o	94	key number 94
48	key number 48	+\$o	95	key number 95
49	key number 49	+\$o	96	key number 96
50	key number 50	+\$o	97	key number 97
51	key number 51	+\$o	98	key number 98
52	key number 52	+\$o	99	key number 99
53	key number 53	+\$o		
54	key number 54	+\$0		
55	key number 55	+\$o		
56	key number 56	+\$0		
57	key number 57	+\$0		
58	key number 58	+\$0		
59	key number 59	+\$ 0		



Description

This proximity access provides access to a cart lockbar with proximity reader lock (CT630.P). It is available as a card, or as a sticker that can be attached to an I.D. badge. Package of 10.


Notes

Proximity access card has a slot for attaching a lanyard, clip, or other carrying device.

Proximity access sticker cannot be attached to a proximity I.D. badge with the same frequency (125 kHz).

Cards (or stickers) have identical codes. For individual codes, contact Options.

Dimensions



Specification Information

Step 1.

CT623.


Step 2. Type

- C access card
- **S** card sticker

Prices for Steps 1-2.

CT623. C	\$134
S	\$188

\$188



Product Information

Description

This proximity access provides access to a cart lockbar with proximity reader lock (CT630.P). It is available as a card, or as a sticker that can be attached to an I.D. badge. Package of 10.


Notes

Proximity access card has a slot for attaching a lanyard, clip, or other carrying device.

Proximity access sticker cannot be attached to a proximity I.D. badge with the same frequency (125 kHz).

Cards (or stickers) have individual codes.

Dimensions



Specification Information

Step 1.

CT624.

Step	2. Type		
C	access card		
S	card sticker		
Price	s for Steps 1-2.		
CT624. C		\$1	34

Step	3. Serial Number Set	
Α	Serial Numbers 1-10	+\$o
В	Serial Numbers 11-20	+\$o
C	Serial Numbers 21-30	+\$o
D	Serial Numbers 31-40	+\$o
E	Serial Numbers 41-50	+\$o
F	Serial Numbers 51-60	+\$o
G	Serial Numbers 61-70	+\$o
Н	Serial Numbers 71-80	+\$o
I	Serial Numbers 81-90	+\$o
J	Serial Numbers 91-100	+\$0
K	Serial Numbers 101-110	+\$ 0
L	Serial Numbers 111-120	+\$ 0
M	Serial Numbers 121-130	+\$o
N	Serial Numbers 131-140	+\$o
0	Serial Numbers 141-150	+\$0
Р	Serial Numbers 151-160	+\$0
Q	Serial Numbers 161-170	+\$o
R	Serial Numbers 171-180	+\$0
S	Serial Numbers 181-190	+\$0
Т	Serial Numbers 191-200	+\$0
U	Serial Numbers 201-210	+\$0
٧	Serial Numbers 211-220	+\$0
W	Serial Numbers 221-230	+\$0
X	Serial Numbers 231-240	+\$0
Υ	Serial Numbers 241-250	+\$0

Description

This software kit is used with the lock bar, proximity reader (CT630.P). The software is used to create and manage a database and establish settings which are downloaded into the individual lock bars. Kit includes the Windows based software on a CD and a USB cable to connect a computer to the keypad of the lock bar.

Software allows administrators to add or delete PIN codes, name individual carts and set up unique settings for each one. An audit report can be printed that indicates which user attempted entry and the date and time of attempt. Administrators can set up users for access based on times or days.

Instructions for use and interfacing with the lock bars are included in a PDF file within the software.

Specification Information

Step 1.


CT631.

Step 2. Type

P for proximity lock bar

Prices for Steps 1-2.

CT631. P \$1043




Description

This bar is used with a breakaway tab. It indicates that the drawer or cassette contents of a 36"- or 42"-high cart are unaltered.

Notes

Order breakaway tab (CT709.) separately.


Dimensions



Specification Information		
Step 1.		
CT701.		
Step 2.	. Cart Height	
Step 2.	. Cart Height 36"-high cart	

CT701.	. 36	\$91
	42	\$97
Sten 3	. Surface Finish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+ \$o
WN	warm grey neutral	+ \$o

Prices for Steps 1-2.



Description

This holder attaches to the front of any slot location on a 36"- or 42"-high cart. It holds a breakaway tab, indicating that the contents of an individual drawer are unaltered. Finish is red.

Notes

Specify breakaway tabs (CT709.) separately.

When specified with cart, breakaway tab holder is factory installed at the front of the cart on the right side.

Breakaway tab holder can be field installed with included hardware. Drilling of cart body is required.

Specification Information

Step 1.

CT699.

Step	2. Slot Location
01	top slot
	1 1 . 6

2 2nd slot from top3rd slot from top

4th slot from top5th slot from top

06 6th slot from top


7th slot from top8th slot from top

9th slot from top, 42"-high cart only

10 10th slot from top, 42"-high cart only

Prices for Steps 1-2.	
CT699. 01	\$42
02	\$42
03	\$42
04	\$42
05	\$42
06	\$42
07	\$42
08	\$42
09	\$42
10	\$42

\$51



Product Information

Description

This tab indicates that a cart's drawer or cassette contents are unaltered. Package contains 100.


Notes

Order breakaway bar (CT701.) or breakaway tab holder (CT699.) separately.

Specification Information

Step 1.

CT709.





Description

This wall-mounted lock has a steel cable that loops through a cart-mounted ring to prevent cart removal. Package includes a 20"-long steel cable, lock box, and ring. Finish is soft white.

Dimensions








Specification Information

Step 1.

CT708.





Description

This hinged shelf is factory installed on the top segment of a 36"- or 42"-high cart. It is supported by a pivoting arm. The shelf provides a flat writing or utility surface; when lowered, the shelf is flush with the cart side. Accessories cannot attach to the cart segment where the shelf is installed or to the 2 segments below it. The shelf cannot be field installed.

For a single-wide cart, the shelf is installed on the left or right side. For a double-wide cart, the shelf is installed on the right side.

Dimensions





Specification Information


Step 1.

CT750.

Step 2. Shelf Position		
L	left-single wide only	
R	right	
Prices for Stens 1-2		

CT750. L	\$168
R	\$168

Step 3.	Surface Fillish	
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$o
WN	warm grey neutral	+ \$o



Description

This hinged shelf is factory installed on a cart and is supported by a pivoting arm. It provides a flat writing or utility surface; when lowered, the shelf is flush with the cart side. Accessories cannot attach to the cart segment where the shelf is installed or to the 2 segments below it.


For a single-wide cart the shelf is installed on the left or right side. For a double-wide cart the shelf is installed on the right side.


Notes

Cart segments are numbered from the bottom up starting at 1.

Cart segment 4 is available on the 42"- and 72"-high carts. Cart segment 5 is only available on the 72"-high cart.

Dimensions





Specification Information

Step 1.

CT751.

Step 2. Shelf Position

L left-single wide only

R right

Step 3. Cart Segment

3 cart segment 3

4 cart segment 4

5 cart segment 5


Prices for Steps 1-3.			
	3	4	5
CT751. L	\$176	176	176
R	\$176	176	176

Step	4. Surface Finish	
HF	inner tone light	+ \$o
LT	light tone	+ \$o
LU	soft white	+\$ o
WN	warm grey neutral	+\$o

Procedure/Supply Carts—Exterior Accessories

Above-Cart Shelf, Single-Wide Cart

CT788. CT794.





Product Information

Description

This post and shelf assembly attaches to the top rear of a single-wide cart. It has a $20^1/4$ "- or $24^3/4$ "-wide shelf to support equipment above the cart. The shelf is height adjustable in 3" intervals and mounts horizontally or inclines at a 22° angle. It includes a $1^1/2$ "-high lip on the front and back edge.

Dimensions





Specification Information

Step 1.

CT7

Step 2. Cart Interior Width

88. 20" wide


94. 24" wide

Prices for Steps 1-2.	
CT788.	\$224
CTTO!	.

C1/00.	\$224
CT794.	\$229
Step 3. Surface Finish	

 $\begin{array}{lll} \textbf{LU} & \text{soft white} & & +\$o \\ \textbf{WN} & \text{warm grey neutral} & & +\$o \\ \end{array}$

Above-Cart Add-On Shelf, Single- CT789. Wide Cart CT795.



Product Information


Description

This shelf attaches to the threaded inserts on the posts of a 20"- or 24"-wide above-cart shelf to provide an additional shelf. It is height adjustable in 3" intervals and mounts horizontally or inclines at a 22° angle. It includes a $1^{1}/2$ "-high lip on the front and back edge.

Notes

Order above-cart shelf (CT788. or CT794.) separately.

Dimensions



Specification Information

Step 1.

CT7

Step 2. Cart Interior Width

89. 20" wide

95. 24" wide

Prices for Steps 1-2.

CT789.

CT795.

Step 3. Surface Finish

LU soft white +\$o

\$82


\$86

+\$0

WN warm grey neutral

Above-Cart Rail, Single-Wide Cart

CT790. CT796.



Product Information

Description


This post and rail assembly attaches to the top rear of a single-wide cart. It has a 20"- or 24"-wide rail to hold rail-mounted components above the cart. The rail is height adjustable in 3" intervals.

Notes

Order rail-mounted components separately.

Dimensions





Specification Information

Step 1.

CT79

Step 2.	Cart	Interior	W	/idt	Ì
---------	------	----------	---	------	---

0. 20" wide

6. 24" wide


Prices for Steps 1-2.	
СТ790.	\$161
СТ796.	\$171

Step 3. Surface Finish

LU soft white +\$0

WN warm grey neutral +\$0

Above-Cart Add-On Rail, Single-CT791. Wide Cart CT797.



Product Information

Description


This rail attaches to the threaded inserts on the posts of an above-cart shelf or above-cart rail. The mounting position of the rail is height adjustable in 3" intervals. It has a 20"- or 24"-wide rail to hold rail-mounted components above the cart.

Notes

Order above-cart rail (CT790. or CT796.) separately.

Order rail-mounted components separately.

Dimensions



Specification Information

Step 1.

CT79

Step 2. Cart Interior Width


- **1.** 20" wide
- **7.** 24" wide

Prices for Steps 1-2.	
CT791.	\$70
СТ797.	\$82

Step 3. Surface Finish LU soft white +\$0 WN warm grey neutral +\$0

Above-Cart Equipment Rail, Double-Wide Cart

CT792.



Product Information


Description


This rail attaches to the top rear of a double-wide cart. It holds rail-mounted components and paper management tools. The rail includes two $26^{1}/2^{n}$ -high posts and a $41^{3}/4^{n}$ -wide rail that adjusts in 3^{n} increments.

Notes


Order rail-mounted and paper management tools separately.

Dimensions





Spec	ification Information	
Step 1		
CT792	2.	\$205
Step 2	2. Surface Finish	
LU	soft white	+\$o
WN	warm grey neutral	+\$0



Description

This aluminum rail is permanently installed on the side of a cart or locker. It has a $15^3/4$ "-wide track to hold rail-mounted components; the track allows positive placement, lateral movement, and quick removal of components.

For a single-wide cart, the rail is pre-installed on the left or right side. For a double-wide cart, the rail is pre-installed in any segment on the right side or in segment 5, 6, or 7 on the left side.


For lockers, the rail can be field installed and includes mounting hardware. Specify any combination of rail position and cart segment when ordering rail for a locker.

Notes

Cart segments are numbered from the bottom up starting at 1.

Order rail-mounted components separately.

Dimensions



Specification Information

Step 1.

CT782.15

Sten	2.	Rail	Position

L left

R right

Step 3. Cart Segment

1 cart segment 1

2 cart segment 2

3 cart segment 3


cart segment 4

5 cart segment 5

6 cart segment 6

7 cart segment 7

Prices for Steps 1-3.						
	1	2	3	4	5	6
CT782.15 L	\$38	38	38	38	38	38
R	\$28	28	28	28	28	28




Description

This aluminum rail is permanently installed on the back of a single-wide cart. It has a $21^5/8$ "-wide track to hold rail-mounted components; the track allows positive placement, lateral movement, and quick removal of components.

Notes

Order rail-mounted components separately.


Dimensions



Specification Information

Step 1.

CT782.20




Description

This box hangs from an accessory rail. It has 4 hospital-grade 110-volt receptacles, a circuit breaker, and a 6' cord with cord wrap. Electrical strip finish is white; cord wrap finish is soft white.

Notes

Order accessory rail (CT782.15 or CT782.20) separately.


Dimensions



Specification Information

Step 1.

CT778.01




Description

This powder-coated wire basket is available in 2 sizes: the $11^3/4$ "-wide basket hangs from an accessory rail or above-cart rail; the 181/4"-wide basket mounts on an above-cart rail only and includes 2 adjustable dividers. Finish is soft white.

Order accessory rail (CT782.) or above-cart rail (CT790. or CT796.) separately.

Dimensions






Specification Information

Step 1.

CT72

Step 2. Size 0.01 $4^{3}/4^{\prime\prime}$ high x $4^{3}/4^{\prime\prime}$ deep x $11^{3}/4^{\prime\prime}$ wide 2.01 $4^{3}/_{4}$ " high x $9^{1}/_{2}$ " deep x $18^{1}/_{4}$ " wide

Prices for Steps 1-2.	
CT720.01	\$75
CT722.01	\$150



Description

This powder-coated basket attaches to an accessory rail. It holds 8 1-dozen count boxes or 4 3-dozen count boxes of sutures. Sutures can be accessed without removing the box from the basket. Finish is soft white.


Notes

Order accessory rail (CT782.15) or above-cart rail (CT790. or CT796.) separately.

Dimensions








Specification Information

Step 1.

CT723.




Description


This container hangs from an accessory rail. Finish is white.


Notes

Order accessory rail (CT782.) separately.

Dimensions








Specification Information

Step 1.

CT728. \$57



Description


This powder-coated clamp attaches to an equipment rail or cartmounted accessory rail to hold customer-supplied accessories.

Notes

Order rail separately:

- Above-cart equipment rail (CT792.)
- Above-cart rail, single-wide cart (CT790. or CT796.)
- Accessory rail, back (CT782.20)
- Accessory rail, side (CT782.15)
- Equipment rail, systems mounted (C1172.)
- Equipment rail, wall mounted (C1170.)


Dimensions



Specification Information

Step 1.

CT729.01




Description


This metal holder hangs from an accessory rail and organizes clipboards and charts. Finish is soft white.

Notes

Order accessory rail (CT782.) separately.

Dimensions






Specification Information

Step 1.

CT730.01




Description


This holder hangs from an accessory rail and has adjustable black Velcro straps to hold a variety of containers. A plastic locking sharps cabinet can also be mounted with screws to prevent theft. Finish is soft white.


Notes

Order accessory rail (CT782.) separately.

Dimensions








Specification Information

Step 1.

CT734.01




Description


This powder-coated wire rack hangs from an accessory rail and holds up to 14 chest tubes. Finish is soft white.


Notes

Order accessory rail (CT782.) separately.

Dimensions








Specification Information

Step 1.

CT737. \$108




Description

This powder-coated hook hangs from an accessory rail to hold clipboards or other hanging items. Finish is soft white.

Notes

Order accessory rail (CT782.) separately.


Dimensions



Specification Information

Step 1.

CT776.01




Description

This powder-coated steel rack hangs from an accessory rail and holds excess electrical cord. Finish is soft white.

Notes

Order side accessory rail (CT782.15) or back accessory rail (CT782.20) separately.


Dimensions



Specification Information

Step 1.

CT779.01



Description


This powder-coated steel holder hangs from an above-cart rail or side accessory rail. It holds glove boxes sized 10" x 5" x 3". Finish is soft white.

Notes

Order rail separately:

- Above-cart rail, single-wide cart (CT790. or CT796.)
- Above-cart rail, double-wide cart (CT792.)
- Side accessory rail (CT782.); cannot be located in top segment

Dimensions




Specification Information

Step 1.

CT726.

Tilt-Out Storage Bin

CT9303 CT9304 CT9305 CT9306



Product Information


Description

This holder is white plastic and holds clear plastic bins. The bins tilt forward to provide access to contents and can be removed for easy refilling. Each bin has a label holder. It attaches to the above-cart rail only.

Notes

Order above-cart rail, single-wide cart (CT790. or CT796.) or above-cart equipment rail, double-wide cart (CT792.) separately.

Dimensions



Specification Information

Step 2. Number of Bins

3 bins

4 bins

5 bins

6 bins

Step 1.

3.


4.

5.

CT9306.

CT930

Prices for Steps 1-2.	
CT9303.	\$103
CT9304.	\$98
CT9305.	\$83



Description


This nylon-coated wire shelf attaches to the bottom right outside of a cart. Finish is soft white.


Specification Information

Step 1.


CT756. \$143

Dimensions










Description

This pole holds IV bags and has a top-mount pole or post-mount pole. The top-mount pole attaches to the right rear corner of a cart top; it is height adjustable. The post-mount pole has a mounting bracket that attaches to the threaded inserts in the posts of an above-cart shelf or above-cart rail; the position of the bracket is height adjustable in 3" intervals. Finish is soft white.

Dimensions



Specification Information

Step 1.

CT7

Step 2. Mount Position


70. top-mount position

93. post-mount position

Prices for Steps 1-2.

CT770. \$103

CT793. \$134



Description


This powder-coated wire assembly attaches to the left side of a cart and holds an E-size oxygen tank cylinder. Finish is soft white.

Notes

When holder is specified for 36"-high cart, accessory rail cannot be used on segments 1 or 3; for 42"-high cart, accessory rail cannot be used on segments 2 or 4.

Dimensions








Specification Information

Step 1.

CT772.



Description


This product attaches to the back of a cart. It has a plastic surface and 3 hand-hold slots. Finish is soft white.

Notes

When cardiac board is installed on 36"-high cart, back accessory rail cannot be installed.

Dimensions






Specification Information

Step 1.

CT773.




Description


This clear, acrylic overlay sits on top of a single-wide cart with a molded, raised edge or a flat top. The overlay protects documents from spills and damage, and protects the cart top from scratches and wear.

Notes

Overlay cannot be used on cart with above-cart shelf (CT788., CT794.).

Dimensions





Specification Information Step 1.

CT507.

Step 2. Cart Interior Width


20 20" wide

24 24" wide

Prices for Steps 1-2.

24

CT507. 20 \$61




Description

This holder attaches to the top rear of a cart to support a flat panel monitor or laptop computer. The arm swivels and is height adjustable. Finish is black.


Notes

Laptop holder option (L) obstructs the laptop keyboard and is intended to be used with an external keyboard.

Dimensions




Step 1. CT814. Step 2. Type F flat screen monitor holder L laptop holder Prices for Steps 1-2. CT814. F \$160 L \$423



Description

This aluminum monitor arm attaches to the center rear of a cart top. It includes 41/2" height adjustment, 60° range of monitor tilt, and 360° range of monitor rotation. Arm meets VESA (Video Electronic Standards Association) mounting interface standards. Finish is black.

Dimensions



Specification Information

Step 1.


CT81

Step 2. Height Adjustment

cylinder adjustment

Prices for Steps 1-2.

CT812. \$229



Description


This shelf attaches to the left rear corner of a cart top. The top pivots 360° on the mounting arm. The mounting arm can be released to swivel 90° . Straps can hold contents stored on the shelf. Finish is soft white.

Notes


Cannot be field installed on a cart with slide-out shelf.

Above-cart rail and above-cart shelf cannot be installed on same cart with this shelf.

Dimensions







Specification Information

Step 1.

CT761.

Procedure/Supply Carts	
3"-High Drawer Organizer Kit, 20"-Wide Cart Interior	page(s) 26
3"-High Drawer Organizer Kit, 24"-Wide Cart Interior	29
6"-High Drawer Organizer Kit, 20"-Wide Cart Interior	28
6"-High Drawer Organizer Kit, 24"-Wide Cart Interior	30
Above-Cart Add-On Rail, Single-Wide Cart	64
Above-Cart Add-On Shelf, Single-Wide Cart	62
Above-Cart Equipment Rail, Double-Wide Cart	65
Above-Cart Rail, Single-Wide Cart	63
Above-Cart Shelf, Single-Wide Cart	61
Accessory Rail, Back	67
Accessory Rail, Side	66
Beltline Flip-Up Shelf	60
Breakaway Bar	55
Breakaway Tab	57
Breakaway Tab Holder	56
Cardiac Board and Hangers	83
Cassette	42
Cassette Bin	41
Cassette Cover	43
Chart Holder	73
Chest Tube Rack	75
Clear Lid	32
Clear Overlay, Single-Wide Cart	84
Computer/Storage Cart	9
Cord Wrap	77
Corner Shelf	88
Curtain	47
Door	44
Double-Wide Cart	7
Drawer	11
Drawer Color Strips	33, 34
Drawer with Lockable Lid	14
Drawer/Shelf Divider	31
Electrical Strip, 4 Outlet	68
Flip-Up Shelf	59
Full-Extension Drawer Slides, Single-Wide Cart	35
Glove Box Holder	78
IV Pole	81
Keyboard Shelf	40
Lock Bar	48, 50
Lock Bar Software Kit	54
Locked Drawer with Lid	21
Locked Drawer with Lockable Lid	17
Monitor Arm, Flat Screen	87
Monitor/Laptop Holder	85

Oxygen Tank Holder	82
Proximity Access	52,53
Pullout Catheter Rack	39
Rail Clamp	72
Sharps Container Holder	74
Single-Wide Cart	L
Single-Wide Cart, Dual Access	6
Solid Shelf	38
Subcontainer	2.
Subcontainer Divider	27
Supply Basket	69
Suture Basket	79
Tilt-Out Storage Bin	79
Utility Hook	76
Vacuum Pump Shelf	80
Wall Lock	58
Wastebasket and Holder	7
Wire Shelf	36
Wire Shelf Divider	37

CO231	Subcontainer	page(s) 24
CO232		
CO233		
CO234		
CO235		
CO236		
CO238		
CO240		
CO369		
CO378	Subcontainer Divider	27
CO379		
CO380		
CT136.	Single-Wide Cart	5
CT142.	Computer/Storage Cart	9
CT142.	Single-Wide Cart	5
CT142.	Single-Wide Cart, Dual Access	6
CT172.	Single-Wide Cart	5
CT236.	Double-Wide Cart	7
CT242.		
CT272.		
CT336.	Single-Wide Cart	5
CT342.	Computer/Storage Cart	9
CT342.	Single-Wide Cart	5
CT372.		
CT436.	Double-Wide Cart	7
CT442.		
CT472.		
CT501.	Drawer	11
CT502.	Locked Drawer with Lid	21
CT503.	Drawer with Lockable Lid	14
CT504.	Full-Extension Drawer Slides, Single-Wide Cart	35
CT505.	Locked Drawer with Lockable Lid	17
CT507.	Clear Overlay, Single-Wide Cart	84
CT508.	Clear Lid	32
CT511.	Drawer	11
CT512.	Locked Drawer with Lid	21
CT513.	Drawer with Lockable Lid	14
CT515.	Locked Drawer with Lockable Lid	17
CT521.	Wire Shelf	36
CT522.		
CT523.	Solid Shelf	38
CT525.	Wire Shelf	36
CT526.		
CT527.	Wire Shelf Divider	37
CT542.	Cassette	42
CT542.	Cassette Cover	43

CTE (2	C 11	
CT543.	Cassette	42
CT543.	Cassette Cover	43
CT548.	Cassette Bin	41
CT550.	Drawer/Shelf Divider	31
CT560.	3"-High Drawer Organizer Kit, 24"-Wide Cart Interior	29
CT561.		
CT562.		
CT563.		
CT564.		
CT570.	6"-High Drawer Organizer Kit, 24"-Wide Cart Interior	30
CT571.		
CT575.	6"-High Drawer Organizer Kit, 20"-Wide Cart Interior	28
CT576.		
CT580.	3"-High Drawer Organizer Kit, 20"-Wide Cart Interior	26
CT581.		
CT582.		
CT583.		
CT584.		
CT585.		
CT621.	Lock Bar	48
CT623.	Proximity Access	52
CT624.	Proximity Access	53
CT630.	Lock Bar	50
CT631.	Lock Bar Software Kit	54
CT699.	Breakaway Tab Holder	56
CT701.	Breakaway Bar	55
CT703.	Curtain	47
CT705.		
CT707.	Door	44
CT708.	Wall Lock	58
CT709.	Breakaway Tab	57
CT710.	Lock Bar	48
CT713.	Curtain	47
CT715.		7/
CT717.	Door	44
CT720.	Supply Basket	69
CT722.	Supply Subility	٠,
CT723.	Suture Basket	70
CT726.	Glove Box Holder	78
CT728.	Wastebasket and Holder	
CT729.	Rail Clamp	71 72
CT730.	Chart Holder	72 73
		73
CT737	Sharps Container Holder Chest Tube Rack	74
CT738	Pullout Catheter Rack	75
CT750		39
C1750.	Flip-Up Shelf	59

CT751.	Beltline Flip-Up Shelf	60
CT756.	Vacuum Pump Shelf	80
CT761.	Corner Shelf	88
CT770.	IV Pole	81
CT772.	Oxygen Tank Holder	82
CT773.	Cardiac Board and Hangers	83
CT776.	Utility Hook	76
CT778.	Electrical Strip, 4 Outlet	68
CT779.	Cord Wrap	77
CT782.	Accessory Rail, Back	67
CT782.	Accessory Rail, Side	66
CT788.	Above-Cart Shelf, Single-Wide Cart	61
CT789.	Above-Cart Add-On Shelf, Single-Wide Cart	62
CT790.	Above-Cart Rail, Single-Wide Cart	63
CT791.	Above-Cart Add-On Rail, Single-Wide Cart	64
CT792.	Above-Cart Equipment Rail, Double-Wide Cart	65
CT793.	IV Pole	81
CT794.	Above-Cart Shelf, Single-Wide Cart	61
CT795.	Above-Cart Add-On Shelf, Single-Wide Cart	62
CT796.	Above-Cart Rail, Single-Wide Cart	63
CT797.	Above-Cart Add-On Rail, Single-Wide Cart	64
CT801.	Keyboard Shelf	40
CT812.	Monitor Arm, Flat Screen	87
CT814.	Monitor/Laptop Holder	85
CT9303	Tilt-Out Storage Bin	79
CT9304		
CT9305		
CT9306		
CT990.	Drawer Color Strips	33
CT991.	Drawer Color Strips	34

20-Day or Less/Assigned Lead-Time Order Information — Healthcare

20-Day or Less/Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon $\boxed{\mathbb{A}}$ will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an $\boxed{\mathbb{A}}$ are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

Ordering Procedure

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number: (616) 654 3085.

For more information, contact your Customer Care representative at: $(866)\ 854\ 3048\ \text{EXT}\ 3400$

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller Healthcare April 2014



Packaging/Keyed-Alike Information — Procedure/Supply Carts

Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock plugs installed. Procedure/supply carts have Medeco locks.

To order keyed-alike locks:

- 1. Choose keyed-alike product number.
- 2. Specify a key number if desired (01 through 99). If no key number is specified, one will be selected for you.
- 3. Specify the quantity of each kind of component to be keyed-alike.

To remove lock plugs from existing components, loosen the hex nut inside the product and remove the plug.

Customers interested in ordering master keys for procedure/supply carts products should contact their local authorized dealer with a written request.

HermanMiller Healthcare August 2010

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

 $\hbox{@}$ 2014 Herman Miller, Inc., Zeeland, Michigan

[®] HermanMiller, ①, Action Office, Aeron, Ambi, Ardea, Aside, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, DOT, Eames, Embody, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Ground Cloth, Herman Miller Healthcare, Herman Miller Options, Leaf, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Resolve, SAYL, Setu, Thrive, Tu, Vary Easy, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

MireWeave, Boomerang, Bubbletack, Cellular Suspension, CLT, Compass, Connect, Durawrap, Flex-Edge, Formcoat, Hopsak 2, Intent, Iota, Keyless Entry, Everywhere, Latitude, Lyris 2, Multiscrim, My Studio Environments, Nelson, Rapunzel, Sense, Stackable, Stackable Storage, Swoop, TriFlex, and V-Wall are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $^{\rm SM}$ TAP, Textile Alliance Program, and Thrive are among the service marks of Herman Miller, Inc.

 $\label{lem:chemsurf} \mbox{Chemsurf} \mbox{$^{\circ}$ is a registered trademark of Wilsonart International.}$

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver $\mathsf{Glide}^{\texttt{@}}$ is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark of Geiger International.

 ${\tt GREENGUARD}^{\circledast}$ is a registered trademark of the Greenguard Environmental Institute.

 ${\rm Microsoft}^{\otimes}$ and ${\rm Natural}^{\otimes}$ Keyboard are registered trademarks of Microsoft Corporation.