
## Backbone<sup>™</sup> Media Platform Price List ■

March 28, 2012 Updated November 12, 2014 800-424-2432







## **Cutout Details**



FSR (FS1) T3, T6, TABLE BOXES





#### Enclosure

Enclosure shall consist of 3/4" thick 45# particle board with exposed surfaces finished with a minimum of .030" thick high pressure laminate. Access to internal wiring shall be provided by a lockable removable door with minimum dimensions measuring 10" tall by 48" long. Ventilation is provided through openings on each end measuring a minimum 8" x 15" and covered with powder coated perforated steel panels.

The Stationary units will be supported by two 11-gauge formed and welded steel supports containing leveling glides. These powder coated supports are bolted to the lower support cross members. This unit will be topped by a 1-1/8" thick 45# particle board top.

The Mobile units will be supported by four 2.44" diameter casters and contain rare earth ganging magnets on two sides. These unit will be topped with a 3/4" thick 45# particle board top. Mobile tables are available with three different base styles, (Enlite, Synthesis &Trek). Table tops are

either 3/4" or 1-1/8" thick 45# particle board topped with a minimum .030" HPL and backed with .020" HPL backer. All Mobile Tables will have (8) rare earth magnets to provide ganging options. Tables gang to the enclosure and each other in three different configurations.

All tops will be finished with a minimum .030" thick high pressure laminate and banded with 2mm polypropylene edge material and routered for the quantity and size of the chosen switching hardware.

#### **Monitor Support**

Monitor support shall consist of 3/4" thick 45# particle board with exposed surfaces finished with a minimum of .030" thick high pressure laminate. Units have T-nuts to attach to both Stationary and Mobile units with (6) bolts.



## **Cutout Patterns for Stationary Units**

Size	FSR (FS1)	EXTRON (EX2)	EXTRON (EX3)
64"W x 73"L	0 0 0 0		
66"W x 85"L	0 0 0 0 0		
68"W x 97"L	0 0 0 0 0		

Backbone® General Information

## **Cutout Patterns for Mobile Units**

Size	FSR (FS1)	EXTRON (EX2)	EXTRON (EX3)
23"W x 52"L	0 0 0		
25"W x 64"L	0 0 0 0 0		
27"W x 76"L	0 0 0 0 0		



# Backbone® Stationary Unit

			MODEL NUMBER						
	MODEL	OVERALL SIZE	Basic Model	Edge Style	Edge Color	Surface Finish	Base Laminate	Foot End Panel Color	Media Cutout
	Backbone® - Stationary Unit	64"W x 73"L x 29"H	BBNST73						
	All laminate table and base	66"W x 85"L x 29"H	BBNST85						
	Media sharing equipment must be purchased separately     Reference diagram for Extron and FSR	68"W x 97"L x 29"H	BBNST97						
	grommet locations • End panel color is also used for the base								
	feet								
	<ul> <li>Support legs match WorkUp<sup>™</sup> table</li> </ul>								
BBNS	29" high surface								
	Backbone® - Stationary Unit - Cafe Height	64"W x 73"L x 42"H	BBNSTC73						
Bhacas		66"W x 85"L x 42"H	BBNSTC85						
***************************************	All laminate table and base     Media sharing equipment must be purchased separately	68"W x 97"L x 42"H	BBNSTC97						
	Reference diagram for Extron and FSR								
	grommet locations								
	End panel color is also used for the base								
BBNS	feet • Support legs match WorkUp™ table								
	42" high surface								
	-								
			A	<b>B</b>	Θ	<b>O</b>	<b>3</b>	<b>(3</b>	G

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

Select edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

DSelect top laminate.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base laminate.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select foot/end panel finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

## Select media cutout. NCO - No cut-

- No cut-out EX2 - Extron 2 EX3 - Extron 3 FS1 - FSR

#### INFORMATION

**Grommet Cutouts by Table Size** 

Base Length Number of Grommet Cutouts

48" 4 6 72" 6



\$ 6333

6511

7155

236.0#

279.0#

325.0#

\$ 6553

6731

7393



Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)		
236.0#	\$ 5350	\$ 5570		
279.0#	5497	5717		
325.0#	6080	6318		

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

# Backbone® Stationary Unit with Radius Corners

			MODEL NU	MBER						
	MODEL	OVERALL SIZE	Basic Model	Edge Style	Edge Color	Surface Finish	Base Laminate	Foot End Panel Color	Media Cutout	
	Backbone® - Stationary Unit with Radius	64"W x 73"L x 29"H	BBNSTR73							
dibbook	Corners	66"W x 85"L x 29"H	BBNSTR85							
	All laminate table and base	68"W x 97"L x 29"H	BBNSTR97							
******	<ul> <li>Media sharing equipment must be purchased separately</li> </ul>									
	Reference diagram for Extron and FSR									
	grommet locations									
	<ul> <li>End panel color is also used for the base feet</li> </ul>									
BBNS	<ul> <li>Support legs match WorkUp<sup>™</sup> table</li> </ul>									
	• 29" high surface									
g	Backbone® - Stationary Unit with Radius	64"W x 73"L x 42"H	BBNSTRC73							
bosse	Corners - Cafe Height	66"W x 85"L x 42"H	BBNSTRC85							
	<ul><li>All laminate table and base</li><li>Media sharing equipment must be</li></ul>	68"W x 97"L x 42"H	BBNSTRC97							
*****	purchased separately									
	<ul> <li>Reference diagram for Extron and FSR</li> </ul>									
	grommet locations									
~	<ul> <li>End panel color is also used for the base feet</li> </ul>									
BBNS	<ul> <li>Support legs match WorkUp<sup>™</sup> table</li> </ul>									
	42" high surface									
			A	<b>3</b>	•	O	•	•	<b>@</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

DSelect top laminate.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base laminate.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select foot/end panel finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select media cutout.

NCO - No cut-- No cut-out EX2 - Extron 2 EX3 - Extron 3 FS1 - FSR

#### INFORMATION

**Grommet Cutouts by Table Size** 

Base Length Number of Grommet Cutouts

48" 4 6 72" 6



# Backbone® Stationary Unit with Radius Corners

Approx.							
Packaged Weight	74P Edge (74P)	Kr (K	ife Edge N)				
236.0#	\$ 5350	\$	5570				
279.0#	5497		5717				
325.0#	6080		6318				
236.0#	\$ 6333	\$	6553				
279.0#	6511		6731				
325.0#	7155		7393				

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

# Backbone® Mobile Unit

		MODEL NU	MBER								
	OVERALL SIZE	Basic Model	Edge Style	Leg Option	Edge Color	Surface Finish	End Panel Table Leg Color	Dock Top Edge Color	Dock Top Laminate	Dock Base Laminate	Media Cutout
	68"W x 76"L x 29"H	BBNMT76	74P								
\ \bbox	70"W x 88"L x 29"H	BBNMT88	74P								
[5]	72"W x 100"L x 29"H	BBNMT100	74P								
****											
A JIM											
BBNM											
Backbone® - Mobile Unit											
Includes three tables to dock against											
the center spine with magnets											
BBNMT76 has two 48" and one 60"											
table BBNMT88 has three 60" tables											
BBNMT100 has two 72" and one 60"											
table											
Media sharing equipment must be											
purchased separately Reference cutout diagram for Extron											
and FSR grommet locations											
Tables gang to dock											
Perforated end panel will match table											
<ul> <li>base color</li> <li>Center unit has hidden caster for</li> </ul>											
added mobility											
Shown with the Enlite <sup>™</sup> base											
Tables have a 5% angle on the short											
ends											
• Enlite™ and Trek® casters come stan- dard - 2 locking and 2 non-locking											
per table											
Synthesis® comes standard with											
embedded casters on one end of											
each table											
											$\Box$
		A	ß	Θ	O	ⅎ	<b>(3</b> )	œ	0	0	•

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge 74P

Select table style.

- Enlite style legs - Trek style legs SYN - Synthesis style legs

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select top laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select table leg/end panel finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G**Select dock edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select dock top laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select dock base laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

	ilicula cultul.	
NCO	- No cut-out	
EX2	- Extron 2	
EX3	- Extron 3	
FS1	- FSR	

#### INFORMATION

#### **Grommet Cutouts by Table Size**

Base Length Number of Grommet Cutouts

48" 4 60" 6 72" 6





Approx. Packaged Weight	Enlite Table Bases	Table	Synthesis Table Bases
353.0#	\$ 7209	\$ 7307	\$ 7528
400.0#	7604	7702	7923
451.0#	8312	8410	8631

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

# Backbone® Monitor Support

			MODEL	NUMBER	
	MODEL	OVERALL SIZE	Basic Model	Laminate Color	Approx. Packaged Weight
HRDPT	Backbone® - Monitor Support  All laminate construction  Must attach to either Mobile or Stationary unit  Black grommet cover included  Must be ordered separately	38"W x 59"H x 5"D	BBNMS		100.0#
HKUPI		38"W x 72H" x 5"D	BBNMSC		100.0#
	Backbone® - Monitor Support - Cafe Height  • All laminate construction  • Must attach to either Mobile or Stationary unit  • Black grommet cover included  • Must be ordered separately	38 W X 72H X 5 D	BRNM2C		100.0#
HRDPT					
	Backbone® - Monitor Support-Dual Width  All laminate construction  Must attach to either Mobile or Stationary unit  Black grommet cover included  Must be ordered separately	60"W x 59"H x 5"D	BBNMD		100.0#
HRDPT					
	Backbone® - Monitor Support-Cafe Height-Dual Width  All laminate construction  Must attach to either Mobile or Stationary unit  Black grommet cover included  Must be ordered separately	60"W x 72"H x 5"D	BBNMDC		100.0#
HRDPT					
			A	<b>B</b>	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect laminate color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.





elivered ricing	
1941	
2103	
2150	
2000	
2899	

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2012 KI All Rights Reserved. Litho in USA. Code KI-11586/KI/PDF/312