

January 3, 2011
Updated June 20, 2014
800-424-2432



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.V.	Bonduel, Green Bay, Ontario, and Tupelo	2
	Shipping Location	4
Logix® System	General Information	6
	Seating Units	8
	Seating Units	10
	Seating Units	12
	Table Units	14
	Seat Level Table Units	16
	Planters	18
	Planters	20
	Trash Receptacles	22
	Trash Receptacles	24
Promenade® Seating System	General Information	26
	Tandem Seating	28
	Tandem Seating	30
	Seating Components	32
	Arm and Base Components	34
	Fiberglass Elements	36
	Fiberglass Elements	38
	Fiberglass Elements	40
	Beam Mounted Tables	42
Reclaim Recycling Containers and Centers	General Information	44
	Containers	46
	Centers	48
Index		50

Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1" square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Please see information below and check the appropriate box.

☐ Submitted for testing.

☐ Test approved. Submitted for production.

Purchase Order Number


KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom



☐ B Selvage Side and Side



Purchasing Agent (Dealer or buying organization)

Attention

Address

City

State

Zip

Project Name

Type of seating and number of units of each type



Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo

Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls

Genius Walls MN

Casegoods

Dante Benches AG
Darwin Tackboards MN
Aristotle Tackboards MN

Classroom Furniture

360° Classroom Furniture BW
Intellect Wave Chairs GB
Dorsal 1090 Chairs GB
Dorsal Student Desks GB
Learn2 GB

Desking

700 Series Desking KP
Balance Overheads MN
Genesis Desking MN
True Desking KP
Universal Overheads MN
WorkZone Desking MN

Files & Storage

700 Series Pedestal Cushion GB
U-Series Pedestal Cushion GB

Fixed Seating

Concerto Auditorium Seating BW
Single Pedestal Seating GB
Jury Base Seating GB
Lancaster Auditorium Seating BW
Sequence Seating GB
University Seating GB

Panel Systems

All Terrain KP
Balance Overheads MN
System 3000 MN

Universal Overheads MN
Wireworks MN
Unite MN

Residence Hall Furniture

RoomScope Furniture MN

Screens

True/Volition KP
Genesis KP

Seating

100 Series Folding Chairs BW
300 Series Folding Chairs BW
600 Series Stools BW
700 Series Folding Chairs BW
1000 Series GB
Aerodyn Guest Seating HN
Affina Collection HN
Arissa Lounge HN
Aston Guest Seating HN
Altus Task Chairs TM
Auditorium Folding Chairs BW
Avail Task Chairs OM
Bantam Guest Seating HN
Briar Multiple & Healthcare Seating HN
Cinturon Lounge & Professional Seating HN
Cody Lounge Seating HN
Dorsal Stack & Tandem Seating GB
Engage Task Chairs & Stools GB
Flex Multiple & Healthcare Seating HN
Front Row Seats (Silk Screening) BW
GateOne Public Seating BW
Grand Salon Lounge Seating & Benches HN
Grazie Seating GB
Hub Modular Lounge Seating HN
Impress Task Chairs OM
Impress Ultra Task Chairs OM
Jessa Lounge Seating HN

Kismet Task/Guest Chairs & Stools OM
Kurv Benches HN
LaResta Day Beds HN
Maestro Stack Chairs GB
Matrix Stack Chairs GB
Medical & Laboratory Stools OM
Mesa Lounge & Task Seating HN
MI6 Nesting Chairs TM
MyWay Seating HN
Neena Benches HN
OnTask OM
Opt4 GB
Perry Stack Chairs GB
Perth Multiple & Healthcare Seating HN
Perth II Healthcare Seating HN
Pilot Task Chairs OM
Piretti 2000 Series Seating GB
Piretti Stack Chairs GB
Promenade Seating System BW
Quatro Guest Seating HN
Rapture Stack Chairs & Stools GB
Relax Lounge Seating HN
Rose Healthcare BW
Sela Lounge Seating HN
Silhouette Stack Chairs & Stools BW
Soltice Multiple, Healthcare & Guest HN
Soltice II Healthcare Seating HN
Strive Multiple, Stack & Task GB
Tea Cup Lounge Seating HN
Three Multiple, Healthcare & Lounge HN
Three II Healthcare Seating HN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task Seating GB
Torsion Stack and Task Seating GB
Versa Stack Chairs & Stools GB

Site Furnishings

Logix BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG

Contact KI at
1-800-424-2432

GB

KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

HN

KI-HN
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

KP

KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

MN

KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

BW

KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

KI Crossroads

Attn: Kira Banfill
280 North Road
Clinton County
Industrial Park
McElhattan, PA 17748

OM

Impress/Impress Ultra/Avail/
Kismet/Medical Stools/Pilot
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761


TM

KI Tupelo
2112 South Green St.
Tupelo, MS 38804



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location



Logix® System

General Information



Quater Circle Inside Back, Quarter Circle Planter



Corner Seat, Square Seat, Square Seat Level Table, Quarter Circle Seat Level Table

General


- Two-piece molded fiberglass construction. Available in all fiberglass finishes.
- May be weighted for added stability.

Seating

- Upholstered seating modules available in KI fabrics, vinyls or C.O.M.
- Seat backs and arms are supported by fiberglass liners secured to the base and covered by polyurethane foam and fabric.
- Cushions are supported by plywood base covered with polyurethane foam and fabric.
- Cushions fasten with velcro.

Seating


	Square	Narrow	Corner	Quarter Circle	Inside Curved	Outside Curved	45 Wedge
Overall Dimensions							
width	30"	12"	30"	30"	23½", 29¾"	29¾", 23½"	23"
depth	30"	30"	30"	30"	30"	30"	30"
height	30"	30"	30"	30"	30"	30"	30"
seat height	17"	17"	17"	17"	17"	17"	17"



PVC Standpipe



Ganging Straps included with all units to maintain spacing and alignment.



Sand Weighting

SPECIFICATIONS

Base Units

Bases are constructed of fiberglass reinforced plastic with a nominal wall thickness of 3/16". All side walls have a 1.5° draft.

Recessed Bases

All recessed bases are same color as the body and are 2-1/2" deep and 3" high.

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Outdoor Use

Not recommended for upholstered units.

Table Surfaces

1" thick veneer or plastic laminate covered plywood.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

FIRE RETARDANTS

Fiberglass items:
Fire retardant treatment (FR) allows product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m² when tested to ASTM E1354.

Upholstered Seating items:
Fire retardant treatment (FR) allows seating products to be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133.

Sand Weighting

The following products offer options for sand weighting. Sand is not provided.
Seating Capacity 200# max. Opening Under cushion

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



Tables

- Tables available 12" or 17" high.
- 12" table has top in plastic laminate.
- 17" seat level table has solid color fiberglass top.

Planters

- Heights in one through four modules – 12, 22, 32 or 42" high.
- Includes fiberglass liner
- PVC standpipe available for water maintenance.

Receptacles

- Heights in one through four modules – 12, 22, 32 or 42" high.
- Covers fit securely and are easily removable to change trash liner.

Tables, Planters, Receptacles

	Square	Narrow	Quarter Circle	Curved	45 Wedge
Overall Dimensions					
width	30"	12"	30"	30"	23"
depth	30"	30"	30"	30"	30"
height (one unit high)	12"	12"	12"	12"	12"
height (two units high)	22"	22"	22"	22"	22"
height (three units high)	32"	32"	32"	32"	32"
height (four units high)	42"	42"	42"	42"	42"





INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Logix® System

Seating Units

				MODEL NUMBER					Approx. Packaged Weight
				Basic Model	Finish	Element Color	Upholstery Color	TB133	
	Square Seat with Back • C.O.M. 2-1/2 yards • 17"H Seat	Standard	30 x 30 x 30"	SSQSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
		Premium	30 x 30 x 30"	SSQSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
LXST									
	Square Backless Seat • C.O.M. 2 yards • 17"H Seat	Standard	30 x 30 x 17"	SSQSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#
		Premium	30 x 30 x 17"	SSQSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#
LXST									
	Narrow Seat with Back • C.O.M. 2-1/2 yards • 17"H Seat	Standard	12 x 30 x 30"	SRTSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#
		Premium	12 x 30 x 30"	SRTSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#
LXST									
	Narrow Backless Seat • C.O.M. 1-1/2 yards • 17"H Seat	Standard	12 x 30 x 17"	SRTSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#
		Premium	12 x 30 x 17"	SRTSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#
LXST									

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF - Gloss finish

GX - Granex finish (Premium)

MT - Matte finish

PT - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select upholstery grade/color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select TB133.

NFR - No TB133 fire retardant

FR - Fire retardant

See pricing column for TB133 upcharge.

FINISH INFORMATION

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Prebagged sand is recommended. Sand is not included. Add /SW to end of model number. Upcharge \$107 list/unit.

C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L. section".



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
\$ 1711	\$ 1808	\$ 1837	\$ 1837	\$ 1827	\$ 1903	\$ 1982	\$ 2059	\$ 160
2051	2149	2177	2177	2168	2247	2326	2400	160
\$ 1383	\$ 1462	\$ 1485	\$ 1485	\$ 1478	\$ 1540	\$ 1601	\$ 1665	\$ 129
1659	1736	1758	1758	1751	1814	1876	1937	129
\$ 1394	\$ 1471	\$ 1493	\$ 1493	\$ 1488	\$ 1548	\$ 1611	\$ 1671	\$ 131
1671	1749	1771	1771	1766	1828	1888	1951	131
\$ 1088	\$ 1144	\$ 1163	\$ 1163	\$ 1159	\$ 1204	\$ 1248	\$ 1296	\$ 102
1305	1365	1380	1380	1376	1420	1467	1516	102

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C






Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Seating Units

	MODEL	Features	W x D x H	MODEL NUMBER					Approx. Packaged Weight
				Basic Model	Finish	Element Color	Upholstery Color	TB133	
	12° Curved Seat with Outside Back • C.O.M. 2-1/2 yards • 23-1/2" (front) x 30" (back) • 17"H Seat	Standard	30 x 30 x 30"	SCRSSB01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
		Premium	30 x 30 x 30"	SCRSSB01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
LXST									
	12° Curved Seat with Inside Back • C.O.M. 2-1/2 yards • 30" (front) x 23-1/2" (back) • 17"H Seat	Standard	30 x 30 x 30"	SCRSSBI1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
		Premium	30 x 30 x 30"	SCRSSBI1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
LXST									
	12° Curved Backless Seat • C.O.M. 1-1/2 yards • 23-1/2" (front) x 30"W (back)	Standard	30 x 30 x 17"	SCRSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#
		Premium	30 x 30 x 17"	SCRSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#
LXST									
	Corner Seat with Back • C.O.M. 3-1/2 yards • 17"H Seat	Standard	30 x 30 x 30"	SSQSSA1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40.0#
		Premium	30 x 30 x 30"	SSQSSA1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40.0#
LXST									
	Quarter Circle Seat with Inside Back • C.O.M. 2-1/2 yards • 17"H Seat	Standard	30 x 30 x 30"	SQRSSB1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32.0#
		Premium	30 x 30 x 30"	SQRSSB1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32.0#
LXST									

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF - Gloss finish

GX - Granex finish (Premium)

MT - Matte finish

PT - Polycrystalline finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select upholstery grade/color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select TB133.

NFR - No TB133 fire retardant

FR - Fire retardant

See pricing column for TB133 upcharge.

FINISH INFORMATION

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Prebagged sand is recommended. Sand is not included. Add /SW to end of model number. Upcharge \$107 list/unit.

C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L. section".



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
\$ 1711	\$ 1808	\$ 1837	\$ 1837	\$ 1827	\$ 1903	\$ 1982	\$ 2059	\$ 160
2051	2149	2177	2177	2168	2247	2326	2400	160
\$ 1711	\$ 1808	\$ 1837	\$ 1837	\$ 1827	\$ 1903	\$ 1982	\$ 2059	\$ 160
2051	2149	2177	2177	2168	2247	2326	2400	160
\$ 1383	\$ 1462	\$ 1485	\$ 1485	\$ 1478	\$ 1540	\$ 1601	\$ 1665	\$ 129
1659	1736	1758	1758	1751	1814	1876	1937	129
\$ 1965	\$ 2101	\$ 2143	\$ 2143	\$ 2129	\$ 2236	\$ 2348	\$ 2455	\$ 184
2363	2499	2538	2538	2526	2635	2740	2850	184
\$ 1361	\$ 1458	\$ 1486	\$ 1486	\$ 1498	\$ 1576	\$ 1655	\$ 1731	\$ 125
1631	1729	1757	1757	1771	1847	1927	2005	125

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Seating Units

				MODEL NUMBER					Approx. Packaged Weight
				Basic Model	Finish	Element Color	Upholstery Color	TB133	
	Quarter Circle Backless Seat • C.O.M. 2-1/2 yards	Standard	30 x 30 x 17"	SQRSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#
		Premium	30 x 30 x 17"	SQRSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#
	45° Curved Wedge Seat with Outside Back • C.O.M. 2-1/2 yards • 17"H Seat	Standard	23 x 30 x 30"	SWGSSB01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#
		Premium	23 x 30 x 30"	SWGSSB01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#
	45° Curved Wedge Seat with Inside Back • C.O.M. 2 yards • 17"H Seat	Standard	23 x 30 x 30"	SWGSSB11	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#
		Premium	23 x 30 x 30"	SWGSSB11/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#
	45° Curved Wedge Backless Seat • C.O.M. 2 yards	Standard	23 x 30 x 17"	SWGSS01	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#
		Premium	23 x 30 x 17"	SWGSS01/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

- | | |
|-----------|---------------------------|
| AF | - Gloss finish |
| GX | - Granex finish (Premium) |
| MT | - Matte finish |
| PT | - Polycrete finish |

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Model numbers with 'P' use GX=Granex Finish only

C Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select upholstery grade/color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select TB133.

- | | |
|------------|---------------------------|
| NFR | - No TB133 fire retardant |
| FR | - Fire retardant |

See pricing column for TB133 upcharge.

FINISH INFORMATION

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Prebagged sand is recommended. Sand is not included. Add /SW to end of model number. Upcharge \$107 list/unit.

C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L. section".



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
\$ 1383	\$ 1462	\$ 1485	\$ 1485	\$ 1478	\$ 1540	\$ 1601	\$ 1665	\$ 129
1659	1736	1758	1758	1750	1814	1876	1937	129
\$ 1162	\$ 1239	\$ 1261	\$ 1261	\$ 1257	\$ 1318	\$ 1378	\$ 1440	\$ 111
1392	1470	1492	1492	1487	1547	1609	1670	111
\$ 1162	\$ 1239	\$ 1261	\$ 1261	\$ 1257	\$ 1318	\$ 1378	\$ 1440	\$ 111
1392	1470	1492	1492	1487	1547	1609	1670	111
\$ 932	\$ 998	\$ 1012	\$ 1012	\$ 1028	\$ 1090	\$ 1152	\$ 1213	\$ 87
1119	1178	1197	1197	1211	1273	1333	1396	87

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C






Shipping

Shipped **assembled freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Table Units

	MODEL	Features	W x D x H	MODEL NUMBER					
				Basic Model	Finish	Element Color	Top Finish Color	FR	
 LXTB	Square Table	Laminate Top - Standard	30 x 30 x 12"	SSQTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Laminate Top - Premium	30 x 30 x 12"	SSQTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 LXTB	Narrow Table	Laminate Top - Standard	12 x 30 x 12"	SRTTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Laminate Top - Premium	12 x 30 x 12"	SRTTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 LXTB	Quarter Circle Table	Laminate Top - Standard	30 x 30 x 12"	SQRTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Laminate Top - Premium	30 x 30 x 12"	SQRTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 LXTB	12° Curved Table • 23-1/2"W (fr) x 30"W (bk)	Laminate Top - Standard	30 x 30 x 12"	SCRTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Laminate Top - Premium	30 x 30 x 12"	SCRTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 LXTB	45° Curved Wedge Table	Laminate Top - Standard	23 x 30 x 12"	SWGTLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Laminate Top - Premium	23 x 30 x 12"	SWGTLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

A **B** **C** **D** **E**

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
 • The absence of the ☐ indicates that no choice is required.
 • Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF - Gloss finish
GX - Granex finish (Premium)
MT - Matte finish
PT - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Model numbers with 'P' use GX=Granex Finish only

C Select base finish and color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select top surface color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select fire retardant (FR).

NFR - No Fire Retardant
FR - Fire retardant

See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.
 Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.



Approx. Packaged Weight	Delivered Pricing	FR add to list price
33.0#	\$ 1485	\$ 140
33.0#	1780	140
30.0#	\$ 1243	\$ 116
30.0#	1491	116
31.0#	\$ 1296	\$ 120
31.0#	1556	120
33.0#	\$ 1485	\$ 140
33.0#	1780	140
16.0#	\$ 1011	\$ 94
16.0#	1212	94

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C






Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Seat Level Table Units

				MODEL NUMBER				Approx. Packaged Weight
				Basic Model	Finish	Element Color	FR	
	Square Table	Fiberglass Top - Standard	30 x 30 x 17"	SSQTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
		Fiberglass Top - Premium	30 x 30 x 17"	SSQTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
LXTB								
	Narrow Table	Fiberglass Top - Standard	12 x 30 x 17"	SRTTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31.0#
		Fiberglass Top - Premium	12 x 30 x 17"	SRTTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31.0#
LXTB								
	Quarter Circle Table	Fiberglass Top - Standard	30 x 30 x 17"	SQRTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32.0#
		Fiberglass Top - Premium	30 x 30 x 17"	SQRTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32.0#
LXTB								
	12° Curved Table	Fiberglass Top - Standard	30 x 30 x 17"	SCRTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
		Fiberglass Top - Premium	30 x 30 x 17"	SCRTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34.0#
LXTB								
	45° Curved Wedge Table	Fiberglass Top - Standard	23 x 30 x 17"	SWGTSLT1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25.0#
		Fiberglass Top - Premium	23 x 30 x 17"	SWGTSLT1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25.0#
LXTB								

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | - Gloss finish |
| GX | - Granex finish (Premium) |
| MT | - Matte finish |
| PT | - Polycrete finish |
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select fire retardant (FR).
- | | |
|------------|---------------------|
| NFR | - No Fire Retardant |
| FR | - Fire retardant |
- See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.



Logix® System

Seat Level Table Units

Delivered Pricing	FR add to list price
\$ 1659	\$ 156
2001	156
\$ 1340	\$ 123
1619	123
\$ 1444	\$ 135
1732	135
\$ 1659	\$ 156
2001	156
\$ 1116	\$ 107
1346	107

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Planters

				MODEL NUMBER				
MODEL		Features	W x D x H	Basic Model	Finish	Element Color	FR	
	Square Planter • Net opening is 18-1/2 x 18-1/2"	One unit high, Standard, 2.0 cu. ft. Capacity	30 x 30 x 12"	SSQP1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		One unit high, Premium, 2.0 cu. ft. Capacity	30 x 30 x 12"	SSQP1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Standard, 4.3 cu. ft. Capacity	30 x 30 x 22"	SSQP2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Premium, 4.3 cu. ft. Capacity	30 x 30 x 22"	SSQP2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Standard, 6.8 cu. ft. Capacity	30 x 30 x 32"	SSQP3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Premium, 6.8 cu. ft. Capacity	30 x 30 x 32"	SSQP3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Standard, 9.2 cu. ft. Capacity	30 x 30 x 42"	SSQP4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Premium, 9.2 cu. ft. Capacity	30 x 30 x 42"	SSQP4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Narrow Planter • Net opening is 22-1/2 x 4-1/2"	One unit high, Standard, 2.0 cu. ft. Capacity	12 x 30 x 12"	S RTP1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		One unit high, Premium, 2.0 cu. ft. Capacity	12 x 30 x 12"	S RTP1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Standard, 2.3 cu. ft. Capacity	12 x 30 x 22"	S RTP2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Premium, 2.3 cu. ft. Capacity	12 x 30 x 22"	S RTP2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Standard, 3.4 cu. ft. Capacity	12 x 30 x 32"	S RTP3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Premium, 3.4 cu. ft. Capacity	12 x 30 x 32"	S RTP3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Standard, 4.5 cu. ft. Capacity	12 x 30 x 42"	S RTP4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Premium, 4.5 cu. ft. Capacity	12 x 30 x 42"	S RTP4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Quarter Circle Planter • Net opening is 25-1/2 x 17"	One unit high, Standard, 1.0 cu. ft. Capacity	30 x 30 x 12"	S QRP1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		One unit high, Premium, 1.0 cu. ft. Capacity	30 x 30 x 12"	S QRP1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Standard, 2.2 cu. ft. Capacity	30 x 30 x 22"	S QRP2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Premium, 2.2 cu. ft. Capacity	30 x 30 x 22"	S QRP2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Standard, 3.4 cu. ft. Capacity	30 x 30 x 32"	S QRP3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Premium, 3.4 cu. ft. Capacity	30 x 30 x 32"	S QRP3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Standard, 4.6 cu. ft. Capacity	30 x 30 x 42"	S QRP4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Premium, 4.6 cu. ft. Capacity	30 x 30 x 42"	S QRP4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
				A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | - Gloss finish |
| GX | - Granex finish (Premium) |
| MT | - Matte finish |
| PT | - Polycrete finish |
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select fire retardant (FR).
- | | |
|------------|---------------------|
| NFR | - No Fire Retardant |
| FR | - Fire retardant |
- See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant
ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².
Add FR to end of model number.
Add upcharge.

Stand Pipe
Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.
Add /ST to end of model number
Upcharge \$53 list/unit

Custom Fiberglass Color
Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for

custom color.



Approx. Packaged Weight	Delivered Pricing	FR add to list price
28.0#	\$ 1383	\$ 129
28.0#	1659	129
48.0#	2175	202
48.0#	2608	202
71.0#	2952	275
71.0#	3539	275
96.0#	3724	347
96.0#	4470	347
18.0#	\$ 1179	\$ 112
18.0#	1417	112
31.0#	1770	164
31.0#	2124	164
44.0#	2331	216
44.0#	2794	216
57.0#	2903	270
57.0#	3483	270
26.0#	\$ 1383	\$ 129
26.0#	1659	129
46.0#	2175	202
46.0#	2608	202
69.0#	2952	275
69.0#	3539	275
94.0#	3724	347
94.0#	4470	347

SPECIAL SERVICES
Special Carton Marking

With specially marked information N/C



Shipping

 Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Planters

				MODEL NUMBER				
MODEL		Features	W x D x H	Basic Model	Finish	Element Color	FR	
 LXPL	12° Curved Planter • Net opening is 18 x 15"	One unit high, Standard, 1.7 cu. ft. Capacity	30 x 30 x 12"	SCR1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		One unit high, Premium, 1.7 cu. ft. Capacity	30 x 30 x 12"	SCR1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Standard, 3.4 cu. ft. Capacity	30 x 30 x 22"	SCR2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Premium, 3.4 cu. ft. Capacity	30 x 30 x 22"	SCR2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Standard, 5.3 cu. ft. Capacity	30 x 30 x 32"	SCR3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Premium, 5.3 cu. ft. Capacity	30 x 30 x 32"	SCR3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Standard, 7.3 cu. ft. Capacity	30 x 30 x 42"	SCR4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Premium, 7.3 cu. ft. Capacity	30 x 30 x 42"	SCR4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
 LXPL	45° Curved Wedge Planter • Net opening is 15 x 12"	One unit high, Standard, 0.4 cu. ft. Capacity	23 x 30 x 12"	SWGP1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		One unit high, Premium, 0.4 cu. ft. Capacity	23 x 30 x 12"	SWGP1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Standard, 0.8 cu. ft. Capacity	23 x 30 x 22"	SWGP2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Two unit high, Premium, 0.8 cu. ft. Capacity	23 x 30 x 22"	SWGP2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Standard, 1.3 cu. ft. Capacity	23 x 30 x 32"	SWGP3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Three unit high, Premium, 1.3 cu. ft. Capacity	23 x 30 x 32"	SWGP3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Standard, 1.8 cu. ft. Capacity	23 x 30 x 42"	SWGP4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
		Four unit high, Premium, 1.8 cu. ft. Capacity	23 x 30 x 42"	SWGP4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | - Gloss finish |
| GX | - Granex finish (Premium) |
| MT | - Matte finish |
| PT | - Polycrete finish |
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select fire retardant (FR).
- | | |
|------------|---------------------|
| NFR | - No Fire Retardant |
| FR | - Fire retardant |
- See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water.

Add /ST to end of model number

Upcharge \$53 list/unit

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for

custom color.



Approx. Packaged Weight	Delivered Pricing	FR add to list price
28.0#	\$ 1383	\$ 129
28.0#	1659	129
48.0#	2175	202
48.0#	2608	202
71.0#	2952	275
71.0#	3539	275
96.0#	3724	347
96.0#	4470	347
13.0#	\$ 1179	\$ 112
13.0#	1417	112
24.0#	1770	164
24.0#	2124	164
35.0#	2331	216
35.0#	2794	216
47.0#	2903	270
47.0#	3483	270

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Trash Receptacles

				MODEL NUMBER				Approx. Packaged Weight
				Basic Model	Finish	Element Color	FR	
 LXRT	Square Trash Receptacle	One unit high, Standard	30 x 30 x 12"	SSQR1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28.0#
		One unit high, Premium	30 x 30 x 12"	SSQR1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28.0#
		Two unit high, Standard	30 x 30 x 22"	SSQR2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48.0#
		Two unit high, Premium	30 x 30 x 22"	SSQR2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48.0#
		Three unit high, Standard	30 x 30 x 32"	SSQR3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	71.0#
		Three unit high, Premium	30 x 30 x 32"	SSQR3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	71.0#
		Four unit high, Standard	30 x 30 x 42"	SSQR4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	96.0#
		Four unit high, Premium	30 x 30 x 42"	SSQR4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	96.0#
 LXRT	Narrow Trash Receptacle	One unit high, Standard	12 x 30 x 12"	SRTR1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#
		One unit high, Premium	12 x 30 x 12"	SRTR1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#
		Two unit high, Standard	12 x 30 x 22"	SRTR2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31.0#
		Two unit high, Premium	12 x 30 x 22"	SRTR2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31.0#
		Three unit high, Standard	12 x 30 x 32"	SRTR3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	44.0#
		Three unit high, Premium	12 x 30 x 32"	SRTR3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	44.0#
		Four unit high, Standard	12 x 30 x 42"	SRTR4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	57.0#
		Four unit high, Premium	12 x 30 x 42"	SRTR4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	57.0#
 LXRT	Quarter Circle Trash Receptacle	One unit high, Standard	30 x 30 x 12"	SQRR1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26.0#
		One unit high, Premium	30 x 30 x 12"	SQRR1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26.0#
		Two unit high, Standard	30 x 30 x 22"	SQRR2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	46.0#
		Two unit high, Premium	30 x 30 x 22"	SQRR2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	46.0#
		Three unit high, Standard	30 x 30 x 32"	SQRR3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	69.0#
		Three unit high, Premium	30 x 30 x 32"	SQRR3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	69.0#
		Four unit high, Standard	30 x 30 x 42"	SQRR4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	94.0#
		Four unit high, Premium	30 x 30 x 42"	SQRR4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	94.0#

A **B** **C** **D**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | - Gloss finish |
| GX | - Granex finish (Premium) |
| MT | - Matte finish |
| PT | - Polycrete finish |
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Model numbers with 'P' use GX=Granex Finish only
- C** Select element color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select fire retardant (FR).
- | | |
|------------|---------------------|
| NFR | - No Fire Retardant |
| FR | - Fire retardant |
- See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.



Delivered Pricing	FR add to list price
\$ 1383	\$ 129
1659	129
2175	202
2608	202
2952	275
3539	275
3724	347
4470	347
\$ 1179	\$ 112
1417	112
1770	164
2124	164
2331	216
2794	216
2903	270
3483	270
\$ 1383	\$ 129
1659	129
2175	202
2608	202
2952	275
3539	275
3724	347
4470	347

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Logix® System

Trash Receptacles

				MODEL NUMBER				
MODEL		Features	W x D x H	Basic Model	Finish	Element Color	FR	Approx. Packaged Weight
 LXRT	12° Curved Trash Receptacle	One unit high, Standard	30 x 30 x 12"	SCRR1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28.0#
		One unit high, Premium	30 x 30 x 12"	SCRR1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28.0#
		Two unit high, Standard	30 x 30 x 22"	SCRR2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48.0#
		Two unit high, Premium	30 x 30 x 22"	SCRR2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48.0#
		Three unit high, Standard	30 x 30 x 32"	SCRR3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	71.0#
		Three unit high, Premium	30 x 30 x 32"	SCRR3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	71.0#
		Four unit high, Standard	30 x 30 x 42"	SCRR4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	96.0#
		Four unit high, Premium	30 x 30 x 42"	SCRR4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	96.0#
 LXRT	45° Curved Wedge Trash Receptacle	One unit high, Standard	23 x 30 x 12"	SWGR1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#
		One unit high, Premium	23 x 30 x 12"	SWGR1/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#
		Two unit high, Standard	23 x 30 x 22"	SWGR2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24.0#
		Two unit high, Premium	23 x 30 x 22"	SWGR2/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24.0#
		Three unit high, Standard	23 x 30 x 32"	SWGR3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
		Three unit high, Premium	23 x 30 x 32"	SWGR3/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35.0#
		Four unit high, Standard	23 x 30 x 42"	SWGR4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	47.0#
		Four unit high, Premium	23 x 30 x 42"	SWGR4/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	47.0#
				A	B	C	D	

A **B** **C** **D**

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select finish.
- | | |
|-----------|---------------------------|
| AF | - Gloss finish |
| GX | - Granex finish (Premium) |
| MT | - Matte finish |
| PT | - Polycrete finish |
- Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- Model numbers with '/P' use GX=Granex Finish only
- C** Select element color.
- Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- D** Select fire retardant (FR).
- | | |
|------------|---------------------|
| NFR | - No Fire Retardant |
| FR | - Fire retardant |
- See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.



Delivered Pricing	FR add to list price
\$ 1383	\$ 124
1659	124
2175	202
2608	202
2952	275
3539	275
3724	347
4470	347
\$ 1179	\$ 112
1417	112
1770	164
2124	164
2331	216
2794	216
2903	270
3483	270

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

General Information



Tandem Seating w/Trash Receptacles PRM3S/OT



Seat w/Fiberglass Table Elements PRM

Features	Seating		Beam Mounted Tables				Fiberglass Elements, Freestanding or for attaching beam		Freestanding Cylindrical Elements	
	Seat	Bench	Full Size	Rectangle	Half Round	Corner Table	Square	Half Round	Planter	Trash Receptacle
Steel construction	•	•	•	•		•			•	•
Fiberglass construction							•	•	•	•
Upholstery available	•	•								
Laminates available			•	•	•	•	•			
Suitable for outdoor use	•(steel)	•(steel)	•(steel)	•(steel)		•(steel)	•	•		
Dimensions										
overall width	21"	21"	21"	14"	20¼"	30"	22½"	11¼"	16" & 20" dia.	16" & 20" dia.
overall depth	26⅞"	22½"	22½"	22½"	22½"	30"	22½"	22½"		
overall height	31⅞"	16"	16"	16"	16"	16"	19" & 25"	19" & 25"	28" & 36"	28" & 36"
seat height	17⅞"	16"								
Bench w/fixed bases		14 ⅞"								
Bench w/embedded bases		14 ⅞"								
Bench w/movable bases		14 7⁄8"	*(w/glides fully inserted)							
Seat w/fixed bases	16"									
Seat w/embedded bases	16"									
Seat w/movable bases	16 ¾"	*(w/glides fully inserted)								
Overall Dimensions										
Seat height w/fixed bases	30"									
Seat height w/embedded bases	30"									
Seat height w/movable bases	30 ¾"	(w/glides fully inserted)								

*For units with upholstery, add additional ⅞" **Note:** Tables are the same height as benches. Glides could add ½" when fully extended.

SPECIFICATIONS

Seat, Benches, or Metal Tables with Perforated Steel Exteriors

14-ga. Sheet steel, die formed and welded to a 1" x 14 ga. Seam welded tubular steel frame. Perforations are 3/8" diameter.

Arms

Constructed of 1" x 14-ga. Tubular steel, die formed and welded to mounting yoke. Textured plastic arm cap is permanently attached.

Mounting

Seats, benches and tables have steel spiders and yokes welded into an integral unit. The yoke is placed over the steel beam and secured with bolts.

Beams

Beams 11-ga. 1-1/2" x 2" seamless steel. Plastic end caps.

Freestanding Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. Cast aluminum base is bolted to the column. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts. Adjustable glides.

Wallsaver Extension

Attaches to base with rear glide. Contacts the wall at the floor to prevent seat back from touching the wall. Black only.

Anchored Base

The base may be drilled for anchoring with 3/8" diameter bolts. Anchoring bolts not provided.

Embedded Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. 16" length for embedding in concrete. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts.

Metal Finish

Indoor finishes are nonchipping epoxy powder, electrostatically applied, then baked on.

Outdoor finishes are nonchipping polyester powder, electrostatically applied, then baked on over a rust-inhibiting sealer.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Polycrte - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.
Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

"L" Corner Table Assembly

For mounting modular units at a 90 degree angle. Corners are formed by mounting beam extensions joined by a table top and supported by a leg for each beam. A 2-5/8" o.d. leg with a leveling glide supports the back corner of the table top. Corner table

surfaces match in-line tables.

Plastic Laminate In-line Tables

May be used in place of seats on the beam, or for corner table applications. Solid core top 7/8" thick consisting of high-density particle board with plastic laminate surface and vinyl bullnose edge. Rounded corners. For interior use only.

Fiberglass Elements

Dimensions shown are nominal. If dimensions are critical contact KI. Nominal 3/16" wall thickness. Sides which may have beams attached have 3/4" thick plywood embedded in fiberglass. These are drilled at the factory for beam installation as required by the order. Mounting hardware is supplied.

Table Elements

Half-round shapes have solid fiberglass table tops.


Full size shapes are available with fiberglass or plastic laminate table tops.

Planter Elements



Promenade® Seating System

General Information



Square shapes are available as planters with a fiberglass liner.

FIRE RETARDANTS

Fiberglass items:
Fire retardant treatment (FR) allows product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m² when tested to ASTM E1354.

Upholstered Seating items:
Fire retardant treatment (FR) allows seating products to be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133.

Sand Weighting

Fiberglass elements have an enclosed bottom. Bagged sand can be placed in the units when extra stability is needed.

Anchoring

Fiberglass elements may be anchored to floors or permanent hard surface. Factory

installed 3/8" diameter holes can be specified and include expansion bolts.

Order Review/Design Service

It is KI's policy with this product to check all incoming orders for accuracy. When ordering, please provide a plan-view sketch and identify desired components.

KI will provide a design and engineering service, upon request, to tailor this product to your needs. This includes a comprehensive proposal. Contact KI for further information.

INFORMATION

Design

Designed by the KI Design Team.

C.O.M. and C.O.V. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 12" x 12" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional

in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Leather must be free of imperfections.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to

the Special Cost Request.

Promenade® Seating System

Tandem Seating

			MODEL NUMBER								
MODEL		W x D x H	Basic Model	Table Style	Frame Color	Surface Finish	Edge Color	Upholstery Color	TB133		
	SEAT - Armless Unupholstered with Movable Base <ul style="list-style-type: none">• Seats and tables clamp to mounting beam. Tables interchange with seats anywhere on the beam• Laminate tables are full size, 22-1/2" D x 21" W	45 x 26 x 32"	PRM2/S1/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		45 x 26 x 32"	PRM2/S2/0T		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		69 x 26 x 32"	PRM3/S2/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		69 x 26 x 32"	PRM3/S3/0T		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		93 x 26 x 32"	PRM4/S3/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		93 x 26 x 32"	PRM4/S4/0T		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
PRM2											
PRM3											
PRM4											
	SEAT - Armless Upholstered with Movable Base <ul style="list-style-type: none">• Seats and tables clamp to mounting beam. Tables interchange with seats anywhere on the beam• Laminate tables are full size, 22-1/2" D x 21" W• Foam pads on upholstered units for additional comfort in interior settings. May be removed for cleaning or reupholstery	45 x 26 x 32"	PRM2U/S1/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		45 x 26 x 32"	PRM2U/S2/0T		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		69 x 26 x 32"	PRM3U/S2/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		69 x 26 x 32"	PRM3U/S3/0T		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		93 x 26 x 32"	PRM4U/S3/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		93 x 26 x 32"	PRM4U/S4/0T		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
PRM2U											
PRM3U											
PRM4U											
			A	B	C	D	E	F	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table style.

SL - Square laminate

SM - Square Metal; add \$125

C Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Outdoor finishes can be ordered on unupholstered units without tables and unupholstered units with metal tables.

D Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

E Select table edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge

style selections.

F Select upholstery grade/color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select TB133.

NFR - No TB133 fire retardant

FR - Fire retardant

See pricing column for TB133 upcharge.

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.



Promenade® Seating System

Tandem Seating

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
107.0#	\$ 1569									N/A
72.0#	1374									N/A
135.0#	2019									N/A
99.0#	1823									N/A
163.0#	2470									N/A
127.0#	2272									N/A

119.0#	N/A	\$ 1958	\$ 2102	\$ 2122	\$ 2122	\$ 2034	\$ 2083	\$ 2129	\$ 2179	\$ 131
83.0#	N/A	1761	1908	1926	1926	1834	1884	1933	1982	131
153.0#	N/A	2602	2824	2851	2851	2716	2791	2862	2937	198
117.0#	N/A	2405	2625	2652	2652	2518	2591	2665	2740	198
187.0#	N/A	3248	3541	3578	3578	3400	3498	3594	3691	263
151.0#	N/A	3051	3343	3378	3378	3202	3300	3397	3495	263

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

- 2 place = \$135
- 3 place = \$184
- 4 place = \$226

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Tandem Seating

			MODEL NUMBER								
			Basic Model	Table Style	Frame Color	Surface Finish	Edge Color	Upholstery Color	TB133		
 PRM2 PRM3 PRM4	BENCH - Armless Unupholstered with Movable Base <ul style="list-style-type: none">Benches and tables clamp to mounting beam. Tables interchange with benches anywhere on the beamLaminate tables are full size, 22-1/2" D x 21" W	45 x 26 x 32"	PRM2/B1/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		45 x 26 x 32"	PRM2/B2/0T		<input type="checkbox"/>						
		69 x 26 x 32"	PRM3/B2/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		69 x 26 x 32"	PRM3/B3/0T		<input type="checkbox"/>						
		93 x 26 x32"	PRM4/B3/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
		93 x 26 x32"	PRM4/B4/0T		<input type="checkbox"/>						
 PRM2U PRM3U PRM4U	BENCH - Armless Upholstered with Movable Base <ul style="list-style-type: none">Benches and tables clamp to mounting beam. Tables interchange with benches anywhere on the beamLaminate tables are full size, 22-1/2" D x 21" WFoam pads on upholstered units for additional comfort in interior settings. May be removed for cleaning or reupholstery	45 x 26 x 32"	PRM2U/B1/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		45 x 26 x 32"	PRM2U/B2/0T		<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>		
		69 x 26 x 32"	PRM3U/B2/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		69 x 26 x 32"	PRM3U/B3/0T		<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>		
		93 x 26 x32"	PRM4U/B3/1T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
		93 x 26 x32"	PRM4U/B4/0T		<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>		
							</				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select table style.

SL - Square laminate

SM - Square Metal; add \$125

C Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Outdoor finishes can be ordered on unupholstered units without tables and unupholstered units with metal tables.

D Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

E Select table edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge

style selections.

F Select upholstery grade/color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

G Select TB133.

NFR - No TB133 fire retardant

FR - Fire retardant

See pricing column for TB133 upcharge.

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.



Promenade® Seating System

Tandem Seating

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
107.0#	\$ 1569									N/A
72.0#	1374									N/A
135.0#	2019									N/A
99.0#	1823									N/A
163.0#	2470									N/A
127.0#	2272									N/A
119.0#	N/A	\$ 1958	\$ 2102	\$ 2122	\$ 2122	\$ 2034	\$ 2083	\$ 2129	\$ 2179	\$ 131
83.0#	N/A	1761	1908	1926	1926	1834	1884	1933	1982	131
153.0#	N/A	2602	2824	2851	2851	2716	2791	2862	2937	198
117.0#	N/A	2405	2625	2652	2652	2518	2591	2665	2740	198
187.0#	N/A	3248	3541	3578	3578	3400	3498	3594	3691	263
151.0#	N/A	3051	3343	3378	3378	3202	3300	3397	3495	263

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$135
3 place = \$184
4 place = \$226

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Seating Components

				MODEL NUMBER						
				Basic Model	Frame Color	Upholstery Color	TB133			
 HRDPT PROMU	MODEL	Features	W x D x H	Perforated Steel Seat	21 x 22-1/2 x 16"	PRMSEAT	<input type="checkbox"/> <input type="checkbox"/>			
				(w/Outdoor Coating)	21 x 22-1/2 x 16"	PRMSEAT.OD	<input type="checkbox"/> <input type="checkbox"/>			
				Upholstered Seat	21 x 22-1/2 x 16"	PRSB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
 HRDPT PROMU	MODEL	Features	W x D x H	Perforated Steel Bench	21 x 26 x 32"	PRMBENCH	<input type="checkbox"/> <input type="checkbox"/>			
				(w/Outdoor Coating)	21 x 26 x 32"	PRMBENCH.OD	<input type="checkbox"/> <input type="checkbox"/>			
				Upholstered Bench	21 x 26 x 32"	PRMB	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
				A	B	C	D			

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- D** Select TB133.
NFR - No TB133 fire retardant
FR - Fire retardant
 See pricing column for TB133 upcharge.

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133.
 Add FR to end of model number.
 Add Upcharge.

OPTIONS

Outdoor Coating

Model numbers that end in OD indicate they are manufactured with outdoor coating.



Promenade® Seating System

Seating Components

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
24.0#	\$ 451									N/A
24.0#	493									N/A
30.0#	N/A	647	719	726	726	683	710	730	758	64
20.0#	\$ 451									N/A
20.0#	493									N/A
25.0#	N/A	647	719	726	726	683	710	730	758	64

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.

Promenade® Seating System

Arm and Base Components

	MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Frame Color	
 HRDPT	Universal Loop Arm <ul style="list-style-type: none"> May be used individually or in pairs between each pair of seats Clamps to beam and is secured with bolts. Removable Arm has black high-impact rigid PVC armrest permanently attached 	Tubular Steel Armrest	PRMLA	<input type="checkbox"/>	7.0#
		(w/Outdoor Coating)	PRMLA.OD	<input type="checkbox"/>	7.0#
 PRMFOBASE PRMFBASE PRMMOBASE PRMMBASE HRDPT	Freestanding Base <ul style="list-style-type: none"> Heavy gauge tubular steel column. Cast aluminum leg with adjustable glides Clamps to beam directly or may be used for clamping to seats or tables and the beam. Secured with bolts. Removable Base is drilled for anchoring bolts when fixed base option is specified Inboard base sits directly under center of seat Outboard base can be attached at any location on the beam 	Fixed Inboard Base	PRMFBASE	<input type="checkbox"/>	10.0#
		(w/Outdoor Coating)	PRMFBASE.OD	<input type="checkbox"/>	10.0#
		Fixed Outboard Base	PRMFOBASE	<input type="checkbox"/>	10.0#
		(w/Outdoor Coating)	PRMFOBASE.OD	<input type="checkbox"/>	10.0#
		Movable Inboard Base	PRMMBASE	<input type="checkbox"/>	10.0#
		(w/Outdoor Coating)	PRMMBASE.OD	<input type="checkbox"/>	10.0#
		Movable Outboard Base	PRMMOBASE	<input type="checkbox"/>	10.0#
		(w/Outdoor Coating)	PRMMOBASE.OD	<input type="checkbox"/>	10.0#
 PRMEOBASE PRMEBASE HRDPT	Embedded Base <ul style="list-style-type: none"> Heavy gauge tubular steel column has extra length. Clamps to beam directly or may be used for clamping to seats or tables and the beam. Secured with bolts. Removable 	Embedded in Concrete Inboard	PRMEBASE	<input type="checkbox"/>	8.0#
		(w/Outdoor Coating)	PRMEBASE.OD	<input type="checkbox"/>	8.0#
		Embedded in Concrete Outboard	PRMEOBASE	<input type="checkbox"/>	8.0#
		(w/Outdoor Coating)	PRMEOBASE.OD	<input type="checkbox"/>	8.0#
 HRDPT	Back-to-Back Ganging Bar <ul style="list-style-type: none"> Connects two units back to back 		87.6232	<input type="checkbox"/>	5.0#
		(w/Outdoor Coating)	87.6232.OD	<input type="checkbox"/>	5.0#
HRDPT	Wallsaver Extension <ul style="list-style-type: none"> Heavy gauge steel, held in place by rear glide Available in black only 		PWSE.BL		1.0#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

Outdoor Coating

Model numbers that end in OD indicate they are manufactured with outdoor coating.



Promenade® Seating System

Arm and Base Components

Delivered
Pricing

\$ 113

119

\$ 259

285

259

285

236

260

236

260

\$ 153

169

153

169

\$ 92

99

\$ 51

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.

Promenade® Seating System

Fiberglass Elements

	Features	W x D	MODEL NUMBER						Approx. Packaged Weight
			Basic Model	Beam Type	Finish	Element Color	Top Insert	FR	
 PROM Cube Fiberglass Element-Planter <ul style="list-style-type: none">Available as planter or tabletop with fiberglass or laminate insertsMounting beam for seating may be attached to 1, 2, 3 or 4 sidesSeamless one-piece molded fiberglass construction for strength. Sides have 3/4" plywood embedded in fiberglassCement weighting or anchoring to the floor is optional	Standard 19" H, 1 Segment	22-1/2 x 22-1/2"	PRMSBE191PL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	69.0#
	Premium 19" H, 1 Segment	22-1/2 x 22-1/2"	PRMSBE191PL/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	69.0#
PROM Cube Fiberglass Element-Fiberglass Table Top	Standard 19" H, 1 Segment	22-1/2 x 22-1/2"	PRMSBE191FG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	60.0#
	Premium 19" H, 1 Segment	22-1/2 x 22-1/2"	PRMSBE191FG/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	60.0#
PROM Cube Fiberglass Element-Laminate Table Top	Standard 19" H, 1 Segment	22-1/2 x 22-1/2"	PRMSBE191LA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	63.0#
	Premium 19" H, 1 Segment	22-1/2 x 22-1/2"	PRMSBE191LA/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	63.0#
			A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select number of sides w/beams.
- | | |
|----|---------------------------------|
| 00 | - Square Base, Freestanding |
| 01 | - Square Base, 1 Side |
| 02 | - Square Base, 2 Opposite Sides |
| 03 | - Square Base, 3 Sides |
| 04 | - Square Base, 4 Sides |
| A2 | - Square Base, 2 Adjacent Sides |
- C** Select finish.
- | | |
|----|-------------------------------|
| AF | - Gloss finish |
| GX | - Granex finish |
| MT | - Matte finish |
| PT | - Polycrrete finish (Premium) |
- Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- D** Select element color.
- Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.

- E** Select element top surface.
- Refer to color addendum at [ki.com](#) or KI Fabrics & Finishes binder.
- F** Select fire retardant (FR).
- | | |
|-----|---------------------|
| NFR | - No Fire Retardant |
| FR | - Fire retardant |
- See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Anchoring

Factory applied 3/8" diameter holes on bottom of element.

Add /AN to end of model number.

Upcharge \$40/element

Concrete Weighting

Factory applied concrete.

Add /CW to end of model number.

Upcharge \$163/element

Custom Fiberglass Color

Delivered Pricing

\$ 1784

1932

FR
add to list
price

\$ 155

155

\$ 1486

1634

\$ 148

148

\$ 1486

1634

\$ 148

148

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----


Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bonduel, Wisconsin 54107 factory. Freight
 class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Fiberglass Elements



PROM

Square Fiberglass Element-Planter

- Available as planter or tabletop with fiberglass or laminate inserts
- Mounting beam for seating may be attached to 1, 2, 3 or 4 sides
- Seamless one-piece molded fiberglass construction for strength. Sides have 3/4" plywood embedded in fiberglass
- Cement weighting or anchoring to the floor is optional

PROM

Square Fiberglass Element-Fiberglass Table Top

PROM

Square Fiberglass Element-Laminate Table Top

MODEL NUMBER

Features

W x D

Basic Model

Beam Type

Finish

Element Color

Top Insert

FR

Approx. Packaged Weight

Standard 25" H, 1 Segment

22-1/2 x 22-1/2"

PRMSBE251PL

□□

□□

□□□

□□□

84.0#

Premium 25" H, 1 Segment

22-1/2 x 22-1/2"

PRMSBE251PL/P

□□

□□

□□□

□□□

84.0#

Standard 25" H, 1 Segment

22-1/2 x 22-1/2"

PRMSBE251FG

□□

□□

□□□

□□□

75.0#

Premium 25" H, 1 Segment

22-1/2 x 22-1/2"

PRMSBE251FG/P

□□

□□

□□□

□□□

75.0#

Standard 25" H, 1 Segment

22-1/2 x 22-1/2"

PRMSBE251LA

□□

□□

□□□

□□□

□□□

78.0#

Premium 25" H, 1 Segment

22-1/2 x 22-1/2"

PRMSBE251LA/P

□□

□□

□□□

□□□

□□□

78.0#

A

B

C

D

E

F

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select number of sides w/beams.

00 - Square Base, Freestanding

01 - Square Base, 1 Side

02 - Square Base, 2 Opposite Sides

03 - Square Base, 3 Sides

04 - Square Base, 4 Sides

A2 - Square Base, 2 Adjacent Sides

C Select finish.

AF - Gloss finish

GX - Granex finish

MT - Matte finish

PT - Polycrystalline finish (Premium)

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

E Select element top surface.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

F Select fire retardant (FR).

NFR - No Fire Retardant

FR - Fire retardant

See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Anchoring

Factory applied 3/8" diameter holes on bottom of element.

Add /AN to end of model number.

Upcharge \$40/element

Concrete Weighting

Factory applied concrete.

Add /CW to end of model number.

Upcharge \$163/element

Custom Fiberglass Color

Delivered Pricing

\$ 1932

2082

FR
add to list
price

\$ 185

185

\$ 2082

2228

\$ 153

153

\$ 1932

2082

\$ 153

153

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C
-----------------------------------	-----



Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bonduel, Wisconsin 54107 factory. Freight
 class #125.

Specifications and prices are subject to change without prior notice.

Promenade® Seating System

Fiberglass Elements

				MODEL NUMBER				
MODEL	Features	W x D	Basic Model	Finish	Element Color	FR		
  PROM	Half Round Fiberglass Element	Standard 19" H Fiberglass Top	11-1/4 x 22-1/2"	PRMHBE191	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Available with one-piece fiberglass top only	Premium 19" H Fiberglass Top	11-1/4 x 22-1/2"	PRMHBE191/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Mounting beam for seating attaches to straight side. Drilled at factory to fasten beam	Standard 25" H Fiberglass Top	11-1/4 x 22-1/2"	PRMHBE251	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Seamless one-piece molded fiberglass construction for strength. Straight sides have 3/4" plywood embedded in fiberglass	Premium 25" H Fiberglass Top	11-1/4 x 22-1/2"	PRMHBE251/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	• Cement weighting or anchoring to the floor are optional							
	• For stability element is always connected to beam							
				A	B	C	D	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select finish.

AF - Gloss finish

GX - Granex finish

MT - Matte finish

PT - Polycrete finish (Pre-mium)

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

C Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

D Select fire retardant (FR).

NFR - No Fire Retardant

FR - Fire retardant

See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Anchoring

Factory applied 3/8" diameter holes on bottom of element.

Add /AN to end of model number.

Upcharge \$40/element

Concrete Weighting

Factory applied concrete.

Add /CW to end of model number.

Upcharge \$163/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.



Promenade® Seating System

Fiberglass Elements

Approx. Packaged Weight	Delivered Pricing	FR add to list price
22.0#	\$ 1040	\$ 80
22.0#	1188	80
28.0#	1188	94
28.0#	1336	94

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
Bondue, Wisconsin 54107 factory. Freight
class #125.

Specifications and prices are subject to
change without prior notice.

			MODEL NUMBER				
	Features	W x D x H	Basic Model	Table Finish	Table Surface	Edge Color	Approx. Packaged Weight
 HRDPT PMSL	Full Size Perforated Steel	21 x 22-1/2 x 16"	PRMSMT	<input type="checkbox"/>			34.0#
	(w/Outdoor Coating)	21 x 22-1/2 x 16"	PRMSMT.OD	<input type="checkbox"/>			34.0#
	Full Size Plastic Laminate	21 x 22-1/2 x 16"	PRMSLT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#
Beam Mounted Inline Full Size Tables							
<ul style="list-style-type: none"> • Tables clamp to mounting beam and are secured with bolts • Full size table may be interchanged with seat or bench • Table price includes mounting beam • Plastic laminate tables are suitable for indoor applications only 							
 HRDPT PMSC	Connects to 1 Freestanding Unit, Perforated Steel	30 x 30 x 16"	PRMSMTLO	<input type="checkbox"/>			90.0#
	(w/Outdoor Coating)	30 x 30 x 16"	PRMSMTLO.OD	<input type="checkbox"/>			90.0#
	Connects 2 Freestanding Units, Perforated Steel	30 x 30 x 16"	PRMSMTL	<input type="checkbox"/>			90.0#
	(w/Outdoor Coating)	30 x 30 x 16"	PRMSMTL.OD	<input type="checkbox"/>			90.0#
	Connects to 1 Freestanding Unit, Laminate	30 x 30 x 16"	PRMSLTLO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	66.0#
	Connects 2 Freestanding Units, Laminate	30 x 30 x 16"	PRMSLTTL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	66.0#
Beam Mounted Corner Table							
<ul style="list-style-type: none"> • Heavy gauge steel surface welded to a tubular steel frame • Tables clamp to mounting beam and are secured with bolts • Joins two units at right angles • May be attached to one unit at end • When specifying, units to be attached must be identified • Includes corner table leg and mounting beam extensions • Outboard bases must be ordered separately (1 per connection) 							

A
B
C
D

Outdoor Coating

Model numbers that end in OD indicate they are manufactured with outdoor coating.

Beam Mounted Tables

\$	450
	492
	296

Special Carton Marking

Shipping

Specifications and prices are subject to change without prior notice.

Reclaim® Recycling Containers and Centers

General Information



Radius Square - RSR2436



Center - RSQ483616

Features

Recycling logo and label	•	•
Seamless molded fiberglass	•	•
Two-part container	•	•
Indoor/outdoor use	•	•
Finishes		
Gloss	•	•
Matte	•	•
Polycrete	•	•
Granex	•	•

SPECIFICATIONS

Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

Logos and Labeling

Vinyl die-cut recycling logo and label. Factory applied.

Custom Work

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge or quoting on your special project requirements.

Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into

colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

Maintenance

Fiberglass should be cleaned as required with a soft damp cloth, using any mild detergent cleaner or spray cleaner.

Fire Retardants

Fire retardant treatment (FR) allows product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m² when tested to ASTM E1354.



INFORMATION

Warranty

Refer to KI Terms & Conditions document
or visit ki.com

Reclaim® Recycling Containers and Centers

Containers

				MODEL NUMBER						
	MODEL	Features	W x D x H	Basic Model	Opening One	Decal Color	Finish	Element Color	FR	
RS	Radius Square Container <ul style="list-style-type: none">• Two part container• Top lifts off for emptying• Bag ring included	Standard, 24 gal. Capacity	18 x 18 x 24"	RSR1824	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 24 gal. Capacity	18 x 18 x 24"	RSR1824/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Standard, 42 gal. Capacity	18 x 18 x 36"	RSR1836	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 42 gal. Capacity	18 x 18 x 36"	RSR1836/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Standard, 57 gal. Capacity	21 x 21 x 36"	RSR2136	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 57 gal. Capacity	21 x 21 x 36"	RSR2136/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Standard, 74 gal. Capacity	24 x 24 x 36"	RSR2436	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 74 gal. Capacity	24 x 24 x 36"	RSR2436/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
RS	Radius Square Container with Liner	Standard, 24 gal. Capacity	18 x 18 x 24"	RSR1824L	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 24 gal. Capacity	18 x 18 x 24"	RSR1824L/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Standard, 42 gal. Capacity	18 x 18 x 36"	RSR1836L	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 42 gal. Capacity	18 x 18 x 36"	RSR1836L/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Standard, 57 gal. Capacity	21 x 21 x 36"	RSR2136L	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 57 gal. Capacity	21 x 21 x 36"	RSR2136L/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Standard, 74 gal. Capacity	24 x 24 x 36"	RSR2436L	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
		Premium, 74 gal. Capacity	24 x 24 x 36"	RSR2436L/P	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
				A	B	C	D	E	F	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
C1 - Cans 4" Dia
G1 - Glass 5-1/2" Dia
L1 - Plastic 5-1/2" Dia
P1 - Paper 2"x11"
W1 - Waste Single 9" Dia, Centers 5-1/2" x 11" Oval
- C** Select decal color.
B - Black
H - White
- D** Select finish.
AF - Gloss finish
GX - Granex finish (Premium)
MT - Matte finish
PT - Polycrete finish
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Model numbers with 'P' use GX=Granex Finish only

- E** Select element color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- F** Select fire retardant (FR).
FR - Fire retardant
NFR - No Fire Retardant
See pricing column for Fire Retardant upcharge.

FINISH INFORMATION

Fire Retardant
ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².
Add FR to end of model number.
Add upcharge.

Concrete Weighting
Factory applied concrete.
Add /CW to end of model number.
Upcharge \$158/element

Custom Fiberglass Color
Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.



Reclaim® Recycling Containers and Centers

Containers

Approx. Packaged Weight	Delivered Pricing	FR add to list price
27.0#	\$ 787	\$ 75
27.0#	946	75
28.0#	997	92
28.0#	1194	92
30.0#	1077	100
30.0#	1292	100
32.0#	1194	113
32.0#	1431	113
27.0#	\$ 942	\$ 75
27.0#	1100	75
28.0#	1164	92
28.0#	1362	92
30.0#	1259	100
30.0#	1475	100
32.0#	1393	113
32.0#	1631	113

Bottom Rubber Edging

To order replacement bottom rubber edging, specify #13.0424 at \$3 per foot list price.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Reclaim® Recycling Containers and Centers

Centers

			MODEL NUMBER									
			Basic Model	Opening One	Opening Two	Opening Three	Opening Four	Decal Color	Finish	Element Color	FR	
	Features	W x D x H										
	Standard, 40 gal. Cap.	24 x 16 x 36"	RSD243616	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 40 gal. Cap.	24 x 16 x 36"	RSD243616/P	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 60 gal. Cap.	36 x 16 x 36"	RST363616	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 60 gal. Cap.	36 x 16 x 36"	RST363616/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Standard, 80 gal. Cap.	48 x 16 x 36"	RSQ483616	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Premium, 80 gal. Cap.	48 x 16 x 36"	RSQ483616/P	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
RS												
Center												
<ul style="list-style-type: none">• Containers with two (40 gal.) three (60 gal.) and four (80 gal.) hole openings• Two part container• Top lifts off for emptying• Includes individual liners with 20 gal. capacity• Available with 5-1/2" x 11" oval openings only												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select opening one.

- C1** - Cans
- G1** - Glass
- P1** - Paper
- L1** - Plastic
- W1** - Waste

C Select opening two.

- C2** - Cans
- G2** - Glass
- L2** - Plastic
- P2** - Paper
- W2** - Waste

D Select opening three.

- C3** - Cans
- G3** - Glass
- L3** - Plastic
- P3** - Paper
- W3** - Waste

E Select opening four.

- C4** - Cans
- G4** - Glass
- L4** - Plastic
- P4** - Paper
- W4** - Waste

F Select decal color.

- B** - Black
- H** - White

G Select finish.

- AF** - Gloss finish
- GX** - Granex finish (Premium)
- MT** - Matte finish
- PT** - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Model numbers with '/P' use GX=Granex Finish only

H Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

I Select fire retardant (FR).

- FR** - Fire retardant
- NFR** - No Fire Retardant

See pricing column for Fire Retardant upcharge.



Reclaim® Recycling Containers and Centers

Centers

Approx. Packaged Weight	Delivered Pricing	FR add to list price
40.0#	\$ 1259	\$ 117
40.0#	1511	117
60.0#	1491	140
60.0#	1788	140
80.0#	1990	185
80.0#	2386	185

FINISH INFORMATION

Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number.

Add upcharge.

Concrete Weighting

Factory applied concrete.

Add /CW to end of model number.

Upcharge \$158/element

Custom Fiberglass Color

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$281 per order. Request a quotation from KI for custom color.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bondue, Wisconsin 54107** factory. Freight class #150.

Specifications and prices are subject to change without prior notice.

Index

Model No.	Description	Page
87.6232	Arm and Base Components: Back-to-Back Ganging Bar	34
PRM2/B1/1T	Tandem Seating: BENCH - Armless Unupholstered with Movable Base	30
PRM2/S1/1T	Tandem Seating: SEAT - Armless Unupholstered with Movable Base	28
PRM2U/B1/1T	Tandem Seating: BENCH - Armless Upholstered with Movable Base	30
PRM2U/S1/1T	Tandem Seating: SEAT - Armless Upholstered with Movable Base	28
PRMBENCH	Seating Components: Bench Seat	32
PRMEBASE	Arm and Base Components: Embedded Base	34
PRMFBASE	Arm and Base Components: Freestanding Base	34
PRMHBE191	Fiberglass Elements: Half Round Fiberglass Element	40
PRMLA	Arm and Base Components: Universal Loop Arm	34
PRMSBE191FG	Fiberglass Elements: Cube Fiberglass Element-Fiberglass Table Top	36
PRMSBE191LA	Fiberglass Elements: Cube Fiberglass Element-Laminate Table Top	36
PRMSBE191PL	Fiberglass Elements: Cube Fiberglass Element-Planter	36
PRMSBE251FG	Fiberglass Elements: Square Fiberglass Element-Fiberglass Table Top	38
PRMSBE251LA	Fiberglass Elements: Square Fiberglass Element-Laminate Table Top	38
PRMSBE251PL	Fiberglass Elements: Square Fiberglass Element-Planter	38
PRMSEAT	Seating Components: Armless Seat	32
PRMSMT	Beam Mounted Tables: Beam Mounted Inline Full Size Tables	42
PRMSMTLO	Beam Mounted Tables: Beam Mounted Corner Table	42
PWSE.BL	Arm and Base Components: Wallsaver Extension	34
RSD243616	Centers: Center	48
RSR1824	Containers: Radius Square Container	46
RSR1824L	Containers: Radius Square Container with Liner	46
SCR1P1	Planters: 12° Curved Planter	20
SCRR1	Trash Receptacles: 12° Curved Trash Receptacle	24
SCRSSB1	Seating Units: 12° Curved Seat with Inside Back	10
SCRSSB01	Seating Units: 12° Curved Seat with Outside Back	10
SCRSS01	Seating Units: 12° Curved Backless Seat	10
SCRTL1	Table Units: 12° Curved Table	14
SCRTSLT1	Seat Level Table Units: 12° Curved Table	16
SQRP1	Planters: Quarter Circle Planter	18
SQRR1	Trash Receptacles: Quarter Circle Trash Receptacle	22
SQRSSB1	Seating Units: Quarter Circle Seat with Inside Back	10
SQRSS01	Seating Units: Quarter Circle Backless Seat	12
SQRTL1	Table Units: Quarter Circle Table	14
SQRTSLT1	Seat Level Table Units: Quarter Circle Table	16
S RTP1	Planters: Narrow Planter	18
SRTR1	Trash Receptacles: Narrow Trash Receptacle	22
SRTSSB1	Seating Units: Narrow Seat with Back	8
SRTSS01	Seating Units: Narrow Backless Seat	8
SRTTL1	Table Units: Narrow Table	14
SRTTSLT1	Seat Level Table Units: Narrow Table	16
SSQP1	Planters: Square Planter	18
SSQR1	Trash Receptacles: Square Trash Receptacle	22
SSQSSA1	Seating Units: Corner Seat with Back	10
SSQSSB1	Seating Units: Square Seat with Back	8
SSQSS01	Seating Units: Square Backless Seat	8
SSQTL1	Table Units: Square Table	14
SSQTSLT1	Seat Level Table Units: Square Table	16
SWGP1	Planters: 45° Curved Wedge Planter	20
SWGR1	Trash Receptacles: 45° Curved Wedge Trash Receptacle	24
SWGSSB1	Seating Units: 45° Curved Wedge Seat with Inside Back	12
SWGSSB01	Seating Units: 45° Curved Wedge Seat with Outside Back	12
SWGSS01	Seating Units: 45° Curved Wedge Backless Seat	12
SWGTL1	Table Units: 45° Curved Wedge Table	14
SWGTSLT1	Seat Level Table Units: 45° Curved Wedge Table	16





KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2011 KI
All Rights Reserved.
Litho in USA.
Code KI-11391R3/KI/VL/211

Printed using only water-based inks,
including metallics. Please recycle.