

# ELECTRONIC HAND DRYERS... BUILT TO LAST



**SLOAN®**

# FIVE CHOICES IN RECESSED OR SURFACE-MOUNTED MODELS, PUSH BUTTON OR SENSOR OPERATED

## THE ULTIMATE IN SANITARY PROTECTION

- Fast, towel-free drying
- ADA compliant
- Color options
- UL Listed
- Made in the USA
- Vandal resistant
- Helps control the spread of infectious disease
- One-piece, heavy-duty die cast metal housing
- Tamper-resistant bolts for cover included
- Good for the environment
- Labor savings
- 90% savings vs. paper towel costs

Ideal for facilities where hygiene is required.

Schools  
Hospitals  
Airports  
Service Stations  
Restaurants  
Correctional Facilities  
Shopping Malls  
Sport Stadiums  
Movie Theaters  
Convention Centers  
Office Buildings  
Factories  
Hotels

## THE RIGHT HAND DRY



**GREENSPEC**  
APPROVED

**EHD-501**  
**EHD-502**  
**EHD-503**  
**EHD-504**

XLerator® model for ultra-fast drying, surface mounting

**Dry Hands in  
10 to 15 Seconds!**



**EHD-451**  
**EHD-452**  
**EHD-454**

Sensor operated, stationary nozzle in downward position, recessed mounting



**EHD-401**  
**EHD-402**  
**EHD-404**

Sensor operated, surface mounting

\*The XLERATOR® is the first hand dryer ever to be awarded GREENSPEC™ designation by the editors of Environmental Building News, published by BuildingGreen, Inc. GreenSpec is the leading national directory of green building products.

## ER FOR YOUR NEEDS



**EHD-351  
EHD-352  
EHD-354**

Push-button activated,  
rotating nozzle for hand,  
face and hair drying,  
recessed mounting



**EHD-301  
EHD-302  
EHD-304**

Push-button activated,  
rotating nozzle for  
hand, face and hair  
drying, surface  
mounting

### **Forget the Towel**

Sloan's line of fast hand dryers provides the hand-drying technology, selection and reliability your installation requires. Engineered to be service-free, they are backed by Sloan's best-in-industry warranty. Dryers from Sloan help meet operational requirements to reduce non-recyclable waste. Sloan hand dryers are user-ready 24 hours a day.

### **Promotes Hygiene**

Washrooms stay cleaner and more sanitary. Eliminates removal of bacteria-laden towels.

### **Reduces Vandalism**

Hand dryers help eliminate clogs from paper towels, fire hazards and damage from thrown paper towels on walls and ceilings.

### **ADA Compliant**

Hand dryers can be easily positioned to comply with ADA requirements or for juvenile height.




### **Easily Installed**

Designed for quick and easy installation. Simply disconnect power, mount chassis to wall, connect electrical wiring, test, install cover and you're finished.



Maintenance-free motors provide years of trouble-free service.

**SLOAN**®

## Surface Mounted

	Model No.	Electrical Specifications	Colors	Sensor Operated	Push Button
	EHD-301, Rotating Nozzle	110/120 VAC, 20 Amps, 60 Hz	White, Chrome Plate		x
	EHD-302, Rotating Nozzle	208/230 VAC, 10 Amps, 60 Hz	White, Chrome Plate		x
	EHD-304, Rotating Nozzle	277 VAC, 8 Amps, 60 Hz	White, Chrome Plate		x
	EHD-401	110/120 VAC, 20 Amps, 60 Hz	White, Chrome Plate	x	
	EHD-402	208/230 VAC, 10 Amps, 60 Hz	White, Chrome Plate	x	
	EHD-404	277 VAC, 8 Amps, 60 Hz	White, Chrome Plate	x	
	EHD-501	110/120 VAC, 12.5 Amps, 60 Hz	White, Chrome Plate	x	
	EHD-502	220/240 VAC, 6.5 Amps, 50/60 Hz	White, Chrome Plate	x	
	EHD-503	208 VAC, 7 Amps, 60 Hz	White, Chrome Plate	x	
	EHD-504	277 VAC, 5.5 Amps, 60 Hz	White, Chrome Plate	x	

## Recessed

	EHD-351, Rotating Nozzle	110/120 VAC, 20 Amps, 60 Hz	White, Chrome Plate		x
	EHD-352, Rotating Nozzle	208/230 VAC, 10 Amps, 60 Hz	White, Chrome Plate		x
	EHD-354, Rotating Nozzle	277 VAC, 8 Amps, 60 Hz	White, Chrome Plate		x
	EHD-451	110/120 VAC, 20 Amps, 60 Hz	White, Chrome Plate	x	
	EHD-452	208/230 VAC, 10 Amps, 60 Hz	White, Chrome Plate	x	
	EHD-454	277 VAC, 8 Amps, 60 Hz	White, Chrome Plate	x	

For more information on Electronic Hand Dryers or any other Sloan product, contact:

**SLOAN®**

Sloan Valve Company  
10500 Seymour Avenue  
Franklin Park, IL 60131  
Phone: 800-9-VALVE-9 (982-5839)  
Fax: 800-501-3989  
www.sloanvalve.com

©2009 by Sloan Valve Company  
Printed in U.S.A.  
Form No. 0816470 Rev. 2