

**broadloom specifications**

style name	thrive classicbac®
style number	60763
construction	multi-level pattern cut/loop
fiber	eco solution q® nylon
dye method	100% solution dyed

**english**

**metric**

	english	metric
pattern repeat		
tufted weight	26.0	881.55 g/m <sup>2</sup>
gauge	1/10	39.37 per 10 cm
stitches per inch	13.2	51.97 per 10 cm
finished pile thickness	0.153	3.89 mm
total thickness	0.283	7.19 mm
average density	6118	11.39 kilotex
product size	12 foot	3.66 m
primary backing	synthetic	
secondary backing	classicbac®	
protective treatments	ssp® shaw soil protection	

**testing**

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5 kv

**warranties**

10 year commercial limited

**installation method**

direct glue

**coordinating products**

prosper ecoworx® performance bl, accomplish ecoworx® performance bl, accomplish classicbac®, prosper classicbac®, aspire ecoworx® performance bl, aspire classicbac®, thrive ecoworx® performance bl

**environmental certification**

nsf140 gold

cradle to cradle silver certified



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate changes without notice.

## eco impacts

## thrive classicbac®

### end of life

#### recyclability

100% recyclable

To recycle call 800.509.SHAW

### materials

#### ingredients

face fiber	nylon 6
dye method	100% solution dyed
backing	polymer emulsion
surface treatments	non c8 fluorocarbon chemistry
does not contain PVC, phthalates, or PBD/PBDE	

#### recycled content

total recycled content (by weight)	19.5 %
pre-consumer	8.7 %
post-consumer	10.8 %
bio-based/rapidly renewable content (by weight)	0.0 %
packaging	100% recyclable
country of origin (manufacturer)	USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email

[info@shawgreenedge.com](mailto:info@shawgreenedge.com).

### third party certifications

MBDC cradle to cradle	silver certified
NSF 140	gold certified
CRI green label plus	certified glp2271
USGBC LEED	contributes

**Sustainability Through Innovation™ That's the Shaw Green Edge®**