

The right light

LUXO



SCALA

Design Olle Anderson

SCALA
WALL





SCALA
PENDANT





SCALA

TECHNICAL INFORMATION: Manufactured in white coated steel/aluminum with colored trim. Supplied as standard with HF ballast.


4240-436 SCALA is a pendant luminaire for large rooms, such as foyers, auditoriums, etc.
Scala gives a soft and glare-protected light distribution.



6421-118 SCALA WALL: SCALA wall luminaire is ideal for stairways, entrances, corridors, etc.
TECHNICAL INFORMATION: Wall bracket in steel and half cones in aluminum, finished in white.
Supplied as standard with HF ballast.



6422-136 SCALA WALL: SCALA wall luminaire is ideal for stairways, entrances, corridors, etc.
TECHNICAL INFORMATION: Wall bracket in steel and half cones in aluminum, finished in white.
Supplied as standard with HF ballast.



SERIES

SCALA

CONFIGURATION I

4240: Pendant

6421: Wall H = 370 mm / 14.57 in

6422: Wall H = 565 mm / 22.24 in

LAMPING

118: 1 X 18W CFL *ONLY 6421*

136: 1 X 36W PLL *ONLY 6422*

436: 1 X 36W PLL *ONLY 4240*

BALLAST

EB: Electronic HPF <10% THD

EB

VOLTAGE

UNV: Universal Voltage 120V to 277V *ONLY 6421 AND 6422*

120: 120 Volts *ONLY 4240*

277: 277 Volts *ONLY 4240*

FINISH

White

Silver

Grey

Black

Yellow

Blue Green

Cream

SPECIFICATION SUBMITTAL

Job Name: _____ Job Number: _____

SPECIFIER (ENGINEER/ARCHITECT)

Name: _____