| Name | Kerapoxy 410- P | art A | | | | | | 1.0 | |
|---|---|---|---------------------------------------|---|---|----------------------------------|----------|-------------------------------|--|
| Product ID | 3961001 | | Classificati | on | 09 35 13.00 Resistant Ce | | | Health Product DECLARATION | |
| Website | www.mapei.com/US-EN/ | | | | | | , | | |
| Manufacturer Address | MAPEI Corporation 1144 E. Newport Center Deerfield Beach, FL 3344 | | Contact Na Title Phone Email | me | Liliana Rami R&D Adm. N Resource & 954-246-886 mhpd@map | Manager - T Project Coc 88 | echnical | | |
| Description | Part A of a two componer | nt, 100% soli | ds epoxy sett | ing mortar sy | stem. | | | | |
| Release Date | 2015-01-19 | | Self-decla | | | | | | |
| Expiry Date HPD URL | 2018-01-19 https://tool.hpdcollaborati oads/files/hpds/633/2031 20150119101845.pdf | | □ Second F □ Third Par | • | Certifier Certificate | # | | | |
| SUMMARY DISCL | OSURE | | | | | | | | |
| The content of this pro | duct was assessed for h | ealth hazard | d warnings a | s required u | sing Pharos | | | | |
| Residuals Disclosure Measured 100 ppm (Measured 1000 ppm Predicted by process As per MSDS (1,000 Not disclosed Other | chemistry | | Full Disclos Disclosure | sure of Knov Notes | tional Ingred vn Hazards using a 1,000 | | Yes Yes | □ No □ No | |
| Contents in Descending Order of Quantity QUARTZ , BISPHENOL A DIGLYCIDYL ETHER (BADGE) | | | | | | | | | |
| Hazards | | Highest co | ncern Green | Screen sco | re - List Trans | slator Bench | mark 1 | | |
| PBT (Persistent Bioaccumulative Toxic) Cancer Gene Mutation | DevelopmentReproductiveEndocrineRespiratory | □ Neurotox □ Mammal □ Skin or E □ Aquatic t | Eye | ☐ Land toxi ☐ Physical ☐ Global wa ☐ Ozone de | hazard arming | ■ Multiple □ Unknow | | | |
| Total VOC Content Material (g/L) Regulatory (g/L) Notes The VOC content is base | 27.00 ed on Part A and B mixed. | Are there V | roduct conta 'OC-free tints | | /OCs? | □ N/A ■ N/A | □ Yes | ■ No □ No | |
| Certifications + Compl VOC Emissions | iance Not tested | | | VOC Conte | nt | Not tested | | | |

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an "open standard" developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC**: Recycled Content, **PC**: Post Consumer, **PI**: Post Industrial (Pre-consumer), **BO**: Both; **Nano**: comprised of nanoscale particles or nanotechnology

| Name | CAS RN | % weight | GS | RC | Nano | Role |
|---|---|------------------------|------------------|------------|-----------------|------------------------------|
| Hazard A | Warning A | | | | | |
| Hazard B | Warning B | | | | | |
| Hazard C | Warning C | | | | | |
| Hazard D | Warning D | | | | | |
| Hazard E | Warning E | | | | | |
| Notes | | | | | | |
| QUARTZ | 14808-60-7 | 60 - 100 % | LT-1 | N | N | Mineral filler |
| CANCER | IARC: Group 1: Agent is carcinogenic to humans - inhaled from occupational sources (also in NIOSH-C, MAK, NTP-RoC, Prop 65) | | | | | |
| Mineral filler. Although Silica Sand in p no longer poses a respirable hazard. | powder form is considered | d a Carcinogen Group 1 | , when it is con | nbined wit | h the other raw | v materials into a paste, it |
| BISPHENOL A DIGLYCIDYL ETHER (BADGE) | 25085-99-8 | 7 - 13 % | LT-P1 | N | N | Resin |
| ENDOCRINE | EU ED: Category 2 - In vitro evidence of biological activity related to endocrine disruption | | | | | |
| DEVELOPMENTAL | EPA Action: Developmental Effects | | | | | |
| REPRODUCTIVE | EPA Action: Reproductive effects | | | | | |
| MULTIPLE | EPA Action: EPA Chemical of Concern - Action Plan published | | | | | |
| Epoxy Resin | | | | | | |

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

| Туре | Standard or Certification | Certifier or Laboratory | | | | |
|------|---|-------------------------|-------------|-----------------|--|--|
| | Certifying Party Issue Date Expiry Date | | Expiry Date | Certificate URL | | |
| | Applicable Facilities | | | | | |
| | Notes | | | | | |

| VOC Emissions | N/A | | | | | |
|---------------------|------------|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| VOC Content | Not tested | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Recycled Content | Not tested | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Other | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| ACCESSORY MATERIALS | | | | | | |

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

| Required or Recommended Product | URL for Companion Health Product Declaration | | | |
|---|--|--|--|--|
| Condition when required or recommended and/or other notes | | | | |
| | | | | |
| | | | | |
| | | | | |

This HPD was prepared using a 1,000 ppm threshold. VOC g/L calculations on Parts A & B mixture.