Name	Digital Dye Injected Type Carpet Tile	e 66 Nylon Comf	ort Plus ES backing	1.0
Product ID	Colorwash	Classification	09 68 13.00 Finishes: Tile Carpeting	Health Product DECLARATION
Website	millikencarpet.com		odipeting	
Manufacturer Address	Milliken & Company 300 Lukken Industrial Drive W LaGrange, GA 30240 United States	Name Title Phone Email	Philip Ivey Sustainability Leader 7063023245 philip.ivey@milliken.com	
Description			ing Nylon 6,6 fiber, with an extruded p slow are a result of multiple face weigh	
	BioGrid BioView Consequence Consequence 2.0 Cross Section 2, Column 2, Block 2 Design Rhythms Ecostyle Grand Plaza Image Series Intervals Isos Marco Polo Oxygen Persian Dynasty Plan A Raffia Tex Remix 2.0 Simply This Sisal Duet Sisal Style Suitable - Woven Threads Surface Tension Theory 2.0 Windows			
Release Date Expiry Date HPD URL	2014-03-27 2017-03-27 http://tool.hpdcollaborative.org/uplo ads/files/hpds/304/239- 20140327160913.pdf	<ul> <li>Self-declared</li> <li>Second Party</li> <li>Third Party</li> </ul>	Certifier Certificate #	
SUMMARY DISC	LOSURE	rd warnings as required	using Pharos	

Full Disclosure of Intentional Ingredients

Full Disclosure of Known Hazards

Notes

The content of this product was assessed for health hazard warnings as required using Pharos

## **Residuals Disclosure**

- □ measured 100 ppm (ideal) measured 1000 ppm
- $\hfill\square$  predicted by process chemistry
- □ as per MSDS (10,000 ppm)
- $\hfill\square$  not disclosed
- □ other

Yes

Yes

🗆 No

□ No

#### Contents in Descending Order of Quantity

FLY ASH , LIMESTONE; CALCIUM CARBONATE , NYLON 6,6 , POLYURETHANE FOAMS , POLYPROPYLENE , ASPHALT , STYRENE BUTADIENE RUBBER (SBR) , POLYETHYLENE TEREPHTHALATE (PET) , 2-Propenoic acid, polymer with 1-propene , GLASS / MINERAL FIBER , HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED , ZINC PYRITHIONE (ZPT) , stannane, dibutylthioxo-

Hazards PBT (Persistent Bioaccumulative Toxic) Cancer Gene Mutation	<ul> <li>Development</li> <li>Reproductive</li> <li>Endocrine</li> <li>Respiratory</li> </ul>	Highest concern Gr Neurotoxicity Mammal Skin or Eye Aquatic toxicity	reenScreen score - Bench Land toxicity Physical hazard Global warming Ozone depletion	mark 1 Multiple Unknov		
Total VOC Content Material (g/L) Regulatory (g/L) Notes	N/A N/A	Does the product contain exempt VOCs? Are there VOC-free tints available?		<ul><li>N/A</li><li>N/A</li></ul>	□ Yes □ Yes	□ No □ No
Certifications + Comp	bliance					
VOC Emissions	CRI Green Label Plus	- Carpet	VOC Content	N/A		
Multi-attribute	MTS SMART Building Product Standard - Platinum (2006)		Multi-attribute	California Gold Sustainable Carpet Standard - RETIRED - Gold - Superceded by ANSI/NSF 140-2007e - Platinum		
LCA	Environmental Product	t Declaration (EPD)	Chemicals of	Declare - I	Red List Cor	npliant
			Concern			
Living Building Challenge (LBC)	Declare - Red List Con	npliant	Management	ISO 1400	1	

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an "open standard" developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

# CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; RC: Recycled Content, PC: Post Consumer, PI: Post Industrial (Pre-consumer), BO: Both; Nano: comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard	Warnings		Notes			
FLY ASH	68131-74-8	27.3 - 31.5 %	U	PI	N	Rheology / viscosity modifiers
None found	No warnings fo	und on HPD Priorit	y lists			
LIMESTONE; CALCIUM CARBONATE	1317-65-3	16.5 - 20.7 %	U	N	N	Rheology / viscosity modifier
None found	No warnings fo	und on HPD Priorit	y lists			
NYLON 6,6	32131-17-2	13 - 33 %	U	N	N	Wear Layer
None found	No warnings fo	und on HPD Priorit	y lists			
POLYURETHANE FOAMS	9009-54-5	12 - 16 %	U	N	N	Comfort Layer
None found	No warnings fo	und on HPD Priorit				
POLYPROPYLENE	9003-07-0	6.5 - 7.5 %	U	N	N	Secondary Backing, adhesive additive
RESPIRATORY	AOEC: Asthma	agen (ARs) - sensit				
ASPHALT	8052-42-4	6.3 - 10.5 %	BM1	Ν	N	Adhesive
CANCER	NIOSH-C: Occ NTP-RoC)	upational carcinoge				
РВТ	WA PBT: PBT					
STYRENE BUTADIENE RUBBER (SBR)	9003-55-8	4.8 - 6 %	U	Ν	Y	Adhesive
None found	No warnings fo	und on HPD Priorit				
POLYETHYLENE TEREPHTHALATE (PET)	25038-59-9	2.5 - 5.5 %	U	Ν	N	Primary Backing, Secondary Backing
None found	No warnings fo	No warnings found on HPD Priority lists				
2-Propenoic acid, polymer with 1-propene	25214-24-8	0.04 - 0.17 %	U	Ν	N	Adhesive
None found	No warnings fo	und on HPD Priorit	y lists			

GLASS / MINERAL FIBER	65997-17-3	1 %	U	Ν	Ν	Stabilization Layer
None found	No warnings for	ound on HPD Priori				
HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED	69430-35-9	0.04 - 1.7 %	U	N	Ν	Adhesive
None found	No warnings fo	ound on HPD Priori				
ZINC PYRITHIONE (ZPT)	13463-41-7	0.5 %	P1	Ν	Ν	Antimicrobial
MULTIPLE	VwVwS: Class	3 Severe Hazard t				
RESPIRATORY	AOEC: Asthmagen (ARs) - sensitizer-induced - inhalable forms only					
stannane, dibutylthioxo-	4253-22-9	R	P1			Catalyst
MULTIPLE	VwVwS: Class	VwVwS: Class 3 Severe Hazard to Waters				

## CERTIFICATIONS AND COMPLIANCE

**Certifying Party** = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Standard or Certification			Certifier or Laboratory			
Certifying Party	Issue Date	Expiry Date	Certificate URL			
Applicable Facilities			Notes			
CRI Green Label Plus - Car	pet		Carpet & Rug Institute (CRI)			
2nd party industry based certification	2014- 01-01	2014-12- 31	www.carpet-rug.org/commercial-customers/green-building-and-the- environment/green-label-plus/green-label-plus-carpet-list.cfm? ProductType=modular%20tile&IDNumber=41			
All						
N/A						
Not tested						
MTS SMART Building Product Standard - Platinum (2006)		- Platinum	Institute for Market Transformation to Sustainability (MTS)			
3rd party independent certification	2014- 02-18	2017-02- 18	www.millikencarpet.com/en- US/sustainability/Documents/SMaRT%20CERTIFICATE.pdf#view=Fit			
Milliken Alma, Milliken DMS Plants	Milliken Live	e Oak				
			State of California - Department of General Services			
	Certifying Party Applicable Facilities CRI Green Label Plus - Car 2nd party industry based certification All N/A Not tested Not tested MTS SMART Building Product (2006) 3rd party independent certification Milliken Alma, Milliken DMS, Plants	Certifying PartyIssue DateApplicable FacilitiesCRI Green Label Plus - Carpet2nd party industry based certification2014- 01-01AllN/AN/ANot testedNot testedMTS SMART Building Product Standard (2006)3rd party independent certification2014- 02-18Milliken Alma, Milliken DMS, Williken Live PlantsCalifornia Gold Sustainable Carpet Standard (2014)	Certifying PartyIssue DateExpiry DateApplicable FacilitiesCRI Green Label Plus - Carpet2nd party industry based certification2014- 01-012014-12- 31AllN/AN/AImage: Not testedImage: Image:			

	2007e - Platinum			
	3rd party independent certification	2008- 11-18	2014-12- 31	www.millikencarpet.com/en- US/sustainability/Documents/Milliken_NSF140_ESTile_4S641-100.pdf#view=Fit
	Milliken Alma, DMS, and Live	Oak Plants	;	
LCA	Environmental Product Declar	ation (EPD	)	The Green Standard
	3rd party independent certification	2013- 05-30	2018-05- 29	productguide.ulenvironment.com/SearchResults.aspx? CertificationID=15&CategoryID=1&BrandID=1253
	All			
Chemicals of	Declare - Red List Compliant			International Living Future Institute
Concern	1st party manufacturer claim	2014- 02-28	2015-03- 01	declareproducts.com/content/modular-carpet-nylon-66-face-and-es- polyurethane-cushion-backing
	ALL			
Living	Declare - Red List Compliant			International Living Future Institute
Building Challenge (LBC)	1st party manufacturer claim	2014- 02-28	2015-03- 01	declareproducts.com/content/modular-carpet-nylon-66-face-and-es- polyurethane-cushion-backing
	ALL			
Management	ISO 14001			Underwriters Laboratory (UL)
	3rd party independent certification	2009- 06-27	2015-06- 26	www.millikencarpet.com/en-US/sustainability/Pages/Third-Party-Certification.aspx
	ALL			
		2012- 01-06	2015-01- 06	www.millikencarpet.com/en-US/sustainability/Pages/Third-Party- Certification.aspx
	Milliken Live Oak Plant			
		1996- 04-10	2014-12- 31	https://www.osha.gov/dcsp/vpp/sitebystate.html
	All			

### ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration					
Condition when required or recommended and/or other notes						