


Genevieve Club Lounge




Product No.	Dimensions	Fabric \$					Leather \$				
GEN1 (Wd1 Surround)	30w	COM	3545	Gr6	3997	Gr12	4437	COL	4077	L6	6021
	30d	Gr1	3801	Gr7	4049	Gr13	4541	L1	4941	L7	6381
	29h	Gr2	3833	Gr8	4109	Gr14	4661	L2	5085	L8	6813
	25ah	Gr3	3865	Gr9	4177	Gr15	4797	L3	5301	L9	7317
	17sh	Gr4	3905	Gr10	4253	Gr16	4945	L4	5517	L10	7893
	4 yds, 72 sf	Gr5	3949	Gr11	4341	Gr17	5113	L5	5733	L11	8613
(Wd2 Surround)	30w	COM	3615	Gr6	4067	Gr12	4507	COL	4147	L6	6091
	30d	Gr1	3871	Gr7	4119	Gr13	4611	L1	5011	L7	6451
	29h	Gr2	3903	Gr8	4179	Gr14	4731	L2	5155	L8	6883
	25ah	Gr3	3935	Gr9	4247	Gr15	4867	L3	5371	L9	7387
	17sh	Gr4	3975	Gr10	4323	Gr16	5015	L4	5587	L10	7963
	4 yds, 72 sf	Gr5	4019	Gr11	4411	Gr17	5183	L5	5803	L11	8683
GENU1 (Uphol Surround)	30w	COM	3265	Gr6	4056	Gr12	4826	COL	3755	L6	7157
	30d	Gr1	3713	Gr7	4147	Gr13	5008	L1	5267	L7	7787
	29h	Gr2	3769	Gr8	4252	Gr14	5218	L2	5519	L8	8543
	25ah	Gr3	3825	Gr9	4371	Gr15	5456	L3	5897	L9	9425
	17sh	Gr4	3895	Gr10	4504	Gr16	5715	L4	6275	L10	10433
	7 yds, 126 sf	Gr5	3972	Gr11	4658	Gr17	6009	L5	6653	L11	11693

Flat-cut (plain-sliced) veneers will run vertically, while quartered or rift-cut veneers will run horizontally.
Standard metal finish is MPC Polished Chrome. For Resin Brushed Steel, specify MRBS finish and deduct \$50.

Specify: Product Number
Quantity
Tagging
Upholstery

IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern. Use the Additional Yardage (ADDT'L YDG) requirements listed in the TUOHY Upholster Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page E2.


Genevieve Settee



Product No.	Dimensions	Fabric \$				Leather \$				
GEN2 (Wd1 Surround)	52w	COM	5024	Gr6	5759	Gr12	6474	COL	5777	L6 8936
	30d	Gr1	5440	Gr7	5843	Gr13	6643	L1	7181	L7 9521
	29h	Gr2	5492	Gr8	5941	Gr14	6838	L2	7415	L8 10223
	25ah	Gr3	5544	Gr9	6051	Gr15	7059	L3	7766	L9 11042
	17sh	Gr4	5609	Gr10	6175	Gr16	7299	L4	8117	L10 11978
	6.5 yds, 117 sf	Gr5	5681	Gr11	6318	Gr17	7572	L5	8468	L11 13148
(Wd2 Surround)	52w	COM	5129	Gr6	5864	Gr12	6579	COL	5882	L6 9041
	30d	Gr1	5545	Gr7	5948	Gr13	6748	L1	7286	L7 9626
	29h	Gr2	5597	Gr8	6046	Gr14	6943	L2	7520	L8 10328
	25ah	Gr3	5649	Gr9	6156	Gr15	7164	L3	7871	L9 11147
	17sh	Gr4	5714	Gr10	6280	Gr16	7404	L4	8222	L10 12083
	6.5 yds, 117 sf	Gr5	5786	Gr11	6423	Gr17	7677	L5	8573	L11 13253
GENU2 (Uphol Surround)	52w	COM	4466	Gr6	5935	Gr12	7365	COL	5136	L6 11454
	30d	Gr1	5298	Gr7	6104	Gr13	7703	L1	7944	L7 12624
	29h	Gr2	5402	Gr8	6299	Gr14	8093	L2	8412	L8 14028
	25ah	Gr3	5506	Gr9	6520	Gr15	8535	L3	9114	L9 15666
	17sh	Gr4	5636	Gr10	6767	Gr16	9016	L4	9816	L10 17538
	13 yds, 234 sf	Gr5	5779	Gr11	7053	Gr17	9562	L5	10518	L11 19878

Flat-cut (plain-sliced) veneers will run vertically, while quartered or rift-cut veneers will run horizontally.
Standard metal finish is MPC Polished Chrome. For Resin Brushed Steel, specify MRBS finish and deduct \$50.

Genevieve Single Bench



Product No.	Dimensions	Fabric \$					Leather \$				
GENB1 (Wd1 Surround)	30w	COM	2175	Gr6	2627	Gr12	3067	COL	2501	L6	4445
	22d	Gr1	2431	Gr7	2679	Gr13	3171	L1	3365	L7	4805
	20h	Gr2	2463	Gr8	2739	Gr14	3291	L2	3509	L8	5237
		Gr3	2495	Gr9	2807	Gr15	3427	L3	3725	L9	5741
	16sh	Gr4	2535	Gr10	2883	Gr16	3575	L4	3941	L10	6317
	4 yds, 72 sf	Gr5	2579	Gr11	2971	Gr17	3743	L5	4157	L11	7037
(Wd2 Surround)	30w	COM	2230	Gr6	2230	Gr12	2230	COL	2565	L6	5400
	22d	Gr1	2230	Gr7	2230	Gr13	2230	L1	3825	L7	5925
	20h	Gr2	2230	Gr8	2230	Gr14	2230	L2	4035	L8	6555
		Gr3	2230	Gr9	2230	Gr15	2230	L3	4350	L9	7290
	16sh	Gr4	2230	Gr10	2230	Gr16	2230	L4	4665	L10	8130
	4 yds, 72 sf	Gr5	2230	Gr11	2230	Gr17	2230	L5	4980	L11	9180
GENBU1 (Uphol Surround)	30w	COM	2173	Gr6	2851	Gr12	3511	COL	2499	L6	5415
	22d	Gr1	2557	Gr7	2929	Gr13	3667	L1	3795	L7	5955
	20h	Gr2	2605	Gr8	3019	Gr14	3847	L2	4011	L8	6603
		Gr3	2653	Gr9	3121	Gr15	4051	L3	4335	L9	7359
	16sh	Gr4	2713	Gr10	3235	Gr16	4273	L4	4659	L10	8223
	6 yds, 108 sf	Gr5	2779	Gr11	3367	Gr17	4525	L5	4983	L11	9303

Flat-cut (plain-sliced) veneers will run vertically, while quartered or rift-cut veneers will run horizontally.
Standard metal finish is MPC Polished Chrome. For Resin Brushed Steel, specify MRBS finish and deduct \$50.

Genevieve Double Bench



GENB2 (Wd1 Surround)	52w	COM	2551	Gr6	3003	Gr12	3443	COL	2934	L6	4878
	22d	Gr1	2807	Gr7	3055	Gr13	3547	L1	3798	L7	5238
	20h	Gr2	2839	Gr8	3115	Gr14	3667	L2	3942	L8	5670
		Gr3	2871	Gr9	3183	Gr15	3803	L3	4158	L9	6174
	16sh	Gr4	2911	Gr10	3259	Gr16	3951	L4	4374	L10	6750
	4 yds, 72 sf	Gr5	2955	Gr11	3347	Gr17	4119	L5	4590	L11	7470
(Wd2 Surround)	52w	COM	2636	Gr6	2636	Gr12	2636	COL	3031	L6	5326
	22d	Gr1	2636	Gr7	2636	Gr13	2636	L1	4051	L7	5751
	20h	Gr2	2636	Gr8	2636	Gr14	2636	L2	4221	L8	6261
		Gr3	2636	Gr9	2636	Gr15	2636	L3	4476	L9	6856
	16sh	Gr4	2636	Gr10	2636	Gr16	2636	L4	4731	L10	7536
	4 yds, 72 sf	Gr5	2636	Gr11	2636	Gr17	2636	L5	4986	L11	8386
GENBU2 (Uphol Surround)	52w	COM	2812	Gr6	3490	Gr12	4150	COL	3234	L6	6150
	22d	Gr1	3196	Gr7	3568	Gr13	4306	L1	4530	L7	6690
	20h	Gr2	3244	Gr8	3658	Gr14	4486	L2	4746	L8	7338
		Gr3	3292	Gr9	3760	Gr15	4690	L3	5070	L9	8094
	16sh	Gr4	3352	Gr10	3874	Gr16	4912	L4	5394	L10	8958
	6 yds, 108 sf	Gr5	3418	Gr11	4006	Gr17	5164	L5	5718	L11	10038

Flat-cut (plain-sliced) veneers will run vertically, while quartered or rift-cut veneers will run horizontally.
Standard metal finish is MPC Polished Chrome. For Resin Brushed Steel, specify MRBS finish and deduct \$50.

Specify: Product Number
Quantity
Tagging
Upholstery

IMPORTANT! Additional yardage may be required for fabrics less than 54 inches wide and/or having more than a nominal vertical repeat or pattern. Use the Additional Yardage (ADDT'L YDG) requirements listed in the TUOHY Upholster Partnership Guides for each upholstery offering to re-calculate the yardage or square footage needed for a given pattern. See also Table 2 on page E2.

TUOHY

Genevieve Triple Bench



Product No.	Dimensions	Fabric \$					Leather \$				
GENB3 (Wd1 Surround)	74w	COM	3230	Gr6	4134	Gr12	5014	COL	3715	L6	7603
	22d	Gr1	3742	Gr7	4238	Gr13	5222	L1	5443	L7	8323
	20h	Gr2	3806	Gr8	4358	Gr14	5462	L2	5731	L8	9187
		Gr3	3870	Gr9	4494	Gr15	5734	L3	6163	L9	10195
	16sh	Gr4	3950	Gr10	4646	Gr16	6030	L4	6595	L10	11347
	8 yds, 144 sf	Gr5	4038	Gr11	4822	Gr17	6366	L5	7027	L11	12787
(Wd2 Surround)	74w	COM	3361	Gr6	3361	Gr12	3361	COL	3865	L6	7402
	22d	Gr1	3361	Gr7	3361	Gr13	3361	L1	5437	L7	8057
	20h	Gr2	3361	Gr8	3361	Gr14	3361	L2	5699	L8	8843
		Gr3	3361	Gr9	3361	Gr15	3361	L3	6092	L9	9760
	16sh	Gr4	3361	Gr10	3361	Gr16	3361	L4	6485	L10	10808
	8 yds, 144 sf	Gr5	3361	Gr11	3361	Gr17	3361	L5	6878	L11	12118
GENBU3 (Uphol Surround)	74w	COM	3198	Gr6	4554	Gr12	5874	COL	3678	L6	9510
	22d	Gr1	3966	Gr7	4710	Gr13	6186	L1	6270	L7	10590
	20h	Gr2	4062	Gr8	4890	Gr14	6546	L2	6702	L8	11886
		Gr3	4158	Gr9	5094	Gr15	6954	L3	7350	L9	13398
	16sh	Gr4	4278	Gr10	5322	Gr16	7398	L4	7998	L10	15126
	12 yds, 216 sf	Gr5	4410	Gr11	5586	Gr17	7902	L5	8646	L11	17286

Flat-cut (plain-sliced) veneers will run vertically, while quartered or rift-cut veneers will run horizontally.
Standard metal finish is MPC Polished Chrome. For Resin Brushed Steel, specify MRBS finish and deduct \$75.

Genevieve Quad Bench



GENB4 (Wd1 Surround)	96w	COM	3459	Gr6	4589	Gr12	5689	COL	3978	L6	8838
	22d	Gr1	4099	Gr7	4719	Gr13	5949	L1	6138	L7	9738
	20h	Gr2	4179	Gr8	4869	Gr14	6249	L2	6498	L8	10818
		Gr3	4259	Gr9	5039	Gr15	6589	L3	7038	L9	12078
	16sh	Gr4	4359	Gr10	5229	Gr16	6959	L4	7578	L10	13518
	10 yds, 180 sf	Gr5	4469	Gr11	5449	Gr17	7379	L5	8118	L11	15318
(Wd2 Surround)	96w	COM	3619	Gr6	3619	Gr12	3619	COL	4162	L6	8482
	22d	Gr1	3619	Gr7	3619	Gr13	3619	L1	6082	L7	9282
	20h	Gr2	3619	Gr8	3619	Gr14	3619	L2	6402	L8	10242
		Gr3	3619	Gr9	3619	Gr15	3619	L3	6882	L9	11362
	16sh	Gr4	3619	Gr10	3619	Gr16	3619	L4	7362	L10	12642
	10 yds, 180 sf	Gr5	3619	Gr11	3619	Gr17	3619	L5	7842	L11	14242
GENBU4 (Uphol Surround)	96w	COM	3105	Gr6	4687	Gr12	6227	COL	3571	L6	10375
	22d	Gr1	4001	Gr7	4869	Gr13	6591	L1	6595	L7	11635
	20h	Gr2	4113	Gr8	5079	Gr14	7011	L2	7099	L8	13147
		Gr3	4225	Gr9	5317	Gr15	7487	L3	7855	L9	14911
	16sh	Gr4	4365	Gr10	5583	Gr16	8005	L4	8611	L10	16927
	14 yds, 252 sf	Gr5	4519	Gr11	5891	Gr17	8593	L5	9367	L11	19447

Flat-cut (plain-sliced) veneers will run vertically, while quartered or rift-cut veneers will run horizontally.
Standard metal finish is MPC Polished Chrome. For Resin Brushed Steel, specify MRBS finish and deduct \$75.

>See also: Genevieve Tables