

A R T I S T I C T I L E

MAX FINE PORCELAIN




Max Fine Calacatta Gold Shown

Capture the look of natural stone in an ultra-thin, durable porcelain.

MAX FINE 1/4-inch thick porcelain slabs and tiles are lightweight, easy to handle and a great option for wall and floor installations. MAX FINE uses modern technology to combine beauty and practicality like never before.

ARTISTIC TILE

MAX FINE PORCELAIN



Thassos
polished



Calacatta Gold
polished & matte



Statuary
polished & matte



Onyx Pearl
polished



Eramosa
polished



Black Venato
polished


APPLICATIONS

| | | | | | | | |
|---------------------------|-----------------------|----------------------|---------------------|-----------------------|----------------------------|------------------------|---------------------|
| Interior Floor* | Interior Wall* | Shower Wall | Shower Floor | Exterior Floor | Exterior Wall* | Pool / Fountain | Counter Top* |
| Medium Traffic Commercial | All | Yes, including steam | No | No | Yes, including freeze thaw | No | Yes |

ATTRIBUTES

| |
|----------------------|
| DCOF* (Matte) |
| 0.60 |
| 0.61 |
| 0.61 |

VARIATION




INSTALLATION / MAINTENANCE

| | | | | | | | | |
|--------------------------|------------------------------|--------------------|-------------------------------|------------------------|---------------|------------------------------------|----------------------------------|-------------------|
| Setting Material* | Grout | Grout Joint | Membrane | Caulk | Sealer | Cleaner | Installation Instruction* | Dry Layout |
| See Notes Below | Mapei Ultracolor Plus Sanded | 1/16" min. | Mapei Mapelastick AquaDefense | Mapei Keracaulk Sanded | Not Required | AquaMix Conc. Stone & Tile Cleaner | See Notes Below | Required |

NOTES

- *Interior Floor: Floor application - concrete slab substrate only, level to within 1/8" in 10 ft.
- *Interior Wall: Wall application - over 20 ft. in height requires the use of clips. Contact Artistic Tile for details.
- *Exterior Wall: Direct bond or ventilated facade. Wall application - over 20 ft. in height requires the use of clips.
- *Counter Top: Yes, mounted on Schluter Kerdi board or similar.
- *DCOF: Matte finish only.
- *Setting Material: Floor applications - Mapei Ultraflex LFT, Wall applications - Mapei Granirapid System
- *Installation Instruction: Mapei Thin Body Porcelain Tile Reference Guide & Manufacturer's Installation Guidelines.
Artistic Tile recommends the use of factory trained installers.
- Design Note: Calacatta & Statuary slabs are offered in both book match and random. Book match sold as A & B. The random selection does not



A R T I S T I C T I L E

MAX FINE PORCELAIN

Calacatta Gold



Random Random Random Random




Book Match A Book Match B Book Match A Book Match B

Statuary



Random Random Random Random




Book Match B Book Match A Book Match B Book Match A


A R T I S T I C T I L E




Calacatta Gold



Thassos



Statuary



Statuary

A R T I S T I C T I L E



Onyx Pearl



Onyx Pearl



Eramosa



Black Venato