



# THE BENEFITS OF A KEYBOARD PLATFORM

#### **INCREASE DESKTOP REAL ESTATE**

The ability to store the keyboard under the work surface provides the user with more desktop space on which to work.

#### **IMPROVE WORKER COMFORT**

Ergonomic keyboard platforms allow the user to set the height and angle of the keyboard tray to the person's ideal position, allowing posture change while enhancing comfort.

### **REDUCE REPETITIVE STRESS**

If used properly, keyboard platforms keep wrists neutral, hands at the correct height and elbows open slightly beyond 90°.

All Combo Solutions include a keyboard platform, articulating arm, leatherette-covered gel palm rest(s), nonslip pads, mouse pad, mouse guards, and cord management clips at no extra charge. One part number is all you need for a complete system.



## **SOLUTION 1** VALUE ENGINEERED

#### PL003-25 KEYBOARD PLATFORM

- 25" rectangle platform
- Accommodates left or right-handed
- Designed for straight-edge work

#### **AA260 ARTICULATING ARM**

- 17" glide track, spring assisted
- Height Adjustment Range: 6.25"
  - HIGH: 1.25" above track
  - LOW: 5" below track

PART# **SOLUTION 1** 



Available in R-Series. Call Customer Service for details.

LIST PRICE

\$297



## **SOLUTION 1CC** VALUE ENGINEERED

LIST PRICE **SOLUTION 1CC** \$297



Available in R-Series. Call Customer Service for details.

#### PL003CC-25 KEYBOARD PLATFORM

- 25" cut corner platform
- Accommodates left or right-handed users
- Designed for diagonal corner work surfaces

#### **AA260 ARTICULATING ARM**

- 17" glide track, spring assisted
- Height Adjustment Range: 6.25"
  - HIGH: 1.25" above track
  - LOW: 5" below track





## PL003-25 KEYBOARD PLATFORM

- 25" rectangle platform
- Accommodates left or right-handed users
- Designed for straight-edge work surfaces

#### **AA360 ARTICULATING ARM**

- 21" glide track, Lift and Lock
- Height Adjustment Range: 7"
  - HIGH: 2.5" above track
  - LOW: 4.5" below track



#### **SOLUTION 2CC** MOST POPULAR

#### PL003CC-25 KEYBOARD PLATFORM

- 25" cut corner platform
- Accommodates left or right-handed
- Designed for diagonal corner work surfaces

#### **AA360 ARTICULATING ARM**

- 21" glide track, Lift and Lock
- Height Adjustment Range: 7"
  - HIGH: 2.5" above track
  - LOW: 4.5" below track

PART# LIST PRICE **SOLUTION 2CC** \$383



Available in R-Series. Call Customer Service for details.



**SOLUTION 2** 

PART#

Available in R-Series. Call Customer Service for details.

LIST PRICE

\$383

## **SOLUTION 3**

#### PL215 SWIVEL MOUSE-BELOW PLATFORM

- 18.75" platform with left or right swivel below mousing platform
- Accommodates left or right-handed users
- Designed for radius corner work surfaces

#### **AA360 ARTICULATING ARM**

- 21" glide track, Lift and Lock
- 7" height adjustment (2.5" above to 4.5" below track)

PART# LIST PRICE

**SOLUTION 3** 

\$429



#### **SOLUTION ULTRA** GREAT FOR MULTIPLE USERS

#### PL217 SWITCH-N-CLICK PLATFORM

- 18.75" keyboard platform and 9.25' Switch-n-Click mousing platform
- Recommended for straight-edge work surfaces

#### **AA360 ARTICULATING ARM**

- 21" glide track, Lift and Lock
- 7" height adjustment (2.5" above to 4.5" below track)

PART # LIST PRICE

**SOLUTION ULTRA** 

\$434



#### **SOLUTION 4 EXTENDED REACH**



#### PLMAC MOUSE FORWARD PLATFORM

- Reversible 26.5" platform
- Accommodates left or right-handed users

#### **AA370 EXTENDED REACH ARTICULATING ARM**

- 24.75" glide track, Lift and Lock
- Height Adjustment Range: 16"
  - HIGH: 8" above track
  - LOW: 8" below track

PART# LIST PRICE **SOLUTION 4** \$477

#### **SOLUTION 7** POPULAR SPEC



#### PL217 SWITCH-N-CLICK PLATFORM

- 18.75" keyboard platform
- Reversible design; 9.25" mouse platform clicks in left or right side - no tools required
- Recommended for straight-edge work surfaces

#### **AA750DAT ARTICULATING ARM**

- 21.75" glide track, Lift and Lock
- Height Adjustment Range: 7.13"
  - HIGH: 2.25" above track
  - LOW: 4.88" below track
- Dial-a-Tilt gauge

LIST PRICE PART#

**SOLUTION 7** \$450

#### **SOLUTION 6CC INDUSTRY FAVORITE**



#### PL003CC-27 KEYBOARD PLATFORM

- 27" cut corner platform
- Accommodates left or right-handed users
- Designed for diagonal corner work surfaces

#### **AA750DAT ARTICULATING ARM**

- 21.75" glide track, Lift and Lock
- Height Adjustment Range: 7.13"
  - HIGH: 2.25" above track
  - LOW: 4.88" below track
- Dial-a-Tilt gauge

LIST PRICE PART# **SOLUTION 6CC** \$407



Available in R-Series. Call Customer Service for details.

## **SOLUTION ALL-FIT** FOR BENCHING AND TABLES



#### PL003-27N KEYBOARD PLATFORM

- 27" platform with notched cutout for additional retraction
- Designed for benching systems & tables where minimal track space is available

#### **AA100 LIFT & LOCK ARTICULATING ARM**

- Lift and Lock height adjustment
- +10°/-20° tilt adjustment and 360° rotation
- 12.75" glide track
- Height Adjustment Range: 6"
  - 2-3/8" above track | 3-5/8" below track
- Fully retracts on a 13" deep work surface

SOLUTION ALL-FIT	\$406
PART #	LIST PRICE



Available in R-Series. Call Customer Service for details.

### **SOLUTION 90**

**IDEAL FOR 90° CORNERS** 



#### PL003CC-25 KEYBOARD PLATFORM

- 25" cut corner platform
- Accommodates left or right-handed users
- Designed for 90° corners

#### **AA355DS 7.5 SWIVEL ARTICULATING ARM**

- 21.75" glide track, Lift and Lock
- Height Adjustment Range: 9.3"
  - HIGH: 3.42" above track
  - LOW: 5.88" below track
- Dual swivel adjustability

SOLUTION 90	\$559
PART #	LIST PRICE
* Dodi swiver adjustability	



Available in R-Series. Call Customer Service for details.

### **PALM RESTS**

Leatherette covered gel palm rests with threaded screw insert



PART #		LIST PRICE
ACRWMLG7-S	7" WIDE	\$53
ACRWMLG8-S	8" WIDE	\$53
ACRWMLG18-S	18" WIDE	\$72
ACRWMLG25-S	25" WIDE	\$73
ACMCLIPLG	PL217 MOUSING PLATFORM PALM REST	\$50

#### CORNER DIAGONAL

Converts 90° corners to diagonal corners for additional work area



## R-SERIES PLATFORMS



The R-Series platforms are composed of 100% post-consumer materials, making them completely recyclable. They are free of formaldehydes and carcinogens and emit no VOC's (Volatile Organic Compounds).

## UNDERSTANDING KEYBOARD & MOUSING PLATFORMS

#### **RECTANGLE**

Designed for straight-edge work surfaces, Rectangle Platforms provide ample space for keyboard and mouse on the same level.

#### **CUT CORNER**

Designed for diagonal corners, Cut Corner Platforms are also well-suited for straight edge, and large radius work surfaces.

#### **SWIVEL MOUSE**

The space-saving Swivel Mouse design allows for keyboard storage where space is limited.

#### **MOUSE FORWARD**

Comfortably places the mousing area closer to the user for maximum ergonomic comfort.

#### **RADIUS**

Designed to complement radius corner work surfaces and position the keyboard closer to the work area.

#### NATURAL P

Designed to accommodate Microsoft® Natural, Natural Elite, and other ergonomically designed keyboards.

## PLOO3



- For use with straight edge work surfaces
- Accommodates left or right-handed users

PART #		LIST PRICE
PL003-19	19" WIDE	\$116
PL003-25	SHOWN	\$143
PL003-27	27" WIDE	\$151



## PL003CC



- For use with diagonal cut work surfaces
- Accommodates left or right-handed users

PART #		LIST PRICE
PL003CC-25	SHOWN	\$143
PL003CC-27	27" WIDE	\$151



### PL215

SWIVEL MOUSE-BELOW PLATFORM



- Offers a universal fit on virtually any work surface shape
- Palm rest for both keying and mousing surface(s)
- 18.75" platform with a swivel-below mousing platform
- Accommodates left or right-handed users

PL215	\$189
PART #	LIST PRICE

#### PLOO6 RADIUS



- Designed for 42" and larger radius work surfaces
- Accommodates left or right-handed users

\$151
LIST PRICE



#### **PL217**

#### SWITCH-N-CLICK PLATFORM

- Reversible design; mouse platform clicks in left or right side - no tools required
- Independent tilt and swivel mousing platform
- Can be used as a mouse in line, mouse over, or mouse forward
- Recommended for straight-edge work surfaces

PART #		LIST PRICE
PL217		\$194
PL217NAT	P	\$172



**ACMCLIPLG** 

\$50

#### PLMAC MOUSE FORWARD PLATFORM



- Designed for straight-edge and 21" or larger diagonal work surfaces
- Accommodates left or right-handed users

PLMAC	\$155
PART #	LIST PRICE

## PL005CC NATURAL CUT CORNER PLATFORM



- Designed for use with Natural Keyboards
- Left-handed platforms available. Please call Customer Service for details.

PART #	LIST PRICE
PL005CC	\$129

#### PL200 SLIDE OUT MOUSE PLATFORM



- Left to right slide-out mouse tray
- 18.75" width while in closed position
- 27.75" width while in open position
- For left or right-handed users

PL200	\$224
PART #	LIST PRICE



#### **AA260**

SPRING ASSISTED

- Spring assisted height adjustment
- +10°/-15° tilt adjustment and 360° rotation
- 17" glide track
- Height Adjustment Range: 6.25"
  - 1.25" above track | 5" below track
- Soft touch knob for simultaneous height and tilt adjustment



#### **AA330**

LIFT & LOCK WITH SHORT TRACK

- Lift and Lock height adjustment
- +/-15° tilt adjustment and 360° rotation
- 17.75" glide track (platform may not fully retract in its stored position)
- Height Adjustment Range: 7"
  - 2.5" above track | 4.5" below track
- Positions platform flush with the work surface
- Release handle for independent tilt adjustment



### **AA360**

LIFT & LOCK

- Lift and Lock height adjustment
- +/-15° tilt adjustment and 360° rotation
- 21" glide track
- Height Adjustment Range: 7"
  - 2.5" above track | 4.5" below track
- Positions platform flush with the work surface
- Release handle for independent tilt adjustment

PART #	LIST PRICE	PART #	LIST PRICE	PART #	LIST PRICE
AA260	\$154	AA330	\$240	AA360	\$240



#### **AA370**

#### LIFT & LOCK EXTENDED REACH

- Lift and Lock height adjustment
- +/-15° tilt adjustment and 360° rotation
- 24.75" glide track
- Height Adjustment Range: 16"
  - 8" above track | 8" below track
- Positions platform flush with the work surface
- Release handle for independent tilt adjustment



### AA750DAT

LIFT & LOCK DIAL-A-TILT

- Lift and Lock height adjustment
- Dial-a-Tilt indicator gauge
- +10°/-15° tilt adjustment and 360° rotation
- 21.75" glide track
- Height Adjustment Range: 7.13"
  - 2.25" above track | 4.88" below track



#### AA780DAT

LIFT & LOCK EXTENDED REACH

- Lift and Lock height adjustment
- Dial-a-Tilt indicator gauge
- +10°/-15° tilt adjustment and 360° rotation
- 21.75" glide track
- Height Adjustment Range: 12.93"
  - 8.25" above track | 4.68" below track

 PART #
 LIST PRICE
 PART #
 LIST PRICE
 PART #
 LIST PRICE
 PART #
 LIST PRICE

 AA370
 \$322
 AA750DAT
 \$256
 AA780DAT
 \$379

