

ACCADEMIA LIGHT

1570 High Back



Office

- FEATURES**
- Fully upholstered contoured seat and back for comfort
 - CFC free molded polyurethane waterfall seat design reduces pressure at the back of the knees allowing for proper blood circulation
 - Bicycle T-Arms (**UAB**) with urethane arm pads, 3" (80mm) height adjustability
 - Internal ratchet back height control adjustment (**IBC**)
 - Available with (**PMB**) Permanent contact multi-block seat mechanism, allows for several locking positions, gentle back release (anti-shock) back adjustment for continuous back support
 - The seat swivel and height adjustment is obtained by a 4.0" (100mm) pneumatic gas cylinder
 - 5-Star, BIFMA approved nylon base
 - Casters, (**VTW**) Carpet-twin wheel casters
 - Black finish is standard on mechanism, base and casters



- OPTIONS**
- Black shockproof, scratchproof polypropylene back cover
 - Sliding seat pan (**SSP**) 3" (80 mm), includes larger base
 - Height adjustable foot ring
 - Various casters, arm and pneumatic gas cylinder options are available

MAXIMUM H 47.75-46.5" (960-1180mm)
MAXIMUM W 22" (560mm)
MAXIMUM D 21.5" (545mm)

SEAT H 17-24.5" (430-625mm)
SEAT W 19.25" (490mm)
SEAT D 18" (460mm)

BACK H 20-23" (510-585mm)
ARM H 23-29" (585-740mm)

SHIP WT/CHAIR 39lbs (18kg)
SHIP VOLUME/2 CHAIR 19 ft³ (0.54 m³)

COM FABRIC 1.75yd (1.6m)
QUANT/CARTON 2

ACCADEMIA LIGHT

1571 Mid Back



Office

- FEATURES**
- Fully upholstered contoured seat and back for comfort
 - CFC free molded polyurethane waterfall seat design reduces pressure at the back of the knees allowing for proper blood circulation
 - Bicycle T-Arms (**UAB**) with urethane arm pads, 3" (80mm) height adjustability
 - Internal ratchet back height control adjustment (**IBC**)
 - Available with (**PMB**) Permanent contact multi-block seat mechanism, allows for several locking positions, gentle back release (anti-shock) back adjustment for continuous back support
 - The seat swivel and height adjustment is obtained by a 4.0" (100mm) pneumatic gas cylinder
 - 5-Star, BIFMA approved nylon base
 - Casters, (**VTW**) Carpet-twin wheel casters
 - Black finish is standard on mechanism, base and casters

- OPTIONS**
- Black shockproof, scratchproof polypropylene back cover
 - Sliding seat pan (**SSP**) 3" (80 mm), includes larger base
 - Height adjustable foot ring
 - Various casters, arm and pneumatic gas cylinder options are available



MAXIMUM H 28-32" (710-815mm)
MAXIMUM W 22" (560mm)
MAXIMUM D 21.5" (545mm)

SEAT H 17-24.5" (430-625mm)
SEAT W 19.25" (490mm)
SEAT D 18" (460mm)

BACK H 16-20" (410-510mm)
ARM H 23-29" (585-740mm)

SHIP WT/CHAIR 37.5 lbs (17 kg)
SHIP VOLUME/2 CHAIR 19 ft³ (0.54 m³)

COM FABRIC 1.5 yd (1.38 m)
QUANT/CARTON 2

ACCADEMIA LIGHT

1572 Cantilever Base



Office

- FEATURES**
- Fully upholstered contoured seat and back for comfort
 - CFC free molded polyurethane waterfall seat design reduces pressure at the back of the knees allowing for proper blood circulation
 - Internal ratchet back height control adjustment (**IBC**)
 - Cantilever steel tubular base in black epoxy powder coated finish

- OPTIONS**
- Black shockproof, scratchproof polypropylene back cover
 - Various arm options are available



MAXIMUM H 37.5" (950mm)
MAXIMUM W 19.25" (490mm)
MAXIMUM D 21.5" (545mm)

SEAT H 17.5" (440mm)
SEAT W 19.25" (490mm)
SEAT D 18" (460mm)

BACK H 20" (510mm)

SHIP WT/CHAIR 37.5 lbs (17 kg)
SHIP VOLUME/2 CHAIR 19 ft³ (0.54 m³)

COM FABRIC 1.5 yd (1.38 m)
QUANT/CARTON 2