


Confair folding table. 440 range. Technical details.



Function

Moveable, collapsible and linkable table range for flexible, dynamic use of conference and communication areas. Just one single step is required to open out or collapse up to three metre long, barrel-shaped or rectangular tables. The tables can also be linked to form conference systems using table-table connectors. Large-sized wheels allow the tables to be transported in buildings and come complete with a locking brake. As a result, minimum cost and effort is required to manage conference spaces. Ideal for multi-purpose conference interiors in high quality design. Alternatively as a wild card in combination with the Logon table range for conference spaces with a variety of partition options, or with Timetable for sophisticated training and seminar spaces.

Frame

Die-cast aluminium, bright chrome-plated, polished foot section or coated in silver satin finish or black. Aluminium profile uprights and underframe, clear anodised or coated in the same colours as the foot sections. The bright chrome-plated foot sections are coated black. Upright optionally available bright chrome plated. Connecting bar and T-shaped joint coated like the uprights and underframes, with clear anodised uprights and underframes coated in silver satin finish. Connecting rod and T-shaped joint optionally bright chrome-plated. Lockable, black polyamide castors.

Table top group 1 – laminate

Thickness 26 mm (1")
Laminate according to Wilkhahn colour and surface finish samples with laminated beech lipping, natural oiled finish.

Table top group 2 – veneer

Thickness 26 mm (1")
Variation 1:
Beech veneer according to Wilkhahn woodstain colour samples with laminated beech lipping or oak, or ash veneer according to Wilkhahn woodstain colour samples with lipping, as far as possible in the same colour as the veneer.
Variation 2:
Maple, elm or walnut veneer, as well as Wilkhahn veneer Mocca according to Wilkhahn woodstain colour samples with lipping, as far as possible in the same colour as the veneer.

Veneer types

As a standard, veneers are slip-matched method onto the table top.
The surfaces are sealed with clear lacquer: Open-pore: oak, ash, walnut and elm veneer, as well as Wilkhahn Mocca veneer.
Closed-pore: maple and beech veneer.
Some specific growth features possible.

Table top group 3 – linoleum

Table top thickness 27 mm (1 1/8").
Linoleum according to Wilkhahn linoleum colour samples, laminated beech lipping, natural oiled finish.

Accessories

Single table portal

Hinged cover in the same colour and material as the table top surface with brush strip for cable exit. Aperture with real wood lipping, as far as possible in the same colour as the table top.
Hinge allows 180° opening angle.
Single table portal:
350 x 150 mm (13 3/4" x 5 7/8") or
300 x 150 mm (11 3/4" x 5 7/8").
Linoleum on request.

Further surfaces for the formats shown in the price list are available on request.

Standards

The Confair folding tables comply with ANSI / BIFMA X 5.5.

Confair folding table. 440 range. Product versions.



Frame: fully coated in silver, satin finish, table top natural oak



Frame: polished aluminium, clear anodised, linoleum table top

Further frame types not pictured

- Polished aluminium base, clear anodised upright, connecting bar coated in a silver satin finish, clear anodised supports and uprights
- Base, upright, connecting bar, supports and uprights coated black

Confair folding table. 440 range. Table edges.

Bullnose edge with a black impact-resilient profile, table top 26mm thick

Bullnose edge with a white impact-resilient profile, table top 26mm thick

Coated bullnose edge with a black impact-resilient profile, table top 26mm thick

Straight edge with a black impact-resilient profile, table top 26mm thick








Straight edge with a white impact-resilient profile, table top 26mm thick





Confair folding table. 440 range. Models and dimensions.

440/00






Width	Depth				
	90	100	105	110	120
180	•	•	•	•	•
200	•	•	•	•	•
210	•	•	•	•	•
220	•	•	•	•	•
240	•	•	•	•	•
260	•	•	•	•	•
280	•	•	•	•	—
300	•	•	—	—	—

All dimensions in cm.
Subject to change.




Confair folding table. 440 range. Models and dimensions.

440/2




180 - 280




90/110 - 120

73




56




110 - 120

120 - 170



97


120 - 180



180 - 280

90/110 - 120


440/2



56

110 - 120

440/2



97

105 - 135

	Depth				
Width	90	100	105	110	120
180	•	•	•	•	•
200	•	•	•	•	•
210	•	•	•	•	•
220	•	•	•	•	•
240	•	•	•	•	•
260	•	•	•	•	•
280	•	•	•	•	—
300	•	•	—	—	—

All dimensions in cm.
Subject to change.

Confair folding table. 440 range. Awards / standards / certificates.

Awards



Product certificates / product standards

ANSI/BIFMA X5.1

You can find our text modules for tenders in our [media center](#).

Company's certificates



Environment and product


Better use of space, selective sorting, service-friendliness

The Confair range is an impressive example of how intelligent design, smart functionality and quality can achieve financial, ecological and socio-cultural improvements. Encouraging people to become involved in shaping their own environments puts the focus on them personally and their potentials. The range is easy to handle and allows people to organise their own spaces, saving facility management costs as well as building and maintaining extra rooms. Wilkhahn's eco-based design principles combine a long product life with a careful choice of materials, as well as a repair- and service-friendly design. The Confair folding table is a perfect example:

- All components like the foot section, uprights and underframes are made of die-cast aluminium and extruded aluminium profiles and with the steel mechanical spring they combine an adherence to tolerances with extreme durability and full recycling capabilities. All the four lockable castors of unbreakable and through-dyed polyamide are designed to be hard-wearing.
- The table tops are made of lamin board with solid-wood edges. Natural materials like linoleum, laminates and genuine wood veneers are used for the surfaces. Veneered table tops are protected with water-based varnish low in solvent content. The integrated polypropylene impact-resilient profile protects the edges and prevents damage.
- All frame components and table tops are screwed together so that if wear and tear occurs – for example on the table tops – the panels can be unscrewed, reconditioned or replaced. The Confair range has opened up new opportunities for designing, furnishing and using conference spaces so that material and energy are saved. Apart from the durability and quality of the product, these aspects also help to improve a building's eco footprint overall.

You can find our environmental product information in our [media center](#).

Confair folding table. 440 range. Accessories.



Portal with brush profile



Integrated techni-station rotate



Integrated techni-station compact



Aluminium installation frame with portal and brush profile



Integrated techni-station rotate



Integrated techni-station modules



Integrated techni-station modules