


tables &  
collaborative spaces

application guide

10.24.2016



teknion

# teknion

[www.teknion.com](http://www.teknion.com)

IN CANADA:

1150 Flint Road  
Toronto, Ontario  
M3J 2J5 Canada  
Tel 866.teknion  
866.835.6466

IN THE USA:

350 Fellowship Road  
Mt Laurel, New Jersey  
08054 USA  
Tel 877.teknion  
877.835.6466

OTHER OFFICES LOCATED IN:

Europe, South and Central America  
Middle East, Asia and Russia  
For regional contact information  
go to [www.teknion.com](http://www.teknion.com)

CAN/US/INT 10-24

©Teknion 2016

®, ™ trade marks of Teknion  
Corporation and/or its subsidiaries or  
licensed to it. Patents may be pending.

Some products may not be available in  
all markets. Contact your local  
Teknion Representative for availability.

OCT16-TAB-AG

# contents

INTRODUCTION . . . . .	3
WORK TABLES . . . . .	59
MEETING & <i>AUDIENCE</i> ® BOARDROOM TABLES . . . . .	65
TRAINING . . . . .	89
CASUAL TABLES . . . . .	105
CLUBtalk . . . . .	III
STORAGE . . . . .	139
WORK TOOLS . . . . .	151

introduction



# introduction

WHERE TO FIND THE INFORMATION YOU NEED . . . . .	5
HOW TO MAKE THIS GUIDE WORK FOR YOU . . . . .	6
INTRODUCTION PRODUCT MAP . . . . .	8
SIZE SELECTION . . . . .	24
SEATING QUANTITY . . . . .	25
SHAPES . . . . .	26
SHAPES SELECTION . . . . .	27
PLANNING APPLICATIONS	
COLLABORATIVE WORKSTATION . . . . .	29
PRIVATE OFFICE . . . . .	30
<i>ALTOS</i> ® INTEGRATION . . . . .	31
SMALL MEETING ROOM . . . . .	32
MEDIUM MEETING ROOM . . . . .	34
LARGE BOARDROOM . . . . .	36
VIDEO CONFERENCE BOARDROOM . . . . .	38
PROJECT ROOM # 1 . . . . .	40
PROJECT ROOM # 2 . . . . .	42
TRAINING ROOM . . . . .	44
COMPUTER LAB . . . . .	46
COLLABORATING ROOM . . . . .	48
RESEARCH ROOM . . . . .	50
CAFE & LOUNGE . . . . .	52
CAFETERIA . . . . .	54
CAFETERIA & DINING . . . . .	56



# where to find the information you need

**Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.**

## product pricing

**Online Access** to all current pricing in PDF format, can be found at [www.teknion.com](http://www.teknion.com), by selecting the **products** tab, the desired product line and then **pricing module**.

**Printed Price Guides** by product line containing product maps, detailed pricing tables and product basics information are available to help you specify correctly. These guides can be ordered online through [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

**Xpress** The Xpress symbol is displayed in the Price Guide beside products that are offered in Teknion's Xpress Program. **Online Access** can be found at [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **Xpress**. A **printed Xpress Guide** can be ordered online through [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

## application guidelines

**Online Access** to all current Application Guides in PDF format, can be found at [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab, **application guides** and the desired product line.

**Printed Application Guides** by product line containing detailed application guidelines as well as tips to help you plan and specify each of our products are available. These guides can be ordered online through [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

## planning tool

Select and view typicals of our products by setting, product, or footprint. Get great ideas and save time!

**Online Access** is available on [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **planning tool**.

## weights & volumes

**Online Access** to Weights & Volumes are available on [www.teknion.com](http://www.teknion.com), by selecting the **products** tab and the desired product line. Download Weights & Volumes.

## fabrics & finishes

Teknion's Fabrics and Finishes offering includes the following programs; Finishes + Materials and Teknion Textiles.

**Online Access** is available on [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **Fabrics & Finishes**.

**Printed Fabrics & Finishes Guides** can be ordered online through [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

## product photography & drawings

**Online Access** to all photos, line drawings and renderings are available on [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and selecting either **photography**, **CAD symbols** or **Sketchup 3D Warehouse**.

## order forms

All forms (COM Request, TekniPaint and TekniStain forms) are available online at [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **Fabrics & Finishes**. Download the form you require.

## warranty/terms & conditions of sale

**Online Access** is available on [www.teknion.com](http://www.teknion.com), by selecting the **Legal & Warranty** link located on the footer of the website.

## installation guides

Installation Guides are available for both Online and Print. Contact your Teknion Customer Service Representative for more details.

## user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content **OR** if you have found an error, that you please contact your Teknion Technical Services department.

## tables &amp; collaborative spaces application guide – October 24, 2016

# how to make this guide work for you (continued)

## application guideline details at a glance

**Section Title** → meeting & audience boardroom tables

**Page Title** → audience boardroom tables grain direction & number of pieces






**Page Number** → 76

**Product Overview Statement** → The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.

**Planning and/or application details** →

**Last update for this page** → tables & collaborative spaces application guide – October 24, 2016

Most Audience Boardroom Tables come with at least 2 surface tops and will be seamed.

Shape	Size	# of Pieces	# of Pairs of Stretch Legs or Pedestal Bases	Grain Direction
 Square	66x66	2 pieces	2 (or 1 Quad Base)	↕
	72x72	2 pieces	2 (or 1 Quad Base)	↕
	78x78	2 pieces	2 (or 1 Quad Base)	↕
	84x84	2 pieces	2 (or 1 Quad Base)	↕
	90x90	2 pieces	2 (or 1 Quad Base)	↕
 Circular	96x96	2 pieces	2 (or 1 Quad Base)	↕
 Rectangular	42x96	1 piece	2	↔
	42x108	2 pieces	2	↔
	42x120	2 pieces	2	↔
 Boat	48x96	1 piece	2	↔
	48x108	2 pieces	2	↔
	48x120	2 pieces	2	↔
 Oval	48x132	2 pieces	2	↔
	48x144	2 pieces	2	↔
	48x156	2 pieces	3	↔
	48x168	3 pieces	3	↕
	48x180	4 pieces	3	↕
	54x108	2 pieces	2	↔
	54x120	2 pieces	2	↔
	54x132	2 pieces	2	↔
	54x144	2 pieces	2	↔
	54x156	2 pieces	3	↔
54x168	3 pieces	3	↕	
54x180	4 pieces	3	↕	
54x192	4 pieces	3	↕	

## additional information

The following forms are available at [www.tekunion.com](http://www.tekunion.com), by selecting the **tools** tab and then **Fabrics & Finishes**, to help you specify and place your order if required:

### teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

### using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing.

A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information.

A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

### placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.


### noting key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

work tables


A T W S Square Work Table

Width: 24" or 30"




A T W C Circular Work Table

Diameter: 24" or 30"



A T W R Rectangular Work Table

Depth: 24" – 36" /  
Width: 48" – 96"




A T W V Oval Work Table

Depth: 30" or 36" /  
Width: 54" – 96"



A T M P Work Table Modesty Panel


Width: 54" – 96"



# meeting & *audience* boardroom tables


## A T M S Square Meeting Table

Depth: 36" – 60"




## A T M C Circular Meeting Table

Diameter: 36" – 60"




## A T M T Triangular Meeting Table

Depth: 36" – 54"




## A T M R Rectangular Meeting Table

Depth : 36" – 48" /  
Width: 66" – 96"




## A T M V Oval Meeting Table

Depth: 36" – 48" /  
Width: 66" – 96"




## A T M B Boat Meeting Table

Depth: 42" or 48" /  
Width: 72" – 96"




## A T B S Audience Square Boardroom Table

Depth: 66" – 96"




## A T B C Audience Circular Boardroom Table

Diameter: 66" – 96"




## A T B R Audience Rectangular Boardroom Table

Depth: 42" – 60" /  
Width: 96" – 228"




## A T B V Audience Oval Boardroom Table

Depth: 42" – 60" /  
Width: 96" – 228"




## A T B B Audience Boat Boardroom Table

Depth: 42" – 60" /  
Width: 96" – 228"



## A T V C Audience Video Conference Table

Depth: 54" or 60" /  
Width: 120" – 228"



meeting & *audience* boardroom tables


A T H K Hammock Kit

A T S H Media Shelf

A T R C Rail Mount Cable Manager

Width: 42" – 60"

IO






## training – worksurfaces


### C T R T Rectangular Worksurface

Depth: 18" – 30" / Width: 36" – 84"




### C T C K Cockpit Worksurface

Depth: 24" or 30" / Width: 36" – 84"



### C T T A Trapeze Angular Worksurface

Depth: 30" / Width: 36" – 84"



### C T H M Half-Moon Worksurface

Depth: 18" – 30" / Width: 36" – 61"




### C T M Z Mezzanine Worksurface

Depth: 18" – 30" / Width: 36" – 61"




### C T C H Curved Hatchet Worksurface

Depth: 18" – 30"



### C T Q M Quarter-Moon Worksurface

Depth: 18" – 30"




## training – worksurface supports


### CTCL C-Leg

Depth: 24" / Fixed Height: 29" / Adjustable Height: 24" – 32"


12




Standard  
Fixed Height




Arched  
Fixed Height



Arched  
Adjustable Height




Slender  
Fixed Height




Slender  
Adjustable Height

### CTTL T-Leg


Depth: 18" or 24" / Fixed Height: 29" / Adjustable Height: 24" – 32"




Standard  
Fixed Height




Arched  
Fixed Height



Arched  
Adjustable Height




Slender  
Fixed Height




Slender  
Adjustable Height

### CTST Intermediate Leg


Depth: 18" / Fixed Height: 29" / Adjustable Height: 24" – 32"




Standard  
Fixed Height




Arched  
Fixed Height



Arched  
Adjustable Height



Slender  
Fixed Height



Slender  
Adjustable Height

### CTPL Post Leg

Fixed Height: 29" / Adjustable Height: 24" – 32"




Fixed Height




Adjustable Height

### C T F L Rectangular Folding Table


Depth: 18" – 30" / Width: 60" – 84" / Height: 29"




Standard  
C-Leg and T-Leg



Arched  
C-Leg and T-Leg




Slender  
C-Leg and T-Leg




### C T L F Lightweight Rectangular Folding Table


Depth: 18" – 30" / Width: 60" – 84" / Height: 29"




Standard  
C-Leg and T-Leg



Arched  
C-Leg and T-Leg




Slender  
C-Leg and T-Leg



### C T F T Rectangular Flip-Top Table


Depth: 24" or 30" / Width: 42" – 84" / Height: 29"




Standard  
C-Leg and T-Leg



Arched  
C-Leg




Slender  
C-Leg and T-Leg



### C T H T Rectangular Height-Adjustable Table

Depth: 24" or 30" / Width: 36" – 84" / Adjustable Height: 24" – 36"




Arched  
C-Leg

Slender  
C-Leg


## training – accessories

**C T L P** CPU Holder




**C T V L** Vertical Leg Cover

Height: 18"



**C T W C** Vertical Wire Management Cover

Height: 15"




**C T G M** Grommet




**C T W T** Cable Tray

Width: 12"




**C T E T** Electrical Tray

Width: 24" – 84"




**C T L M** Modesty Panel – Laminate

Width: 24" – 84"




**C T M M** Modesty Panel – Metal

Width: 24" – 84"




**C T L M F** Modesty Panel for Flip-Top Table – Laminate

Width: 42" – 84"




**C T M M F** Modesty Panel for Flip-Top Table – Metal

Width: 42" – 84"




**C T D S F** Fabric Table Screen

Heights: 15" or 22" / Width: 36" – 84"



**C T D S T** Translucent Table Screen


Height: 15" or 22" / Width: 36" – 84"



## training – accessories (continued)


### C T D S M Metal Table Screen

Height: 15" or 22" / Width: 36" – 84"




### C T L S F Fabric Lateral Screen

Height: 15" or 22" / Depth: 24" or 30"




### C T L S T Translucent Lateral Screen

Height: 15" or 22" / Depth: 24" or 30"




### C T L S M Metal Lateral Screen


Height: 15" or 22" / Depth: 24" or 30"



### C A Q R Quick Release Linking System



### C T M T Mobile Table Trolley



training – lighting, electrics & communications



R L P P Under-Worksurface  
Plug-In Power Bar

C L W P Under-Worksurface  
Power Outlet

C L B X Splitter Box

Length: 72" or 180"

16



C L B F Base Feed




C L P H Pass-Through

C L M P Power/Data Center

Length: 72"




Length: 18" – 120"

Length: 72" or 120"



C L D B Data Box

C L P S Power/Data Sphere













Data/Data

Data/Power

Power/Power

## casual tables

17

loung e tables	<b>A T C S L Square Lounge Table</b> Depth: 24" or 30" / Height: 20" 	<b>A T C C L Circular Lounge Table</b> Diameter: 24" or 30" / Height: 20" 	<b>A T C V L Oval Lounge Table</b> Depth: 30" / Width: 54" – 66" / Height: 20" 
	<b>A T C S C Square Cafe Table</b> Depth: 24" / Height: 42" 	<b>A T C C C Circular Cafe Table</b> Diameter: 24" or 30" / Height: 42" 	
	<b>A T C S B Square Bistro Table</b> Depth: 24" or 30" / Height: 29" 	<b>A T C C B Circular Bistro Table</b> Diameter: 24" or 30" / Height: 29" 	
dining tables	<b>A T C S D Square Dining Table</b> Depth: 36" / Height: 29" 	<b>A T C C D Circular Dining Table</b> Diameter: 36" or 42" / Height: 29" 	<b>A T C R D Rectangular Dining Table</b> Depth: 24" or 30" / Width: 36" – 60" / Height: 29" 

CLUBtalk




C U C Mobile Cart

C U W M Worksurface Monitor Mount

C U S Square Table

Depth: 42" – 54"

18





C U Z Trapezoid Table

Depth: 48", 54" / Width: 48" – 72"

C U R Rectangular Table

Depth: 48", 54" / Width: 60", 72"






## storage


### A F C V A *Audience Veneer* Credenza with Doors

Width: 48" – 90" / Height: 29" or 36"




### A F C V B *Audience Veneer* Credenza with Single Drawer

Width: 48" – 90" / Height: 29"




### A F C V C *Audience Veneer* Credenza with Doors and Drawers

Width: 48" – 90" / Height: 36"




### A F C V D *Audience Veneer* Credenza with Middle Drawers

Width: 48" – 90" / Height: 29"




### A F C L A *Audience Laminate* Credenza with Doors

Width: 48" – 90" / Height: 29" or 36"




### A F C L B *Audience Laminate* Credenza with Single Drawer

Width: 48" – 90" / Height: 29"




### A F C L C *Audience Laminate* Credenza with Doors and Drawers

Width: 48" – 90" / Height: 36"




### A F C L D *Audience Laminate* Credenza with Middle Drawers

Width: 48" – 90" / Height: 29"




### A F C F A *Audience Flintwood* Credenza with Doors

Width: 48" – 90" / Height: 29" or 36"




### A F C F B *Audience Flintwood* Credenza with Single Drawer

Width: 48" – 90" / Height: 29"




### A F C F C *Audience Flintwood* Credenza with Doors and Drawers

Width: 48" – 90" / Height: 36"



### A F C F D *Audience Flintwood* Credenza with Middle Drawers


Width: 48" – 90" / Height: 29"



## storage


### A F C T Credenza Top

Width: 48" – 90"




### A F T V Audience Veneer A.V. Cart

Height: 36" / Width: 32"




### A F T L Audience Laminate A.V. Cart

Height: 36" / Width: 32"




### A F T F Audience Flintwood A.V. Cart

Height: 36" / Width: 32"




### A F T T A.V. Cart Top




### A F M V Audience Veneer Hospitality Cart

Height: 36" / Width: 32"




### A F M L Audience Laminate Hospitality Cart

Height: 36" / Width: 32"




### A F M F Audience Flintwood Hospitality Cart

Height: 36" / Width: 32"




### A F M T Hospitality Cart Top




### A F A S Small Project Cart

Height: 31 1/2" / Width: 22"




### A F A M Medium Project Cart

Height: 31 1/2" / Width: 36"



### A F A L Large Project Cart

Height: 43" / Width: 36"




**S O K L** Set of Keys Alike

work tools


A F W F Focus Wall Frame

Height: 42" or 48" / Width: 24" – 240"




A F W W Focus Wall Whiteboard

Height: 42" or 48" / Width: 24" – 240"



A F W T Focus Wall Tackboard

Height: 42" or 48" / Width: 12" – 240"




A F W S Focus Wall Sliding Whiteboard

Height: 42" or 48" / Width: 24" – 48"




A F W M Focus Wall Marker Tray

Width: 24" – 96"




A F W C Focus Wall Flip Chart Hooks



A F W B Focus Board

Height: 48" / Width: 50"





## size selection


The following should be considered when selecting the size of a table.

### 24 considerations for selecting a size of table

- Size of room
- Number of people to be seated


#### size of room:

To put the largest table in a given room size you need to know the required clearance between room furniture and architectural features.



#### number of people:

- Based on a 30" diameter seat width
- Values range between how many can sit around the table and how many can squeeze in



The chart below outlines the quantity of seats suitable for each table size and shape.



**Square Tables**

Table Top Dimensions	Seating Capacity
66	8
72	8
78	8
84	8
90	12
96	12



**Round Tables**



**Rectangular Tables**

Table Top Dimensions	Seating Capacity
42 x 96	6-8
42 x 108	6-8
42 x 120	8-10
48 x 96	6-8
48 x 108	6-8
48 x 120	8-10
48 x 132	8-10
48 x 144	8-10
42 x 156	10-12
48 x 168	10-12
48 x 180	12-14
54 x 108	6-8
54 x 120	8-10
54 x 132	8-10
54 x 144	8-10



**Oval Tables**

Table Top Dimensions	Seating Capacity
54 x 156	10-12
54 x 168	10-12
54 x 180	12-14
54 x 192	12-14
54 x 204	12-14
54 x 216	14-16
54 x 228	14-16
60 x 144	8-10
60 x 156	10-12
60 x 168	10-12
60 x 180	12-14
60 x 192	12-14
60 x 204	12-14
60 x 216	14-16
60 x 228	14-16



**Boat Tables**


## shapes

The following chart outlines the available shapes for each table category.


26

! Certain smaller tables are offered only in select sizes and shapes to be functionally appropriate.


### work tables




### meeting tables




### boardroom tables



### training tables








### casual tables





# shapes selection


The following should be considered when selecting a shape of table.



\* Above 90", 3 people will comfortably fit on each side


## Circular or Square Tables

- Fit better in square rooms
- Circular tables offer equality and collaboration with better circulation around the table
- Square tables above 60" can seat more than one person comfortably along a side
- Circular tables under 54" will comfortably fit more people than square of the same size
- Above 60" square and circular tables fit the same number of people
- Square tables have more surface area than circular tables of the same size



## Rectangular Boat or Oval Tables

- Work better in larger rectangular shaped rooms
- Boat and Oval tables allow better circulation around the tables
- They Instill a 'head of the table' effect
- Rectangular tables offer the most surface area



## Things to consider for video conference room layouts:

- Orient a table with the wide end facing a clean wall for a presentation board or wall (focus) board
- Have the door to access the room behind the table or at the narrow end of the table
- Pedestal bases may be more appropriate for video conference tables due to the electronics and A.V. equipment wire management
- Video conference shaped tables are directional, for optimized-viewing angle, of a presentation surface
- Normally people do not sit at the wide end of a video conference table during a presentation





planning applications – collaborative workstation

- Work Tables are ideally designed to support static and mobile table needs within a system environment. The variety of leg options and surface finishes available ensures that Work Tables can be used to support secondary table needs within all Teknion systems environments.
- Project Carts can be used in workstation environments in addition to collaborative environments to provide non-traditional storage needs.

Other Products Shown:

- Transit Workstation 51" high, (2 times 7' x 8' workstations), Rectangular (TWRR) & Transition (TWST) Worksurfaces, with xm Fixed Post Legs (TXPL\_1).
- Corner with Split Surface (AQCS) (Ability Quickshift Table)
- Universal Upmount Overhead Cabinet (LUSU)
- Savara Task Chair (NSAY)



Quantity	Code	Name	Price 1	Price 2	Price 3
1	ATWV_3060_ _ _ _ CNN	Oval Work Table/Casters	\$823	\$1834	\$2758
2	AFASD _	Small Project Cart with Doors	\$758	\$1088	\$1088
			\$2339	\$4010	\$4934

Price 1	Table: Foundation Painted Fixed Height Post Legs, Foundation Laminate Surface with Straight Edge Trim.	Storage: Grade 1 Painted Post, Case and Front, Foundation Laminate Top.
Price 2	Table: Mica Painted Height-Adjustable Post Legs, Flintwood Surface with Straight Edge Trim.	Storage: Grade 2 Painted Post, Case and Front, Flintwood Top.
Price 3	Table: Chrome Stretch Legs, Natural Veneer Surface with Full Knife Edge.	Storage: Grade 2 Painted Post, Case and Front, Natural Veneer Top.



planning applications – private office

Work Tables can be used to provide primary workspace or "desk" requirements within a private office environment.

30

Other Products Shown:

- Transit Workstation 66" high
- Rectangular Table (AQRE)
- Origami Combination Storage Cabinet (ZOSCC) & Storage Locker (ZOSSL40)
- Savara Task Chair (NSAY)
- Taiga Wood Guest Chairs (NTAG)
- Privacy Screen (TPSF)



Quantity	Code	Name	Price 1	Price 2	Price 3
1	ATWR_3054_ _ _ _ CGC	Rectangular Work Table/Casters/Grommet	\$778	\$1654	\$2156
1	ATMPR54	Work Table Modesty Panel	\$145	\$160	\$160
			\$923	\$1814	\$2316

Price 1 Table: Foundation Painted Fixed Height Post Legs, Foundation Laminate Surface with Straight Edge Trim, Foundation Painted **Modesty Panel**.

Price 2 Table: Mica Painted Height-Adjustable Post Legs, Flintwood Surface, Straight Edge Trim, Mica Painted **Modesty Panel**.

Price 3 Table: Chrome Stretch Legs, Natural Veneer Surface, Full Knife Edge, Mica Painted **Modesty Panel**.



planning applications – *altos* integration

Work Tables can be integrated with Transit mounted worksurfaces to create collaborative workstations that co-ordinate and function within an Altos environment. Circular Work Tables create a highly mobile secondary surface.

Other Products Shown:

- Rectangular Worksurface (TWRR) with On-Module Cantilevers.
- Universal Overhead Cabinet (LUSF)
- Ledger Pedestal (with Rectangular Handle) (LPF)
- Savara Task Chair (NSAY)

31



7' x 7' Station

Quantity	Code	Name	Price 1	Price 2	Price 3
2	ATWR_3684_ _ _ _ LGC	Rectangular Work Table/Levelers/Grommet	\$1085	\$2573	\$3305
2	ATMPR84	Work Table Modesty Panel	\$191	\$211	\$211
2	ATWC30_ _ _ _ 0	Circular Work Table	\$533	\$1107	\$1011
			\$3618	\$7782	\$9054

Price 1    Tables: Foundation Painted Fixed Height Post Legs, Foundation Laminate Surface with Straight Edge Trim, Foundation Painted **Modesty Panel**.

Price 2    Tables: Mica Painted Height-Adjustable Post Legs, Flintwood Surface, Straight Edge Trim, Mica Painted **Modesty Panel**.

Price 3    Tables: Chrome Stretch Legs/Mica Star Base, Natural Veneer Surface, Full Knife Edge, Mica Painted **Modesty Panel**.


## planning applications – small meeting room

32

- Circular, Square & Triangular Meeting Tables are ideally suited to providing table requirements for 4-6 people in smaller, square shaped meeting rooms.
- *Audience* Boardroom Storage provides storage requirements when needed and the Focus Wall provides a place to capture team planning and notes.
- Grommet, Pop-Up or Recessed Power Modules can be specified as options on Meeting Tables for power & data access.


### Other Products Shown:

- Altos Glass Wall
- Dharma Task Chair (NDHK)



# planning applications – small meeting room (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
1	ATMC_48_ _ _LNN	Circular Meeting Table/Levelers	\$953	\$2337	\$2961
1	AFT_AS3236_B_CN	Audience A.V. Cart with Solid Doors	\$703	\$3278	\$3278
1	AFTT232	A.V. Cart Top without Arm	\$284	\$593	\$593
1	AFWF48120	Focus Wall Frame	\$942	\$942	\$942
1	AFWW4860	Focus Wall Whiteboard	\$907	\$907	\$907
2	AFWT4830_S	Focus Wall Tackboard	\$303	\$352	\$385
			<b>\$4395</b>	<b>\$8760</b>	<b>\$9451</b>
		Add: Pop-Up Unit	\$307	\$307	\$307
		Flat Screen Arm on A.V. Cart	\$196	\$196	\$196
			<b>\$4898</b>	<b>\$9263</b>	<b>\$9954</b>

**Price 1** Table: Foundation Painted Fixed Height Post Legs, Seamless Color Surface with Seamless Full Knife Edge.

**Price 2** Table: Mica Painted Height-Adjustable Post Legs, Flintwood Surface with Straight Edge Trim.

**Price 3** Table: Chrome Stretch Legs, Natural Veneer Surface with Full Knife Edge.

**Storage & Work Tools:** Laminate Case, Seamless Color Top, Grade A Fabric on Focus Wall Tackboard.

**Storage & Work Tools:** Flintwood Case and Top, Grade 2 Fabric on Focus Wall Tackboard.

**Storage & Work Tools:** Natural Veneer Case and Top, Grade 3 Fabric on Focus Wall Tackboard.



## planning applications – medium meeting room

34

- Rectangular, Oval and Boat Meeting Tables are ideally suited to providing table requirements for up to eight people in medium sized rectangular shaped meeting rooms.
- *Audience Boardroom Storage* provides storage when needed.
- Grommets, Pop-Up or Recessed Power Modules can be specified on tables for power & data access.

### Other Products Shown:


- Altos Glass Wall
- Amicus Task Chair (NAMX)





# planning applications – medium meeting room (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
1	ATMV_4896_ _ _ _ NN	Oval Meeting Table	\$1255	\$2901	\$4877
1	AFC_AG7229_N	Audience Credenza with Glass Doors	\$2557	\$4901	\$4901
1	AFCT72	Credenza Top	\$448	\$896	\$896
1	AFWF4896	Focus Wall Frame	\$789	\$789	\$789
1	AFWW4896	Focus Wall Whiteboard	\$1427	\$1427	\$1427
			<b>\$6477</b>	<b>\$10914</b>	<b>\$12890</b>
		Add: Double Recessed Power Module (2 x \$578)	\$1196	\$1196	\$1196
			<b>\$7673</b>	<b>\$12111</b>	<b>\$14086</b>

**Price 1** Table: Foundation Painted Fixed Height Post Legs, Seamless Color Surface with Seamless Full Knife Edge.

**Storage & Work Tools:** Laminate Case, Seamless Color Top, Source Laminate Folding Doors.

**Price 2** Table: Mica Painted Stretch Legs, Flintwood Surface with Straight Edge Trim.

**Storage & Work Tools:** Flintwood Case and Top, Flintwood Folding Doors.

**Price 3** Table: Chrome Stretch Legs, Natural Veneer Surface with Full Knife Edge.



**Storage & Work Tools:** Natural Veneer Case and Top, Natural Veneer Folding Doors.

## planning applications – large boardroom

- *Audience* Boardroom Tables are available in sizes ranging from 4 to 20 feet.
- Two different leg styles are available depending on aesthetics desire and power & data management requirements.
- Various shapes are available including, Circular, Square, Rectangular, Oval, and Boat.
- *Audience* Boardroom Storage complements the tables offering and the Focus Board provides a closeable writing surface.

### Other Products Shown:


- Altos Glass Wall
- Contessa Task Chair (NCSY)



# planning applications – large boardroom (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.

37



Quantity	Code	Name	Price 1	Price 2	Price 3
1	ATBB_42120_ _ _ _ _NN	<i>Audience</i> Boat Boardroom Table	\$2036	\$2833	\$6815
2	AFC_AS7229_B_NN2	<i>Audience</i> Credenza with Solid Doors	\$1309	\$1309	\$4047
1	AFT_AS3236_B_CN	<i>Audience</i> A.V. Cart	\$703	\$703	\$3278
1	AFM_BS3236_B_N2	<i>Audience</i> Hospitality Cart with Doors & Drawer	\$978	\$978	\$3581
2	AFCT72	Credenza Top	\$435	\$448	\$896
1	AFTT232	A.V. Cart Top without Arm	\$190	\$284	\$593
1	AFMT32	Hospitality Cart Top	\$297	\$584	\$1044
1	AFWB4850_B_	Focus Board	\$2216	\$2216	\$4205
			<b>\$9908</b>	<b>\$11112</b>	<b>\$29403</b>
		Add: Triple Recessed Power Module (3 x \$578)	\$1795	\$1795	\$1795
		Flat Screen Arm on A.V. Cart	\$196	\$196	\$196
			<b>\$11898</b>	<b>\$13102</b>	<b>\$31394</b>

**Price 1** Table: Foundation Painted Stretch Legs, Foundation Laminate Surface with Straight Edge Trim.

**Storage & Work Tools:** Laminate Case & Top, Source Laminate Focus Board.

**Price 2** Table: Foundation Laminate and Foundation Painted Pedestal Base, Foundation Laminate Surface with Straight Edge Trim.

**Storage & Work Tools:** Laminate Case, Seamless Color Top, Source Laminate Focus Board.

**Price 3** Table: Natural Veneer and Anodized Pedestal Base, Natural Veneer Surface with Full Knife Edge.

**Storage & Work Tools:** Natural Veneer Case, Top and Focus Board.



## planning applications – video conference boardroom

Video Conference Tables are tapered to provide better visual sitelines for viewing presentations and for Video Conferencing.

38


**Other Products Shown:**

- Altos Glass Wall
- Contessa Task Chair (NCSY)



# planning applications – video conference boardroom (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
1	ATVC_60156_ _ _ _ _NN	<i>Audience</i> Video Conference Table	\$3299	\$4073	\$10304
1	AFC_DS9029_B_NN2	<i>Audience</i> Credenza with Middle Drawers	\$2350	\$2350	\$6366
1	AFCT90	Credenza Top	\$541	\$559	\$1104
1	AFWF48156	Focus Wall Frame	\$1170	\$1170	\$1170
1	AFWW48156	Focus Wall Whiteboard	\$2425	\$2425	\$2425
2	AFWS4836	Focus Wall Sliding Whiteboard	\$817	\$817	\$817
			<b>\$11418</b>	<b>\$12210</b>	<b>\$23003</b>
		Add: Triple Recessed Power Module (3 x \$578)	\$1795	\$1795	\$1795
			<b>\$13213</b>	<b>\$14005</b>	<b>\$24798</b>

**Price 1** Table: Foundation Painted Stretch Legs, Foundation Laminate Surface with Straight Edge Trim.

**Storage & Work Tools:** Laminate Case & Top.

**Price 2** Table: Foundation Laminate and Foundation Painted Pedestal Base, Foundation Laminate Surface with Straight Edge Trim.

**Storage & Work Tools:** Laminate Case, Seamless Color Top.

**Price 3** Table: Natural Veneer and Anodized Pedestal Base, Natural Veneer Surface with Full Knife Edge.

**Storage & Work Tools:** Natural Veneer Case & Top.



## planning applications – project room # 1

40

- Project Rooms can be furnished using *Audience* Boardroom Tables and Project Storage Carts for shared access to project related documentation.
- Focus Walls provide a writable surface for capturing ideas, brainstorming and scheduling.
- Tackboards provide a location to keep pertinent information in a visible, vertical location.

### Other Products Shown:


- Altos Glass Wall
- Savara Task Chair (NSAY)



# planning applications – project room # 1 (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.

4I



Quantity	Code	Name	Price 1	Price 2	Price 3
1	ATBR_54192_ _ _ _ NN	Audience Rectangular Boardroom Table	\$3923	\$4925	\$11849
2	AFAMR	Medium Project Cart with Doors & Drawer	\$1213	\$1426	\$1599
1	AFAMD	Medium Project Cart with Doors	\$1103	\$1317	\$1489
6	AFASD	Small Project Cart with Doors	\$758	\$920	\$1088
1	AFWF48240	Focus Wall Frame	\$1668	\$1668	\$1668
1	AFWF48120	Focus Wall Frame	\$942	\$942	\$942
1	AFWW48144	Focus Wall Whiteboard	\$2232	\$2232	\$2232
1	AFWW48120	Focus Wall Whiteboard	\$1847	\$1847	\$1847
1	AFWS4848	Focus Wall Sliding Whiteboard	\$1041	\$1041	\$1041
1	AFWS4830	Focus Wall Sliding Whiteboard	\$705	\$705	\$705
2	AFWT4848_S	Focus Wall Tackboard	\$447	\$489	\$535
			<b>\$21328</b>	<b>\$24028</b>	<b>\$32569</b>
Add: Quad Recessed Power Module (4 x \$578)			\$2393	\$2393	\$2393
			<b>\$23721</b>	<b>\$26420</b>	<b>\$34962</b>

**Price 1** Table: Foundation Painted Stretch Legs, Foundation Laminate Surface with Straight Edge Trim.

**Price 2** Table: Foundation Laminate and Foundation Painted Pedestal Base, Foundation Laminate Surface with Straight Edge Trim.

**Price 3** Table: Natural Veneer and Anodized Pedestal Base, Natural Veneer Surface with Full Knife Edge.

**Storage & Work Tools:** Grade 1 Painted Post, Case and Front, Laminate Top, Grade 1 Fabric Focus Board Tackboard.

**Storage & Work Tools:** Grade 2 Painted Post, Case and Front, Seamless Color Top, Grade 2 Fabric Focus Board Tackboard.

**Storage & Work Tools:** Grade 2 Painted Post, Case and Front, Flintwood Top, Grade 3 Fabric Focus Board Tackboard.



## planning applications – project room # 2

For more casual or temporary project or training rooms, Flip-Top Tables can be quickly assembled to provide a meeting area that can be stacked away in the corner when no longer desired.

42

**Other Products Shown:**


- Altos Working Wall (Whiteboard) and Glass Wall
- Contessa Task Chair (NCSY)





planning applications – project room # 2 (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
6	CTFTT_2472	Rectangular Flip Top Table	\$1069	\$1139	\$1682
2	AFALS	Large Project Cart without Doors	\$1250	\$1462	\$1636
			\$8915	\$9756	\$13364



Price 1	Table: Foundation Painted Standard Legs, Foundation Laminate Surface with Straight Edge Trim.	Storage: Grade 1 Post, Case and Front with Laminate Top.
Price 2	Table: Foundation Painted Slender Legs, Foundation Laminate Surface with Straight Edge Trim.	Storage: Grade 2 Post, Case and Front with Seamless Color Top.
Price 3	Table: Mica Painted Slender Legs, Flintwood Surface with Straight Edge Trim.	Storage: Grade 2 Post, Case and Front with Flintwood Top.

## planning applications – training room

- For more permanent Training Room applications, worksurfaces and shared C-Legs provide a location, within a Corporate or Educational environment, for learning.
- Project Carts provide complementary shared storage for training environments and Focus Walls provide a location for writing, projecting and posting information.

### Other Products Shown:


Dharma Task Chair (NDHK)



# planning applications – training room (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.

45



Quantity	Code	Name	Price 1	Price 2	Price 3
12	CTRTA2472	Rectangular Worksurface	\$464	\$464	\$997
18	CTCL_B240	C-Legs with Levelers	\$120	\$156	\$161
12	CTLMS172	Modesty Panel without Cable Tray	\$161	\$228	\$562
2	AFALS	Large Project Cart without Doors	\$1250	\$1462	\$1636
2	AFAMD	Medium Project Cart with Doors	\$1103	\$1317	\$1489
1	AFASD	Small Project Cart with Doors	\$758	\$920	\$1088
1	AFWF48240	Focus Wall Frame	\$1668	\$1668	\$1668
2	AFWF48144	Focus Wall Frame	\$1094	\$1094	\$1094
1	AFWW48240	Focus Wall Whiteboard	\$3693	\$3693	\$3693
2	AFWW4896	Focus Wall Whiteboard	\$1427	\$1427	\$1427
2	AFWT4848_S	Focus Wall Tackboard	\$447	\$489	\$535
1	AFWS4848	Focus Wall Sliding Whiteboard	\$1041	\$1041	\$1041
			<b>\$27467</b>	<b>\$30010</b>	<b>\$41465</b>
Add: Grommets (12 x \$50)			\$621	\$621	\$621
			<b>\$28088</b>	<b>\$30631</b>	<b>\$42086</b>

**Price 1** Table: Foundation Painted Standard Legs, Foundation Laminate Surface with Straight Edge Trim, Source Laminate **Modesty Panel**.

**Storage & Work Tools:** Grade 1 Painted Post, Case and Front, Laminate Top, Grade 1 Fabric Focus Board Tackboard.

**Price 2** Table: Foundation Painted Slender Legs, Foundation Laminate Surface with Straight Edge Trim, Foundation Laminate **Modesty Panel**.

**Storage & Work Tools:** Grade 2 Painted Post, Case and Front, Seamless Color Top, Grade 2 Fabric Focus Board Tackboard.

**Price 3** Table: Mica Painted Slender Legs, Flintwood Surface with Straight Edge Trim, Flintwood **Modesty Panel**.

**Storage & Work Tools:** Grade 2 Painted Post, Case and Front, Flintwood Top, Grade 3 Fabric Focus Board Tackboard.



## planning applications – computer lab

- Training Room furniture can be configured to provide functional computer labs for Corporate or Education environments.
- Focus Walls and Project Carts complement the furniture when needed.

46

### Other Products Shown:


Dharma Task Chair (NDHK)



# planning applications – computer lab (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.

47



Quantity	Code	Name	Price 1	Price 2	Price 3
12	CTRTA2442	Rectangular Worksurface	\$269	\$269	\$578
20	CTCL_B240	C-Legs with Levelers	\$120	\$156	\$161
12	CT_MS242	Modesty Panel with Cable Tray	\$189	\$214	\$496
2	AFALD	Large Project Cart with Doors	\$1463	\$1677	\$1851
1	CTRTA2460	Rectangular Worksurface	\$385	\$385	\$829
1	CT_MS260	Modesty Panel with Cable Tray	\$216	\$255	\$604
1	AFWF48192	Focus Wall Frame	\$1398	\$1398	\$1398
12	CTDS_1542	Table Screen	\$293	\$317	\$412
1	AFWW48192	Focus Wall Whiteboard	\$2888	\$2888	\$2888
1	CTDS_1560	Table Screen	\$357	\$386	\$504
			<b>\$19589</b>	<b>\$21391</b>	<b>\$30977</b>
		Add: Grommets (13 x \$50)	\$673	\$673	\$673
			<b>\$20262</b>	<b>\$22064</b>	<b>\$31649</b>

**Price 1** Table: Foundation Painted Standard Legs, Foundation Laminate Surface with Straight Edge Trim, Foundation Metal **Modesty Panel** (Solid) and **Desk Screen**.

**Storage, Accessories & Work Tools:** Foundation Paint or Grade 1 Paint Case and Front, Laminate Top.

**Price 2** Table: Foundation Painted Slender Legs, Foundation Laminate Surface with Straight Edge Trim, Foundation Laminate **Modesty Panel**, Grade 1 Fabric **Table Screen**.

**Storage, Accessories & Work Tools:** Mica Paint or Grade 2 Paint Case and Front, Seamless Color Top.

**Price 3** Table: Mica Painted Slender Legs, Flintwood Surface with Straight Edge Trim, Flintwood **Modesty Panel** and Translucent **Desk Screen**.

**Storage, Accessories & Work Tools:** Mica Paint or Grade 2 Paint Case and Front, Flintwood Top.



## planning applications – collaborating room

Training Table Worksurfaces can be linked together to create several shapes in order to facilitate collaboration within the office environment.

48


### Other Products Shown:

Dharma Task Chair (NDHK)



# planning applications – collaborating room (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
1	AFC_AG9036_N	Audience Credenza with Glass Doors	\$3196	\$3196	\$6435
1	AFCT90	Credenza Top	\$541	\$559	\$1104
1	AFT_AG3236	Audience A.V. Cart with Glass Doors	\$1314	\$1314	\$3596
1	AFTT232	A.V. Cart Top Without LCD Arm	\$190	\$284	\$593
3	AFWF48192	Focus Wall Frame	\$1398	\$1398	\$1398
1	AFWW48192	Focus Wall Whiteboard	\$2888	\$2888	\$2888
2	AFWT48192N	Focus Wall Tackboard	\$1757	\$1923	\$2106
2	AFWC	Focus Wall Flip Chart Hook	\$151	\$151	\$151
4	CTRTA3072	Rectangular Worksurfaces	\$576	\$576	\$1240
2	CTTAA603060	Trapeze Angular Worksurface	\$416	\$416	\$895
1	CTTAA603084	Trapeze Angular Worksurface	\$585	\$585	\$1258
8	CTCL_B240	C-Legs	\$120	\$156	\$161
2	CTLMS242	Modesty Panel with Cable Tray	\$174	\$214	\$496
1	CTLMS254	Modesty Panel with Cable Tray	\$191	\$242	\$568
4	CTLMS272	Modesty Panel with Cable Tray	\$216	\$284	\$677
			<b>\$22230</b>	<b>\$23362</b>	<b>\$36892</b>
Add: Power Modules (\$234 x 7)			\$1695	\$1695	\$1695
Flat Screen Arm on A.V. Cart			\$196	\$196	\$196
			<b>\$24121</b>	<b>\$25253</b>	<b>\$38782</b>

**Price 1** Table: Foundation Painted Standard Legs, Foundation Laminate Surface with Straight Edge Trim, Source Laminate **Modesty Panel**.

**Storage & Work Tools:** Laminate Case & Top, Grade 1 Fabric Focus Wall Tackboard.

**Price 2** Table: Foundation Painted Slender Legs, Foundation Laminate Surface with Straight Edge Trim, Foundation Laminate **Modesty Panel**.

**Storage & Work Tools:** Laminate Case, Seamless Color Top, Grade 2 Fabric Focus Wall Tackboard.

**Price 3** Table: Mica Painted Slender Legs, Flintwood Surface with Straight Edge Trim, Flintwood **Modesty Panel**.

**Storage & Work Tools:** Flintwood Case & Top, Grade 3 Fabric Focus Wall Tackboard.



## planning applications – research room

Through the use of tables & Lateral Screens, work carrels can be created for temporary private study or work. Combined with other storage products, library or research areas can be created within the office environment.

50

### Other Products Shown:


- Dharma Task Chair (NDHK)
- Bookshelves"





planning applications – research room (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
18	CTRTA2436	Rectangular Worksurface	\$231	\$231	\$496
14	CTDS_S2236	Table Screen	\$320	\$346	\$459
22	CTLS_2224	Lateral Screen	\$240	\$292	\$381
22	CTCL_B240	C-Leg with Levelers	\$120	\$156	\$161
2	CTRTA3084	Rectangular Worksurface	\$675	\$675	\$1451
8	CTPLB0	Post Leg with Leveler	\$66	\$66	\$73
			\$18435	\$20733	\$30764

Price 1	Table: Foundation Painted Standard Legs & Post Legs, Foundation Laminate Surface with Straight Edge Trim, Foundation Metal <b>Desk &amp; Lateral Screens</b> (Solid).	Work Tools: Foundation Paint, Laminate Surface.
Price 2	Table: Foundation Painted Slender Legs & Post Legs, Foundation Laminate Surface with Straight Edge Trim, Grade 1 Fabric <b>Table &amp; Lateral Screens</b> .	Work Tools: Mica Paint, Seamless Color Surface.
Price 3	Table: Mica Painted Slender Legs, Mica Painted Post Legs, Flintwood Surface with Straight Edge Trim, Translucent <b>Desk &amp; Lateral Screens</b> .	Work Tools: Mica Paint, Flintwood Surface.



## planning applications – café & lounge

Casual Tables are available with a monopod base that comes in 3 heights (20", 29" and 42") in order to provide tables for use in Lounge, Café or Cafeteria environments.

52


### Other Products Shown:

- Vasari Chairs (NVAC)
- Vasari Sofas (NVAS)
- Nami Bar Height Chairs (NAMH)



planning applications – café & lounge (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
2	AFM_AS3236_B_N2	Audience Hospitality Cart	\$667	\$3039	\$3039
2	AFMT32	Hospitality Cart Top	\$297	\$1044	\$1044
8	ATCCC30	Circular Café Tables	\$618	\$1101	\$1322
2	ATCSL24	Square Lounge Table	\$514	\$958	\$958
1	ATCVL3066_ _ _ _ NN	Oval Lounge Table	\$1004	\$1824	\$2894
			\$8903	\$20717	\$23550



Price 1	Table: Foundation Laminate Surface with Straight Edge Trim, Foundation monopod Base.	Storage: Source Laminate Case & Foundation Laminate Top.
Price 2	Table: Flintwood Surface with Straight Edge Trim, Mica monopod Base.	Storage: Flintwood Case & Top.
Price 3	Table: Natural Veneer Surface with Full Knife Edge, Mica monopod Base.	Storage: Natural Veneer Case & Top.

## planning applications – cafeteria

T-Legs are used to support longer Rectangular Cafeteria tables for use within a Corporate or Educational environment.


**Other Products Shown:**

- Nami Stacking Chair (NAMC)
- Modular Cabinets



planning applications – cafeteria (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
8	ATCRD3060	Rectangular Dining Table (T-Legs)	\$678	\$1327	\$1849
			\$5423	\$10615	\$14788

- Price 1
- Table: Foundation Laminate Surface with Straight Edge Trim, Foundation T-Legs.
- Price 2
- Table: Flintwood Surface with Straight Edge Trim, Mica T-Legs.
- Price 3
- Table: Natural Veneer Surface with Full Knife Edge, Mica T-Legs.



## planning applications – cafeteria and dining

Casual Tables are available in Square, Circular, Oval and Rectangular shapes and are available in a variety of finish offerings to fit the aesthetic requirements of any environment.

56


**Other Products Shown:**

Nami Stacking Chair (NAMC)



# planning applications – cafeteria and dining (continued)

The following chart shows a detailed listing of all products contained within this application, including codes and three different pricing levels.



Quantity	Code	Name	Price 1	Price 2	Price 3
1	AFC_AS8036_B_CN2	Audience Credenza with Solid Doors	\$1545	\$4808	\$4808
1	AFCT80	Credenza Top	\$481	\$1095	\$1095
1	AFM_BS3236_B_N2	Audience Hospitality Cart with Solid Doors & Drawer	\$978	\$3581	\$3581
1	AFMT32	Hospitality Cart Top	\$297	\$1044	\$1044
6	ATCSB30	Square Bistro Table	\$557	\$1130	\$1129
			\$6643	\$17309	\$17303

Price 1	Table: Foundation Laminate Surface with Straight Edge Trim, Foundation monopod.	Storage: Source Laminate Case & Foundation Laminate Top.
Price 2	Table: Flintwood Surface with Straight Edge Trim, Mica monopod.	Storage: Flintwood Case & Top.
Price 3	Table: Natural Veneer Surface with Full Knife Edge, Mica monopod.	Storage: Natural Veneer Case & Top.

work tables



# work tables

WORK TABLE BASICS .....60

FINISH PROTOCOL .....61

EDGE TRIM STYLE OVERVIEW .....62

USER EDGE & GRAIN DIRECTION .....63

WOOD FINISH DETAILS .....63


GROMMET LOCATIONS .....63

## work tables basics

Work Tables are ideally designed to support static or mobile table needs within a systems or private office environment.




### Rectangular and Oval Work Tables (ATWR, ATWV)

- Offered in four base options (see below)
- Can be specified with casters or levelers
- Can be specified with a modesty panel, ordered separately
- Can be specified with a Grommet (left (GL), right (GR), or centered (GC)) for wire management



### Square and Circular Work Tables (ATWS, ATWC)

- Include a 5 point star base with casters
- Are available with a Swivel or Non-Swivel base
- Do not offer power and data options




### Work Table Modesty Panel (ATMP)

- Includes a 4" deep cable tray providing wire management capabilities
- Is offered in eight patterns (see Finish Protocol)
- Cannot be applied to tables less than 54" in width

#### ie Leg (J)


Leveling range is 1 1/2"



ie Casters (60 mm)  
4 locking


#### Height Adjustable Post Leg (H)

Leveling range is 1/2"



#### Fixed Height Post Leg (P)



Leveling range is 1/2"



Casters (75 mm)  
2 locking, 2 swivel

#### Stretch Leg (S)

Leveling range is 3/4"




Adjustment Range allows Work Table surfaces to sit above or below systems work surface heights


Finishes and edge details for Work Tables co-ordinate with all Teknion systems.

- ❗ Straight Trims (6) and Bullnose Trims (2) are available in a variety of Edge Trim Colors. Flintwood, Seamless and Natural Veneer surfaces will include edges that match the surface color.


Grommets are a fine Brush Chrome finish




Modesty Panels are offered in eight patterns that can be specified in Foundation or Mica colors




Embossed  
Square Solo




Embossed  
Square Collective




Embossed  
Dot Solo




Embossed  
Large Dot




Perforated  
Square Solo



Perforated  
Square Collective



Perforated  
Dot Solo























Embossed  
Louvered Solo

## edge trim style overview

The chart below indicates which edge trim styles can be specified with all Work Table surface finishes.

- All edge finishes will automatically default to match the surface finish selected with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge trim color be chosen
- Work Table worksurfaces are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
<b>Straight Trim (6)</b> All Edges			n/a	n/a	n/a	Straight Trim (6)
<b>Bullnose Trim (2)</b> User Edge Only			n/a	n/a	n/a	Finished in a coordinating Flat Trim
<b>Flintwood Straight Trim (7)</b> All Edges		n/a	n/a		n/a	Flintwood Straight Trim (7)
<b>Seamless Flat Edge (G)</b> All Edges		n/a		n/a	n/a	Seamless Flat Edge (G)
<b>Seamless Full Knife Edge (X)</b> User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat Edge
<b>Seamless Eased Edge (E)</b> User Edge Only		n/a		n/a	n/a	Finished in a coordinating Flat Edge
<b>Flat Edge (G)</b> All Edges		n/a	n/a	n/a		Flat Edge (G)
<b>Full Knife Edge (H)</b> User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>Solid Full Knife Edge (X)</b> User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>Solid Eased Edge (E)</b> User Edge Only		n/a	n/a	n/a		Finished in a coordinating Flat edge


## user edge & grain direction

The illustrations below highlight locations of the user edges and wood grain direction for Work Tables.


❗ Shading indicates user edge




Rectangular (ATWR)



Oval (ATWV)



Circular (ATWC)



Square (ATWS)

## wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

### flintwood & natural veneer


Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.



Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

## grommet locations

❗ Grommets on Work Tables are located along one width of the Work Table surface and are ideally suited for single person usage of the table. In shared applications, Grommets are not recommended.



Grommet Right (GR)  
Grommet Centered (GC)  
Grommet Left (GL)



meeting & *audience*®  
boardroom tables

# meeting & *audience*® boardroom tables

MEETING ROOM TABLE BASICS . . . . .	66
MEETING ROOM TABLE FINISH PROTOCOL . . . . .	68
MEETING ROOM TABLE EDGE TRIM STYLE OVERVIEW . . . . .	69
USER EDGE & GRAIN DIRECTION . . . . .	70
ELECTRICS LAYOUTS FOR MEETING TABLES . . . . .	71
<i>AUDIENCE</i> ® BOARDROOM TABLES BASICS . . . . .	72
<i>AUDIENCE</i> ® BOARDROOM TABLES FINISH PROTOCOL . . . . .	73
<i>AUDIENCE</i> ® BOARDROOM TABLES EDGE TRIM STYLE OVERVIEW . . . . .	74
<i>AUDIENCE</i> ® BOARDROOM TABLE USER EDGE & GRAIN DIRECTION . . . . .	75
<i>AUDIENCE</i> ® BOARDROOM TABLES GRAIN DIRECTION & NUMBER OF PIECES . . . . .	76
WOOD FINISH DETAILS . . . . .	78
POWER & DATA BASICS . . . . .	79
ELECTRICAL LAYOUTS FOR <i>AUDIENCE</i> ® BOARDROOM TABLES . . . . .	81
POWER/DATA GROMMET DETAILS . . . . .	83
RECESSED POWER/DATA MODULE DETAILS . . . . .	84
PLANNING WITH RECESSED POWER/DATA MODULES . . . . .	85


## meeting room tables basics

Meeting Tables are ideally suited to providing table requirements for up to eight people in small to medium sized meeting rooms.


- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.

### Meeting Tables (ATMT, ATMS, ATMC)

- Include 4 base options
- Triangular shape is not available in 60" widths



Triangular (ATMT)



Square (ATMS)



Circular (ATMC)

Audience A.V. Cart (AFT\_)  
with A.V. Cart Top (AFTT)

Focus Wall Frame (AFWF)



Focus Wall Whiteboard (AFWW)

Focus Wall Tackboard (AFWT)

### Power & Data Options

- Grommet (centered only) (GC), Pop-Up (centered only) (PC), Recessed (with power cord (R) or hard wired (H)) (centered only) (RC/HC)
- No power/data options are available with the Mono-Pod base
- Recessed data/electric is only available on the 54" & 60" sizes

Audience Hospitality Cart (AFM\_)  
with Hospitality Cart Top (AFMT)



### Mono-Pod Leg

Available on 36" and 42" dimensions only

### Height-Adjustable Post Leg (H)


- Leveling range is 1/2"
- Available on 42" and 48" dimensions only

### Fixed Height Post Leg (P)

Leveling range is 1/2"

### Stretch Leg (S)

Leveling range is 3/4"



Casters (75 mm)  
2 locking, 2 swivel




# meeting & audience boardroom tables


## meeting room tables basics (continued)

Meeting Rooms can be finished with *Audience* Boardroom Storage and Focus Walls.

- Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.



Grommet



Recessed Power/Data Module


### Fixed Height Post Leg (P)

Leveling range is 1/2"



### Stretch Leg (S)

Leveling range is 3/4"



## meeting room tables finish protocol

Meeting Room Tables co-ordinate with All Teknion finishes.

- ❗ Focus Wall products can be found in the Work Tools section.
- Storage products can be found in the Storage section.
- Straight Trims (6) and Bullnose Trims (2) are available in a variety of Edge Trim Colors. Flintwood, Seamless and Natural Veneer surfaces will include edges that match the surface color.

### Audience Carts

- Cases are finished in Source laminate, Flintwood, or Natural Veneer
- Top is finished in Foundation Laminate, Seamless Color, Flintwood and Natural Veneer

### Power & Data Options




Grommet is a fine brush Chrome finish



Grommet Ring is Silver

### Grommet



### Recessed Power/Data Module

- One top-accessed Duplex Power Outlet is finished in Grey.
- Top Plate and Data/Electrical Box are finished in clear Anodized Aluminum
- Pivoting Retractable door is finished in clear Anodized Aluminum
- Blank cover for Communication Opening is finished in Platinum Grey
- Frame is finished in powder coat Platinum
- Power Cord is 15' long and Black color with 3-prong straight plug

- Table bases are available in a variety of Foundation or Mica colors
- Stretch Legs are also available in Chrome
- Casters are Black with Platinum covers and collars
- Leveler is Chrome and leveler collar is Chromed or Painted to match leg finish selected

- Worksurfaces are available in Foundation Laminates, Seamless Colors, Flintwood stains or Natural Veneers

- Edges can be specified in Straight trim (6), Bullnose Trim (2), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X), Solid Eased Edge (E)

## meeting room tables edge trim style overview

The chart below indicates which edge trim styles can be specified with all meeting room surface finishes.



- All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge finish be chosen
- Meeting Table worksurfaces are 1" thick


		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
<b>Straight Trim (6)</b>			n/a	n/a	n/a	Straight Trim (6)
All Edges						
<b>Bullnose Trim (2)</b>			n/a	n/a	n/a	Finished in a coordinating Straight Trim
User Edge Only						
<b>Flintwood Straight Trim (7)</b>		n/a	n/a		n/a	Flintwood Straight Trim (7)
All Edges						
<b>Seamless Flat Edge (G)</b>		n/a		n/a	n/a	Seamless Flat Edge (G)
All Edges						
<b>Seamless Full Knife Edge (X)</b>		n/a		n/a	n/a	Finished in a coordinating Flat Edge
User Edge Only						
<b>Seamless Eased Edge (E)</b>		n/a		n/a	n/a	Finished in a coordinating Flat trim
User Edge Only						
<b>Flat Edge (G)</b>		n/a	n/a	n/a		Flat Edge (G)
All Edges						
<b>Full Knife Edge (H)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						
<b>Solid Full Knife Edge (X)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						
<b>Solid Eased Knife Edge (E)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
User Edge Only						

## user edge & grain direction



Illustrations below show grain direction and user edges both with and without solid edges.

❗ Shading indicates user edge

### user edge




### solid edge



A visible "frame" will be evident on the surface of the table when Solid Edges (Solid Full Knife (X) and Solid Eased (E) ) are specified. Color will be the same, however slight shade differences and grain directions may be evident

## corner details on natural veneer worksurfaces



**Solid Full Knife Edge (X)**




**Solid Eased Edge (E)**




**Flat Edge (G)**




**Full Knife Edge (H)**



When a Solid User Edge meets up with a Non-User Edge (as with the Boat and Video-Conference shapes), the solid wood profile is visible on the Non-User Edges




**Solid Full Knife Edge (X)**



**Solid Eased Edge (E)**



When a Full Knife User Edge meets up with a Non-User Edge, there is only a small 1 mm profile visible from the Flat Side



**Full Knife Edge (H)**



**Flat Edge (G)**


# meeting & *audience* boardroom tables

## electrics layouts for meeting tables

Illustrations below show Power/Data locations on various table shapes and sizes.


### grommet (G)

Sizes: 42" x 42", 48" x 48" (Not Mono-Pod bases)




ATMS

Centered Grommet (GC)



ATMC


Centered Grommet (GC)



ATMT

Centered Grommet (GC)


Sizes: 36" – 48" d, 66" – 84" w



ATMR

Centered Grommet (GC)


Centered Recessed Unit (Plug-in or hardwire) (RC,HC)



ATMB

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)




ATMV

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)

### recessed power/data module (R,H) and grommet (G)


Sizes: 54" or 60" w



ATMS

Centered Grommet (GC)


Centered Recessed Unit (Plug-in or hardwire) (RC,HC)



ATMC

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)



ATMT

Centered Grommet (GC)

Centered Recessed Unit (Plug-in or hardwire) (RC,HC)

Sizes: 36" – 48" d, 96" w



ATMR

Double Grommet (GD)

Double Recessed (Plug-in or hardwire) (RD, HD)



ATMB

Double Grommet (GD)

Double Recessed (Plug-in or hardwire) (RD, HD)



ATMV

Double Grommet (GD)

Double Recessed (Plug-in or hardwire) (RD, HD)

## audience boardroom tables basics

**Audience Boardroom Tables** provide a meeting area for up to 16 people and are available in a variety of shapes, base options and finishes

### Audience Boardroom Tables (ATBS, ATBC, ATBV, ATBR, ATBB, ATVC)

- Include Pedestal Base or Stretch Legs
- Available in a variety of Power/Data options

### Power/Data Options


#### Square and Circular Tables

- Centered Grommet (GC)
- Double Grommet (GD)
- Centered Recessed (RC/HC)\*
- Single-Offset Recessed (RS/HS)\*
- Double Recessed (RD/HD)\*
- Quad Recessed (RQ/HQ)\*


#### Rectangular, Oval, Boat and Video Conference Tables

- Centered Grommet (GC)
- Double Grommet (GD)
- Triple Grommet (GT)
- Centered Recessed (RC/HC)\*
- Double Recessed (RD/HD)\*
- Triple Recessed (RT/HT)\*
- Quad Recessed (RQ/HQ)\*


\* For Recessed Power/Data Modules, "R" represents the Plug-in option and "H" represents the Hard wired option




Square (ATBS)




Circular (ATBC)




Oval (ATBV)



Rectangular (ATBR)



Boat (ATBB)




Video Conference (ATVC)

### Audience Credenza with Doors (AFC\_A) with Credenza Top (AFCT)

### Audience A.V. Cart (AFT\_) with A.V. Cart Top (AFTT)

### Audience Hospitality Cart (AFM\_) with Hospitality Cart Top (AFMT)



End Pedestal base profile is curved out

Center Pedestal base end profile is flat

### Base Options

#### Square & Circular Tables


- Quad Pedestal Base (Q)
- Stretch Legs (S)

#### Rectangular, Oval, Boat and Video Conference Tables

- Pedestal Base (P)
- Stretch Legs (S)




Grommet




Recessed Power/Data Module


#### Stretch Leg (S)



#### Pedestal Base (P)



#### Quad Pedestal Base (Q)




# meeting & audience boardroom tables

## audience boardroom tables finish protocol

**Audience Boardroom Tables co-ordinate with all Teknion finishes.**















- Storage products can be found in the Storage section.
- Straight Trims (6) is available in a variety of Edge Trim Colors. Flintwood and Natural Veneer surfaces will come with edges that match the surface color.



*audience* boardroom tables edge trim style overview

The chart below indicates which edge trim styles can be specified with all *Audience* Boardroom surface finishes.


- ❗ All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) which requires that an edge finish be chosen
- Audience* Boardroom Table worksurfaces are 1 1/4" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
<b>Straight Trim (6)</b>			n/a	n/a	n/a	Straight Trim (6)
<b>All Edges</b>						
<b>Flintwood Straight Trim (7)</b>		n/a	n/a		n/a	Flintwood Straight Trim (7)
<b>All Edges</b>						
<b>Flat Edge (G)</b>		n/a	n/a	n/a		Flat Edge (G)
<b>All Edges</b>						
<b>Full Knife Edge (H)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						
<b>Solid Full Knife Edge (X)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						
<b>Solid Eased Edge (E)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						

## corner details on natural veneer worksurfaces

**Solid Full Knife Edge (X)****Flat Edge (G)****Solid Eased Edge (E)****Full Knife Edge (H)**

When a Solid User Edge meets up with a Non-User Edge (as with the Boat and Video-Conference shapes), the solid wood profile is visible on the Non-User Edges

**Solid Full Knife Edge (X)****Solid Eased Edge (E)**

When a Full Knife User Edge meets up with a Non-User Edge, there is only a small 1 mm profile visible from the Flat Side


**Full Knife Edge (H)****Flat Edge (G)**



*audience* boardroom table user edges & grain direction


Illustrations below show user edge and grain direction for *Audience* Boardroom Tables.

! shading indicates user edge.



75





## grain direction



***audience* boardroom tables grain direction & number of pieces**

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.





❗ Most *Audience* Boardroom Tables come with at least 2 surface tops and will be seamed.

Shape	Size	# of Pieces	# of <u>Pairs</u> of Stretch Legs or Pedestal Bases	Grain Direction
 Square	66x66	2 pieces	2 (or 1 Quad Base)	↕
	72x72	2 pieces	2 (or 1 Quad Base)	↕
	78x78	2 pieces	2 (or 1 Quad Base)	↕
	84x84	2 pieces	2 (or 1 Quad Base)	↕
	90x90	2 pieces	2 (or 1 Quad Base)	↕
	96x96	2 pieces	2 (or 1 Quad Base)	↕
 Rectangular	42x96	1 piece	2	↔
	42x108	2 pieces	2	↔
	42x120	2 pieces	2	↔
	48x96	1 piece	2	↔
	48x108	2 pieces	2	↔
	48x120	2 pieces	2	↔
	48x132	2 pieces	2	↔
	48x144	2 pieces	2	↔
	48x156	2 pieces	3	↔
	48x168	3 pieces	3	↕
	48x180	4 pieces	3	↕
	54x108	2 pieces	2	↔
	54x120	2 pieces	2	↔
	54x132	2 pieces	2	↔
	54x144	2 pieces	2	↔
	54x156	2 pieces	3	↔
	54x168	3 pieces	3	↕
	54x180	4 pieces	3	↕
	54x192	4 pieces	3	↕
 Boat	48x96	1 piece	2	↔
	48x108	2 pieces	2	↔
	48x120	2 pieces	2	↔
	48x132	2 pieces	2	↔
	48x144	2 pieces	2	↔
	48x156	2 pieces	3	↔
 Oval	48x96	1 piece	2	↔
	48x108	2 pieces	2	↔
	48x120	2 pieces	2	↔
	48x132	2 pieces	2	↔
	48x144	2 pieces	2	↔
	48x156	2 pieces	3	↔

# audience boardroom tables grain direction & number of pieces (continued)

The following chart indicates the number of surface pieces provided and the number of pedestal bases/pairs of legs.

! Audience Boardroom Tables coded as "60" have an actual dimension of 58.5".

Shape	Size	# of Pieces	# of Pairs of Stretch Legs or Pedestal Bases	Grain Direction
 Rectangular	54x204	4 pieces	3	↑↓
	54x216	4 pieces	3	↑↓
	54x228	4 pieces	4	↑↓
 Boat	60x144	2 pieces	2	↔
	60x156	2 pieces	3	↔
	60x168	3 pieces	3	↑↓
 Oval	60x180	4 pieces	3	↑↓
	60x192	4 pieces	3	↑↓
	60x204	4 pieces	3	↑↓
	60x216	4 pieces	3	↑↓
	60x228	4 pieces	4	↑↓
 Video Conference	54x120	2 pieces	2	↔
	54x132	2 pieces	2	↔
	54x144	2 pieces	3	↔
	54x156	2 pieces	3	↔
	60x120	2 pieces	3	↔
	60x132	2 pieces	3	↔
	60x144	2 pieces	3	↔
	60x156	2 pieces	3	↔
	60x168	3 pieces	3	↑↓
	60x180	4 pieces	3	↑↓
	60x192	4 pieces	3	↑↓
	60x204	4 pieces	3	↑↓
	60x216	4 pieces	4	↑↓
	60x228	4 pieces	4	↑↓

## wood finish details

The following provides details on Teknion's Flintwoods and Natural Veneers.

### flintwood & natural veneer


Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.


Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

The illustration below shows how Power/Data is incorporated into the *Audience* Boardroom Tables.

### horizontal wire management



### vertical wire management (pedestal base)




# meeting & *audience* boardroom tables

---

## power and data basics (continued)

The illustration below shows how Power/Data is incorporated into the *Audience* Boardroom Tables.


### vertical wire management (stretch legs)



#### Stretch Leg

Requires exposed wire management accessories

### vertical & horizontal wire management (quad base)




# meeting & *audience* boardroom tables

## electrical layouts for *audience* boardroom tables


The illustration below indicates Power/Data options and placement by surface shape and sizes. See Product Pages for details.

### grommet

\* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables



\* Square (ATBS) & Circular (ATBC) Boardroom Tables



\* Please refer to Basics Page for details on offering.

## electrics layouts for *audience* boardroom tables (continued)


The Recessed Power/Data Module is available in both a Plug-In or a Hard-Wire version.

- ❗ "R" represents the Recessed "Plug-In" option.
- "H" represents the Hard Wire version HC, HS, HD, HQ.


### recessed power/data module

\* Rectangular (ATBR), Oval (ATBV), Boat (ATBB) and Video Conference (ATVC) Boardroom Tables

Detail A




\* Square (ATBS) & Circular (ATBC) Boardroom Tables



Detail A

Detail B

Position for 84", 90", 96" Square/Circle only





\* Please refer to Basics Page for details on offering.




## power/data grommet details

The following illustrations provide details of the Grommet.




Nests down into grommet and is easy to pull-out

Grommet Cap is 3" wide x 2" high, Material is Die Cast Zinc and is finished in a fine brush Chrome finish



- Grommet Ring fits in hole in table
- Hole can be cut in the field with 2 3/4" hole saw
- Material is Polycarbonate (Plastic) finished in Silver




- Phone/Data Jack Nest is for ease of retrieval for laptops, etc
- Data cable can stay nested in grommet cap when not in use
- Data Nest can be used with data cables up to CAT 6 (approximately 1/4")
- Pass through can accommodate power cables up to (1/2")

# meeting & *audience* boardroom tables


---

## recessed power/data module details

A Recessed Power and Data Module is a flush fitting power and data solution for Meeting and Boardroom Tables.



- As a special item, this unit can be customized to meet customers special data/communication and power needs including audio/video controls or extra power outlets
- Standard offering has three power outlets and a covered communication opening that can accommodate a variety of data connectors (not included)
- The communication opening is 2.72" x 1.38" for single gang mounting plates which will accommodate kits from AMP, Panduit, Hubbell, Leviton, Northern Telecom, AT&T, lucent and others
- Module is 6.125" wide x 6.125" deep x 3.5" high




# meeting & *audience* boardroom tables

## planning with recessed power/data modules

The Recessed Power/Data Module can be customized to accommodate desired Power/Data needs as well as required A/V controls.

### standard unit




Standard unit can be field-installed using the template provided with the product, but tables can be ordered with the recessed power/data cut out pre-cut


Special configuration recessed modules are available up on special request

85

### module orientation in table




- As cut out in table for recessed power/data module is 6"/6" square, unit may be oriented in 1 of 4 directions as shown at left
- Unit can be re-oriented easily with only one tool (screw driver)
- If unit is field installed, a template is provided with the product. A 6" by 6" hole must be drilled



# planning with recessed power/data modules (continued)


## data port configuration options




**Communications Opening** can accommodate data plates and connectors from many manufacturers such as Amp, Pamdui, Hubbell, Leviton, Northern Telecom, AT&T/Lucent and others to have up to four data ports

- Data cables may be exited from unit on right side of frame (1) or on bottom (2)
- Bottom-Mounted outlet can accommodate large brick-style plugs with integrated transformers (3)
- Voice/Data Face plates, Jacks and Cables are not included and must be field-supplied and installed


## data/port options



1 Phone & 1 Data



1 Phone & 2 Data



1 Phone & 3 Data

Not available from all manufacturers



training

# training

TRAINING WORKSURFACE AND SUPPORT BASICS . . . . .	90
TRAINING TABLE BASICS . . . . .	92
ACCESSORY BASICS . . . . .	93
EDGE TRIM STYLE OVERVIEW . . . . .	94
USER EDGE & GRAIN DIRECTION . . . . .	94
SUPPORT COMPATIBILITY CHART . . . . .	95
COLLABORATIVE WORKSURFACE SHAPES . . . . .	96
MODESTY PANEL DETAILS . . . . .	97
ELECTRICAL TRAY & CABLE TRAY DETAILS . . . . .	98
MODESTY PANEL & ELECTRICAL TRAY COMPATIBILITY CHART . . . . .	99
PLANNING WITH TABLE SCREENS & LATERAL SCREENS . . . . .	100
ACCESSORY COMPATIBILITY CHART . . . . .	101
LIGHTING, ELECTRICS & COMMUNICATIONS BASICS . . . . .	102
FINISH PROTOCOL . . . . .	103


# training worksurface and support basics

The following diagrams highlight Worksurface Support and Modesty Panel options for the Training Tables

Please refer to the Work Tools section for Focus Wall products and Storage section for Storage Products.

### Rectangular Worksurface (CTRT) and Cockpit Worksurface (CTCK)


Are ideally suited for classroom or training room like configurations



### Support Options

- Four leg styles are available for use with Training Tables
- All can be used on their own or in shared applications
- For compatibility between worksurfaces and legs, please refer to compatibility chart


	C-Leg	T-Leg	Int Leg	Adjustable Height Option
Standard (D)				n/a
Arched (A)				
Slender (S)				
Post Leg (P)	n/a	n/a	n/a	



### Modesty Panels (CTLM, CTMM)

- Used with most worksurfaces; see Compatibility Chart for application to the various shapes of worksurfaces
- Available in Laminate or Metal
- Metal is available in Solid or Embossed
- Available with or without a built-in cable tray; the Cable Tray (CTWT) or Electrical Tray (CTET) can also be specified separately, the latter is not compatible with built-in tray
- When specifying the Modesty Panel, select the width to match the width of the worksurface to which it is being

- applied. Actual width will differ depending on the leg type
- Access door can be secured using a screw supplied on the modesty panel assembly




### Also Available:



#### Modesty Panels for Flip-Top Table (CTLME, CTMMF)

- Used with Flip-Top Table (CTFT) only
- Available in Laminate or Metal
- Metal is available in Solid or Embossed
- Cable Tray (CTWT) or Electrical Tray (CTET) can be specified separately


- When specifying the Modesty Panel, select the width to match the width of the table to which it is being applied; actual width will be smaller
- Includes a securing device



- Casters and levelers can be specified on all legs except Intermediate Legs
  - Post Leg has a 75 mm caster
  - C-Legs and T-Legs have a 60 mm caster
- Levelers have a leveling range of 1" for the Standard (D) and Slender Legs (S) and 1/2" for the Arched Leg (A). When casters are specified, one caster is lockable
- All except Standard Legs are available in an Adjustable Height version (1" increments) that includes a securing device



- A concealed roller (1 caster, 1 leveler) is offered for the Arched Leg style. The roller option includes one leveler and one unlockable roller. This permits movement when the worksurface is lifted at one end and keeps the worksurface stationary when at rest






# training worksurface & support basics (continued)

The following diagrams highlight worksurface shapes, linking options, and Power/Data alternatives for the training tables.

❗ Please refer to the Storage section for *Audience Storage* products and the Work Tools section for Focus Wall products.


## Worksurface Shapes

Are provided in order to be able to plan collaborative work environments




## Intermediate Legs

- Specified only as a secondary support for specific worksurfaces
- May be used as a shared support to create corner configurations, but **cannot** be used to support a worksurface independently or to create rows of linked worksurfaces




*Audience A.V. Cart*

*Focus Wall*




## Linking Tables

- For permanent configurations, worksurfaces can be linked together using a shared leg
- For more temporary or casual applications, tables can either be casually clustered together on their own or with the use of the Quick Release Linking System (CAQR)




## Grommets or Power/Data Center

- Can be specified when worksurfaces or tables are ordered. The surface will come with pre-drilled holes for easy installation on site
- Eight options are available
- Additional Grommets (CTGM) or Power/Data Centers (CLMP) can be field-installed and must be specified separately
- The Power/Data Center provided with worksurfaces and tables has a 120" long cord



## Power/Data Sphere (CLPS)


Can be field-installed to provide Power and Data access on both sides of the table in collaborative set up




# training table basics

Within the training tables offering, several table options can be specified for more casual use.



- ❗ All Training Tables are sold as complete tables but are shipped knocked down
- All Training Tables can be specified with Grommets or Power/Data Centers



**The worksurface of the Flip-Top Tables (CTFT)** lock in both flat and upright positions. An activation handle is standard underneath the surface at the back edge and can be operated with one hand at any point along the surface. When a modesty panel (CTLMF, CTMMF) is installed, it activates the handle






- This table accepts the Modesty Panel for Flip-Top Table (CTLMF, CTMMF) only. Can also accept the Electrical Tray (CTET) or Cable Tray (CTWT) at the same time as the modesty panel
- Can be nested together for storage. For example six tables will store into a space 53" wide
- Available in fixed height leg styles and options shown on the right
- Come with two lockable and two non-lockable casters





## Rectangular Height-Adjustable Tables (CTHT)

- Provide crank height adjustment from 24" to 36"
- Widths dimensions are 1" shorter than specified to allow for height-adjustment clearance and cable management
- Low-torque mechanism allows for minimal effort with only five turns per inches of adjustment. The mechanism can be operated on each side of worksurface (left or right)
- Available in fixed height leg styles and options shown on the right
- Are not offered with casters
- Arched Leg is available with an optional concealed roller (1 caster/1 leveler)



## Rectangular Folding Tables (CTFL) and Lightweight Rectangular Folding Tables (CTLF)

- Are available with C-Legs or T-Legs
- Three fixed height (29") Leg Styles are available Standard (D), Arched (A) and Slender (S)
- Casters or Levelers can be specified on each of the leg styles
- Include two lockable casters when casters are specified
- The lightweight version comes with two integrated handles
- Arched Leg is available with an optional concealed roller
- Do not accept accessories






## Mobile Table Trolley (CTMT)

- Available to store or move up to 7 (1,000 lbs) Folding Tables stored vertically
- Finished in Black

The following diagrams highlight Screens, Electrical Trays and Accessories available within the Training Table offering.


#### Table Screens (CTDS) and Lateral Screens (CTLS)

- Can only be applied to Rectangular and Cockpit Worksurfaces and the Rectangular Height-Adjustable Table (CTHT)
- **Cannot** be applied when T-Legs are specified
- **Cannot** be applied to 18" deep worksurfaces
- 22" in height **cannot** be used when casters have been specified
- Fabric is not tackable
- Lateral Screens must be used in combination with a Table Screen
- PAX90, PAX91, PAX97 and PAX98 **cannot** be applied to these screens




#### Cable Tray (CTWT)

- Can be placed on any product
- Is mounted below a worksurface to manage cables coming from the worksurface level
- Under-Worksurface Plug-In Power Bar (RLPP) can be attached to the Cable Tray




#### Electrical Tray (CTET)

- Can be used with a Modesty Panel (without built-in cable tray)
- Allows for front or user access to Power and Data
- Several electrical components such as the Under-Worksurface Plug-In Power Bar (RLPP), the Under-Worksurface Power Outlet (CLWP), the Splitter Box (RLBX) or the Data Box (CLDB) can be attached directly to the electrical tray
- See Compatibility chart for application to the various shapes of Worksurfaces




#### CPU Holder (CTLP)

- Can only be installed on the Arched Leg Style
- Low-profile bottom provides appropriate venting for most CPU's. However, if vents are located on the side of the CPU, 1" should be allowed on either side for sufficient air flow
- **Cannot** be applied in combination with Folding Tables (CTFL, CTLF) and Flip-Top Tables (CTFL)
- If Vertical Leg Covers (CTVL) are mounted on Arched Leg Styles, the inside cover must be removed prior to mounting the CPU Holder



#### Vertical Leg Covers (CTVL)

- Vertical Leg Covers can only be mounted on the Arched Leg Style
- Vertical Leg Covers can be mounted to both sides of an Arched Leg Style to hide exposed cables
- If leg covers (CTVL) or Wire Management Covers (CTWC) are required for Folding Tables, they must be removed before folding under the worksurface
- When Specifying Vertical Leg Covers with cable management, only one cover gets cable management hooks











#### Vertical Wire Management Covers (CTWC)

Are 15" in height and are used only on the Slender Leg Style

## edge trim style & overview


The chart below indicates which edge trim styles can be specified with Training Tables surface finishes.

- ❗ The Flintwood Straight Trim (7) will automatically default to match the surface finish color selected.
- Training Table worksurfaces are 1 3/16" thick

	Foundation Laminate Surface	Flintwood Surface	Non-User Edge
<b>Straight Trim (6)</b>  All Edges		n/a	Straight Trim (6)
<b>Bullnose Trim (2)</b>  User Edge Only		n/a	Finished in a coordinating Straight Trim
<b>Flintwood Straight Trim (7)</b>  All Edges	n/a		Flintwood Straight Trim (7)
<b>Eased Trim (F)</b>  User Edge Only		n/a	Finished in a coordinating Straight Trim

## user edge & grain direction
















- ❗ Shading indicates user edge.



\* Only available with Straight Trim

## support compatibility chart

The chart below shows the compatibility between worksurface shapes and supports within the Training offering.

		Worksurfaces						
		Rectangular (CTRT)	Cockpit (CTCK)	Trapeze Angular (CTTA)	Half-Moon (CTHM)	Mezzanine (CTMZ)	Curved Hatchet (CTCH)	Quarter-Moon (CTQM)
Legs								
C-Leg (CTCL)	Fixed Height 	3, 6	6	4	3, 6	3, 6	3, 6	3, 4
	Adjustable Height 	3			3	3	3	3
T-Leg (CTTL)	Fixed Height 				5	5		4
	Adjustable Height 				5	5		
Intermediate Leg (CTST)	Fixed Height 				1, 2	1, 2	1	1, 4
	Adjustable Height 				1, 2	1, 2	1	1
Post Leg (CTPL)	Fixed Height 							
	Adjustable Height 							

 Compatible  
 Not Compatible

1 = The Intermediate Leg may only be used when worksurfaces are linked.

2 = The Intermediate Leg may be used as a secondary non-linking support (only for 24" and 30" deep worksurfaces).

3 = Available for 24" and 30" deep worksurfaces only.

4 = The Standard Leg style **cannot** be installed on this worksurface.

5 = The 18" T-Leg can be used as a secondary non-linking support.

6 = The Standard Leg style can only be installed on 24" deep worksurfaces.


## collaborative worksurface shapes

The following illustrations demonstrate how to use many of the Worksurface shapes in shared applications.



### Half-Moon & Mezzanine Worksurfaces

- Must be linked to other worksurfaces of the same width using shared supports
- These products **cannot** be used as a stand alone worksurface
- An Intermediate Leg or T-Leg must be specified as a third support
- These worksurfaces do not accept any accessories
- For back-to-back screen applications, please specify 1" wider
- Three Post Legs can be used to support these worksurfaces (2 in shared position plus 3rd post leg)



### Curved Hatchet & Quarter-Moon Worksurfaces


- Must be linked to other worksurfaces of the same width using shared supports
- These products **cannot** be used as a stand alone worksurface
- These worksurfaces do not accept any accessories
- The Quarter-Moon worksurface does not accept the "Standard" Leg Style

# modesty panel details


Training offers modesty panels mounted under the worksurface between supports to provide seated privacy.

- To determine compatibility between Modesty Panels and Worksurfaces, please refer to the Accessory Compatibility Chart in this section
- Modesty panels do not provide structural support


Modesty Panels  
(CTLM, CTMM)




Modesty Panels for Flip-Top Table  
(CTLME, CTMMF)



Securing Device



- Provide a 1/2" gap for cable access between the Modesty Panel and the worksurface




## Modesty Panels (CTLM, CTMM):

- Support configuration must be specified to ensure that the correct actual width is provided
  - (H) for application on a Height-Adjustable Table (CTHT) only
  - (P) for application on tables with Post Legs
  - (S) for application on tables with C-Legs, T-Legs or Intermediate Legs
- Training electrical products (RLPP, CLWP, RLBX) can be installed on a Modesty Panel wider than 42" with built-in cable tray
- Not compatible with Flip-Top Table

## Modesty Panels for Flip-Top Table (CTLME, CTMMF):

- The width specified must be equal to the worksurface width; actual width will be smaller




- Shared configuration **cannot** be achieved with Modesty Panels for Flip-Top Table (CTLME, CTMMF)

# electrical tray & cable tray details


Training offers products that provide easy cable management on tables with or without modesty panel.

❗ To determine compatibility between Electrical Trays, Cable Trays and Worksurfaces, please refer to the Accessory Compatibility Chart in this section


## Electrical Tray Application




With Modesty Panel



Without Modesty Panel



User Access




Back Access


### Electrical Tray (CTET):

- Can be installed for user or back access; if a power module is installed, only back access is possible
- Support configuration must be specified to ensure that the correct actual width is provided
  - (H) for application on a Height-Adjustable Table (CTHT) and Flip-Top Table (CTFT)
  - (P) for application on tables with Post Legs
  - (S) for application on tables with C-Legs, T-Legs or Intermediate Legs
- Electrical components such as the Under-Worksurface Plug-in Power Bar (RLPP), the Under-Worksurface Power Outlet (CLWP), the Splitter Box (RLBX) and the Data Box (CLDB) can be fixed directly into the electrical clips that support the tray cover

## Cable Tray Application




With Modesty Panel



Without Modesty Panel

### Cable Tray (CTWT):









- Value alternative to a Electrical Tray (CTET)
  - More than one tray can be specified under the same table
- Only Under-Worksurface Plug-in Power Bar (RLPP) can be attached directly to this product





# modesty panel & electrical tray compatibility chart

The chart below will help determine compatibility between Modesty Panels, Electrical Trays and Worksurfaces.

			accessory widths					
worksurface/table widths				Electrical Tray (CTET)	Modesty Panels (CTLM, CTMM)	Modesty Panels (CTLME, CTMMF)		
	Rectangular Worksurface (CTRT)		36"	36"		n/a		
			42"	42"		n/a		
	Cockpit Worksurface (CTCK)		48"	48"		n/a		
			54"	54"		n/a		
	Rectangular Height-Adjustable Table (CTHT)		60"	60"		n/a		
			66"	66"		n/a		
			72"	72"		n/a		
			78"	78"		n/a		
			84"	84"		n/a		
	Trapeze Angular Worksurface (CTTA)			20°	30°	50°	60°	
			36"	24"*	n/a	n/a	n/a	n/a
			42"	30"	24"*	n/a	n/a	n/a
			48"	36"	30"	n/a	n/a	n/a
			54"	42"	36"	24"*	n/a	n/a
			60"	48"	42"	30"	30"	n/a
			66"	54"	48"	36"	36"	n/a
			72"	60"	54"	42"	42"	n/a
			78"	66"	60"	48"	48"	n/a
			84"	72"	66"	54"	54"	n/a
	Rectangular Flip-Top Table (CTFT)		36"	n/a		n/a		
			42"	42"		42"		
			48"	48"		48"		
			54"	54"		54"		
			60"	60"		60"		
			66"	66"		66"		
			72"	72"		72"		
			78"	78"		78"		
			84"	84"		84"		

Accessories listed above are not compatible with:

- Half-Moon Worksurface (CTHM)
- Curved Hatcher Worksurface (CTCH)
- Mezzanine Worksurface (CTMZ)
- Quarter-Moon Worksurface (CTQM)
- Small-Convex Worksurface (CTQM)
- Rectangular and Lightweight Rectangular Folding Table (CTFL and CTFLF)

# planning with table screens & lateral screens

Table Screens (CTDS) and Lateral Screens (CTLS) can be installed on Rectangular (CTRT) and Cockpit Worksurfaces (CTCK) or the Rectangular Height-Adjustable Table (CTHT) and are offered in Fabric, Metal and Translucent finishes that finish both sides of the screen.

- ❗ Can be applied to worksurfaces or tables with C-Legs only
- Do not accept PAX90, PAX91, PAX97 or PAX98
- Fabric screens are not tackable
- Please refer to the Accessory Compatibility Chart in this section for details






Table Screens are installed in front of the back edge without any gap

Full Size – Back  
(screen matches width of the worksurface)




Recessed Size – Lateral  
(specify the screen the same depth of the worksurface)

Lateral Screens always create a 1 1/4 " gap at the front to clear Bullnose and Eased trim style applications




Can be linked screens using the supplied linking piece. Please see the different configurations below:

## Double Configuration




1x Table Screen  
1x Lateral Screen




2x Table Screen

## Triple Configuration




2x Table Screen  
1x Lateral Screen




1x Table Screen  
2x Lateral Screen


## Quadruple Configuration




2x Table Screen  
2x Lateral Screen




Cannot be applied to 18" deep worksurfaces or tables



22" height cannot be used with worksurfaces where the C-Legs are installed with casters



The Lateral Screen cannot be used alone. It must be linked to a Table Screen










Two Table Screens cannot be installed in 90° configurations

## accessory compatibility chart





## accessories

\* Must be used with the same worksurface width.

worksurfaces		CPU Holder (CTLP)	Electrical Tray (CTET)	Modesty Panels (CTLME, CTMM)	Modesty Panels (CTLME, CTMMF)	Table Screens (CTDSE, CTDST, CTDSM)	Lateral Screens (CTLSE, CTLST, CTLSM)	Quick Release Linking System (CAQR)*	Cable Tray (CTWT)
Rectangular Worksurface (CTRT)						1, 2	3	4	
Cockpit Worksurface (CTCK)						2	3	4	
Trapeze Angular Worksurface (CTTA)			6	5				4	
Half-Moon Worksurface (CTHM)									
Mezzanine Worksurface (CTMZ)									
Curved Hatchet Worksurface (CTCH)									
Quarter-Moon Worksurface (CTQM)									

IOI

## tables

Rectangular Folding Table (CTFL)									
Lightweight, Rectangular Folding Table (CTLF)									
Rectangular Flip-Top Table (CTFT)			6					4	
Rectangular Height-Adjustable Table (CTHT)							3		

 Compatible  
 Not Compatible

1 = Applicable to worksurfaces measuring 24" and deeper only

2 = Applicable with C-Leg only

3 = Applicable with Table Screen only

4 = 18" deep tables are not applicable with Post Legs



5 = 24" not compatible with Post Legs

6 = To specify the width, refer to the Modesty Panel & Electrical Tray Compatibility Chart in this section

# lighting, electrics & communications basics


Training offers several ways to organize cabling and electrics under tables and workspaces.

- ❗ All electrical products can be installed into the Electrical Tray (CTET) or lay into modesty panels with built-in cable tray (CTLM, CTMM)



## Power/Data Sphere (CLPS)

- Can be placed on any product
- Is field-installed; it is the responsibility of the installer to avoid any interference
- Can be used when you need access on both sides of the table in a collaborative set-up. It is its main advantage compared to Power Module (CLMP)



- When needed, two Under-Worksurface Power Outlets (CLWP) can be connected together
- To specify the correct length of the Pass-Through, calculate the dimension from the center of the worksurface to the center of the adjacent worksurface minus 12"
- All workspaces and tables must be linked together when electrical & communication products are installed

The following diagrams show the various Teknion Fabrics and Finishes available on Training Tables.

- Each worksurface has metal inserts to accommodate the installation of worksurface supports and modesty panels
- Pre-drilled holes are done to accommodate screen and Electrical Tray installation
- Surfaces wider than 54" include 1 or 2 reinforcing bars
- Straight Trims (6), Bullnose Trims (2), and Eased Trim (F) are available in a variety of Edge Trim Colors. Flintwood surfaces will come with edges that match the surface color

#### Worksurfaces and Table Tops


- Are available in Foundation Laminates and Flintwood stains
- Constructed of high-pressure laminate applied to a 1 1/8" thick baseboard for a total surface thickness of 1 3/16" (except for the Lightweight Rectangular Folding Table CTLF)

#### Edge Trims

- Are offered in Bullnose Trim (2), Straight Trim (6), Eased Trim (F), Flintwood Straight Trim (7) available in a selection of Edge Trim colors or Flintwood Stains (where applicable)
- Flintwood Straight Trim (7) is only available with Flintwood worksurfaces – Edge trim will match the worksurface color
- Wood print edge trim finishes are not available when Bullnose or Eased Edge Trim Style is selected


#### Modesty Panels – Metal (CTMM) and Modesty Panels for Flip-Top Table – Metal (CTMMF)

- Can be specified in Foundation, Accent or Mica colors
- Offered in Solid or Embossed
- Embossed is offered with four patterns:




#### Modesty Panels – Laminate (CTLM) and Modesty Panels for Flip-Top Table – Laminate (CTLMF)

- Can be specified in Source Laminates, Foundation Laminates or Flintwood stains
- Hardware is available in Foundation or Mica colors




#### C-Legs (CTCL), T-Legs (CTTL), Intermediate Legs (CTST), and Post Legs (CTPL)

- Are available in Foundation or Mica colors
- Levelers are Black
- Casters are Black with Platinum covers



#### Worksurface Corner Details

Radius (R) Corner detail option is only available when Straight Trim (6) is specified




#### Grommets (CTGM)

- Are available in Source Laminates (Wood Prints only) or Foundation and Mica color.
- Source Laminate Grommets should not be specified with Flintwood worksurfaces


#### Power/Data Center (CLMP)

Available in Soft Gris (B) or Ebony (E) colors

#### Table Screen



#### Lateral Screen



Screens can be specified in Foundation, Mica or Accent metal colors, Frosted translucent, or panel fabric from Teknion's Standard Panel Fabric Program

casual tables

# casual tables

CASUAL TABLE BASICS .....107

EDGE TRIM STYLE OVERVIEW .....108

USER EDGE & GRAIN DIRECTION .....109

WOOD FINISH DETAILS .....109






## casual table basics


Casual Tables are ideally designed for use within cafeteria, café or lounge settings in a corporate or educational environment.

*Audience Hospitality Carts with Tops*

- **Worksurfaces** are available in Foundation Laminates, Seamless Colors, Flintwood Stains or Natural Veneers
- **Edges** can be specified in Straight trim (6), Bullnose Trim (2), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X), Solid Eased Edge (E)




### lounge tables





Square (ATCSL) Circular (ATCCL) Oval (ATCVL)

- The Oval Lounge Table (ATCVL) offers 2 Data/Electrical options: Grommet or Pop-Up
- Grommets have a Fine Brush Chrome finish

### café tables




Square (ATCSC) Circular (ATCCC)




Grommet

### bistro tables




Square (ATCSB) Circular (ATCCB)

### monopod base




Lounge Table Bistro & Dining Table Café Table

### dining tables



Square (ATCSD) Circular (ATCCD) Rectangular (ATCRD)

### standard t-leg























- No Casters available on Casual Tables
- Base options are available in Foundation or Mica colors

## edge trim style overview

The chart below indicates which edge trim styles can be specified with all Casual Tables surface finishes.


- ! All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Bullnose Trim (2) which requires that an edge finish be chosen
- Casual Table worksurfaces are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
<b>Straight Trim (6)</b>			n/a	n/a	n/a	Straight Trim (6)
<b>All Edges</b>						
<b>Bullnose Trim (2)</b>			n/a	n/a	n/a	Finished in a coordinating Straight Trim
<b>User Edge Only</b>						
<b>Flintwood Straight Trim (7)</b>		n/a	n/a		n/a	Flintwood Straight Trim (7)
<b>All Edges</b>						
<b>Seamless Flat Edge (G)</b>		n/a		n/a	n/a	Seamless Flat Edge (G)
<b>All Edges</b>						
<b>Seamless Full Knife Edge (X)</b>		n/a		n/a	n/a	Finished in a coordinating Flat Edge
<b>User Edge Only</b>						
<b>Seamless Eased Edge (E)</b>		n/a		n/a	n/a	Finished in a coordinating Flat Edge
<b>User Edge Only</b>						
<b>Flat Edge (G)</b>		n/a	n/a	n/a		Flat Edge (G)
<b>All Edges</b>						
<b>Full Knife Edge (H)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						
<b>Solid Full Knife Edge (X)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						
<b>Solid Eased Edge (E)</b>		n/a	n/a	n/a		Finished in a coordinating Flat edge
<b>User Edge Only</b>						

## user edge & grain direction

Illustrations below show grain direction and user edges both with and without solid edges.

! Shading indicates user edge



## wood finish details

109

The following provides details on Teknion's Flintwoods and Natural Veneers.

### flintwood & natural veneer

Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.

CLUBtalk

# CLUBtalk

PLANNING WITH CLUBTALK .....112

CLUBTALK TYPICALS .....114

MOBILE CART OVERVIEW .....123

MOBILE CART BASICS .....124

PLANNING WITH THE TEK BOX .....126

SPECIFYING THE MOBILE CART .....127

TABLES BASICS .....128

PLANNING WITH TABLES .....129

WORKSURFACE MONITOR MOUNT COMPONENT OVERVIEW ..130

WORKSURFACE MONITOR MOUNT BASICS .....131

PLANNING WITH WORKSURFACE MONITOR MOUNT .....132

CLUBTALK FINISHES .....134

GRAIN DIRECTION .....136



## planning with CLUBtalk


CLUBtalk is available in a variety of formats to provide a means of sharing information among users.

### components


CLUBtalk consists of a simple product map that allows for a variety of configurations:

- Mobile Cart (with or without a Tek Box): is available in Lounge or Task and Counter or Bar heights
- Worksurface Monitor Mount
- Tables: Square, Trapezoid and Rectangular

#### mobile cart




without Tek Box




with Tek Box

#### worksurface monitor mount




without Tek Shelf



with Tek Shelf


# planning with CLUBtalk (continued)

## tables



Square Table (CUS)

Trapezoid Table (CUZ)



Rectangular Table (CUR)


CLUBtalk typicals

The following typicals demonstrate the planning capabilities for CLUBtalk.

CLUBtalk can be used in meeting rooms, informal meeting spaces in the open plan and at workstation clusters in a benching application. It can be used for large meetings with teams for brainstorming ideas, interactive teamwork or group presentations. The participants can be employees in house or a combination of in-house and remote staff. It can also be used for smaller scale meetings where information may only be shared by one person to a group.

small meeting, CLUBtalk mobile cart, lounge or task height

- Task height
- CLUBtalk Mobile Cart without Tek Box and CLUBtalk table



**Small Mobile Cart (CUC)**  
Task height 29"

**Trapezoid Table (CUZ)**  
48" deep x 72" width A x 60" width B

II4

CLUBtalk Tables are complete with an Access Door Module to hold technology.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUCA0S	CLUBtalk Mobile Cart, Lounge or Task height, No Tek Box, Small Monitor (40" - 46")	3312	3312
1	CUZS4872	CLUBtalk Trapezoid Table, 48" Deep x 72" Wide	3278	3278
TOTAL				6590

CLUBtalk Mobile Cart, Lounge or Task height, Flintwood, Clear Anodized, Painted Platinum & Graphic Steel  
CLUBtalk Trapezoid Table finishes: Flintwood & Mica

Also shown above:


QUANTITY	COMPONENTS	DESCRIPTION
4	NPRTNW	Projek Synchro-Tilt, Dual Upholstery, No Headrest, 2D Width & Height Adjustable T-Arms



# CLUBtalk typicals (continued)

## small meeting room, CLUBtalk mobile cart, lounge or task height

- Task height
- CLUBtalk Mobile Cart without Tek Box and CLUBtalk table



### One Small Mobile Cart (CUC)

Task height 29"

15' x 12' meeting room

### Rectangular Table (CUR)

54" deep x 72" wide rectangular meeting table

The Mobile Cart does not need to be connected to the table or worksurface, freeing up space between the cart and the table or worksurface. Identifiers are available for easy identification for each unit in a mobile environment.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	<b>CUCA0S</b>	CLUBtalk Mobile Cart, Lounge or Task height, No Tek Box, Small Monitor (40" - 46"), with Identifier	3390	3390
1	<b>CURS5472</b>	CLUBtalk Rectangular Table, 54" Deep x 72" Wide, with Mica	3371	3371
<b>TOTAL</b>				<b>6761</b>

CLUBtalk Mobile Cart, Lounge or Task height, Flintwood, Clear Anodized, Painted Platinum & Graphic Steel  
CLUBtalk Rectangular Table finishes: Flintwood & Mica

### Also shown above:



QUANTITY	COMPONENTS	DESCRIPTION
4	<b>NCSY1HD</b>	Contessa Executive Chair, Dual Upholstery, 2D Arms; Height and Pivot

Optos Walls shown above are available from Teknion's Architectural Walls Price and Product Guide.

## CLUBtalk typicals (continued)

### meeting room, CLUBtalk mobile cart, counter or bar height

- Counter height
- CLUBtalk Mobile Cart complete with Tek Box



#### One Small Mobile Cart (CUC)

Counter height 36"

15' x 10' meeting room

#### Livello Meeting Table (LVMR)

36" deep x 72" wide rectangular meeting table

Mobile Carts with a small surround offer two additional heights; Counter (36" high, shown) or Bar height (42" high). These heights allow for various ways of working in many wired or wireless environments.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUCB1S	CLUBtalk Mobile Cart, Counter or Bar height, Tek Box, Small Monitor (40" - 46")	4347	4347
TOTAL				4347

CLUBtalk Mobile Cart, Counter or Bar height, Tek Box finishes: Flintwood, Clear Anodized, Painted Platinum & Graphic Steel

#### Also shown above:



QUANTITY	COMPONENTS	DESCRIPTION
1	LVMR7F36072	Livello Rectangular Meeting Table, Standard Range, 36" Deep x 72" Wide
5	NNASCK	Nami Guest Counter Stool, Sled Frame, Integrated Arms

Altos Walls shown above are available from Teknion's Architectural Walls Price and Product Guide.

# CLUBtalk typicals (continued)

## open plan, CLUBtalk mobile cart, counter or bar height

- Bar height
- CLUBtalk Cart



### Small Mobile Cart (CUC)

Bar height 42"

36" deep x 84" wide worksurface supported by two 42" high x 16" deep x 36" wide bookcases and a 42" high post leg

II7

Planning at Bar height can be used for smaller collaborative environments. Standing height provides worksurfaces for perching and quick meetings.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	<b>CUCB1S</b>	CLUBtalk Mobile Cart, Counter or Bar height, Tek Box, Small Monitor (40" - 46")	4347	4347
<b>TOTAL</b>				4347

CLUBtalk Mobile Cart, Counter or Bar height, Tek Box finishes: Flintwood, Clear Anodized, Painted Platinum & Graphic Steel


### Also shown above:

QUANTITY	COMPONENTS	DESCRIPTION
1	<b>UNWR3684</b>	Rectangular Worksurface, 36" Deep x 84" Wide
1	<b>ATCSC</b>	Square Cafe Table, Mono-Pod Base, 42" High (base only)
2	<b>UBKS4236</b>	Standard Bookcase, 42" High x 16" Deep x 36" Wide
2	<b>NNAHCN</b>	Nami Guest Bar Stool, Sled Frame, No Arms (1 shown)

## CLUBtalk typicals (continued)

### workstation clusters, CLUBtalk mobile cart, lounge or task height

- Task height
- CLUBtalk Mobile Cart complete with Tek Box



#### Two Small Mobile Carts (CUC)

- Task height 29"
- Eight Interpret workstations, 30" x 72" (overall 5' x 24')



The Mobile Cart allows for collaboration amongst teams without the need for formal meeting rooms or enclosed spaces.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
2	CUCA1S	CLUBtalk Mobile Cart, Lounge or Task height, Tek Box, Small Monitor (40" - 46")	4140	8280
TOTAL				8280

CLUBtalk Mobile Cart finishes: Flintwood, Clear Anodized & Painted Platinum


#### Also shown above:

QUANTITY	COMPONENTS	DESCRIPTION
1	WWSDBASSR286	Double Sided Beginning Frame, with Accessory Beam, Straight End Legs, Straight Recessed Interm 28" High x 60" Deep x 72" Wide
2	WWSDMASR2860	Double Sided Middle Frame, with Accessory Beam, Straight Recessed Legs, 28" High x 60" Deep x 72" Wide
1	WWSDFAS28607	Double Sided Finish Frame, with Accessory Beam, Straight Legs, 28" High x 60" Deep x 72" Wide
8	WWWRPD3072	Power Cut Out Worksurface, for Double Sided Frame, 30" Deep x 72" Wide
8	WWEDR	Power Access Door
2	WWEBF8T072	Base Feed, 8 Wire Isolated Ground, 72" Long
2	WWEBC	Base Feed Cover
4	WWEPM	Power Module for Double Sided
16	WWEROS	Receptacle Outlet, Standard 15 Amp
2	WWEPH8T72	Power Harness, 8 Wire Isolated Ground, 72" Long
8	WWEPTY72	Power Tray, Double Sided, Two Duplex Cut Outs, 72" Wide
8	UPRRX19	Rolling Pedestal, Box/File, 19" Deep
8	NPRTNW	Projek Synchro-Tilt, Dual Upholstery, No Headrest, 2D Width & Height Adjustable T-Arms

# CLUBtalk typicals (continued)

## informal meeting spaces, CLUBtalk lounge or task height

- Lounge height
- CLUBtalk Mobile Cart with Tek Box



**Large Mobile Cart (CUC)**  
Lounge height 24"  
Teknion dna Benches and Tables

CLUBtalk is used in its most simple form, as a surround with a monitor to connect to and view media. An empty Tek Box can be used to house remote controls and various devices.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	<b>CUCA1L</b>	CLUBtalk Mobile Cart, Lounge or Task height, with Tek Box, Large Monitor (56" - 60")	3985	3985
<b>TOTAL</b>				<b>3985</b>

CLUBtalk Mobile Cart finishes: Flintwood, Clear Anodized & Painted Platinum


### Also shown above:

QUANTITY	COMPONENTS	DESCRIPTION
1	<b>NDNAN</b>	dna Modular Seating - Bench, No Side Table
1	<b>NDNAT</b>	dna Modular Seating - Bench, With Side Table
2	<b>NDNBND</b>	dna Modular Seating - Bench With Bolster, No Table, Dual Upholstery
2	<b>NDNBTRD</b>	dna Modular Seating - Bench With Bolster, Right Table, Dual Upholstery
1	<b>NDNCN</b>	dna Modular Seating - Square Seat, No Table
1	<b>NDNS</b>	dna Modular Square Table
2	<b>NDNTS</b>	dna Freestanding Coffee Table, Square
1	<b>NDNL</b>	dna Freestanding Laptop Table

CLUBtalk typicals (continued)

meeting area, worksurface monitor mount, task height, interpret table, grommet

- Task height
- Worksurface Monitor Mount without Tek Shelf



Worksurface Monitor Mount (CUWM)  
Task height 29"

Interpret Meeting Table with CLUBtalk  
Table, Grommet (WWTMT)  
42" wide x 72" long

I20

The Worksurface Monitor Mount with no Shelf mounts to Interpret tables to provide a wireless connection.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	CUWM	Worksurface Monitor Mount, 42" Wide x 60" High	1289	1289
1	WWTMT	Interpret Meeting Table, 48" Wide x 84" Long	3536	3536
TOTAL				4825

Worksurface Monitor Mount and Table, finishes: Flintwood, Painted Platinum Trim.


Also shown above:

QUANTITY	COMPONENTS	DESCRIPTION
4	NARTNW	Projek Synchro-Tilt, Dual Upholstered Headrest, 2D Width and Height Adjustable T-Arms

## CLUBtalk typicals (continued)

meeting area, worksurface monitor mount, task height, audience table

- Task height
- Worksurface Monitor Mount with Tek Shelf



**Worksurface Monitor Mount (CUWM)**

Task height 29"

**Audience Table (ATMR)**

42" wide x 72" long

I2I

The Worksurface Monitor Mount with Sensor Shelf mounts to the end of a meeting table to allow for easy storage and accessibility of sensors.

QUANTITY	COMPONENTS	DESCRIPTION	LIST PRICE	EXTENDED PRICE
1	<b>CUWM</b>	Worksurface Monitor Mount with Tek Shelf, 42" Wide x 60" High	1651	1651
1	<b>ATMR</b>	Audience Table, 42" Wide x 72" Long	2608	2608
			<b>TOTAL</b>	<b>4259</b>

Worksurface Monitor Mount and Table, finishes: Flintwood, Painted Platinum Trim.

Also shown above:

QUANTITY	COMPONENTS	DESCRIPTION
4	<b>NARTNW</b>	Projek Synchro-Tilt, Dual Upholstered Headrest, 2D Width and Height Adjustable T-Arms






## mobile cart overview


The following outlines the components and features of the CLUBtalk Mobile Cart.

The Mobile Cart is used in both wired and wireless settings.




mobile cart basics

The Mobile Cart is used for multiple forms of collaboration and is available in three sizes; small, medium and large.



No Tek Box (0)



With Tek Box (1, 2, 3)

- Mobile Cart (CUC)**
- The following is the range of monitor sizes that will fit within each surround:
    - Small allows for a monitor size 40" - 46" (S)
    - Medium allows for a monitor size 47" - 55" (M)
    - Large allows for a monitor size 56" - 60" (L)
  - Different adjustable heights are available:
    - Lounge or Task height 24" - 29"
    - Counter or Bar height 36" - 42"
  - Counter or Bar height is only available with the small surround
  - Options include a Tek Box, a camera shelf and identifiers (which are a set of numeric stickers ranging from 0 - 9)
  - The inside surround finish matches the outside finish

monitor heights

The following chart outlines the application heights and monitor sizes available on CLUBtalk.


	Lounge 24" high	Task 29" high	Counter 36" high	Bar 42" high
Small 40" - 46" Monitor				
Medium 47" - 55" Monitor				
Large 56" - 60" Monitor				

## mobile cart basics (continued)


The following are the dimensions for the Mobile Cart.

## small


Lounge




Task



Counter




Bar




## medium

Lounge




Task




## large

Lounge



Task




## planning with the tek box

The following outlines the features of the Tek Box.

### tek box

The Tek Box is installed on the front of the cart to house technology. It is available as:

- An empty box to allow user to install their own components
- An integrated box with four power receptacles
- Tek Box dimensions are 30" wide x 6" high x 13" deep
- If being used with a worksurface, the Tek Box aligns with worksurface height at Lounge, Task, Counter and Bar heights




Tek Box

# specifying the mobile cart

The following should be considered when specifying the Mobile Cart.

## planning considerations




- 1 Determine what size of surround is required. It is recommended that a small surround be used with all CLUBtalk Tables. Medium or large surrounds are more suitable for lounge applications or applications where groups larger than four people will be collaborating and viewing the monitor.
- 2 The size of the surround will determine the monitor size that can be used.
- 3 Determine the required tech support - with or without a Tek Box.
- 4 Determine what height will best suit the application that the Mobile Cart will be used for; Lounge, Task, Counter or Bar heights.
- 5 Determine if a camera shelf is required. It can be added to the cart for video conferencing capabilities.
- 6 Identifiers can be added to the cart to help identify the Mobile Carts in an open plan and allocate them to specific areas on the floor plate.

## tables basics


CLUBtalk Tables are available in various shapes and sizes.

### CLUBtalk Tables


Each table includes an Access Door Module with Sensor Docks.



Square Table (CUS)



Trapezoid Table (CUZ)




Rectangular Table (CUR)

### Tables


The Worksurface includes stretch legs that can also be found on Teknion's Audience Boardroom and Meeting Tables

### Access Door Module

Access Doors (with a cable opening) include a grommet and an underpan that houses four Sensors Docks and four convenience receptacle outlets



Closed Access Doors



### Underpan


- A 4" high x 24.9" long x 13.7" wide underpan located under the table conceals Sensor cables and the Switcher which is located adjacent to the Sensors
- Includes two blank data ports

# planning with tables


The following should be considered when planning with CLUBtalk Tables.

When planning with CLUBtalk Tables, the grommet location on all of the tables is centered on the width side of the worksurface. The side of the table with the grommet needs to be aligned with the Tek Box (on the Mobile Cart) to allow the monitor to be powered and connected to the HDMI cable.


## square table (CUS)



42" width




48" width




54" width


## trapezoid table (CUZ)




48" depth x 48" width A  
(width B defaults to 36")



48" depth x 54" width A  
(width B defaults to 42")




48" depth x 72" width A  
(width B defaults to 60")




54" depth x 72" width A  
(width B defaults to 60")


## rectangular table (CUR)




48" width x 60" depth



54" width x 72" depth




60" width x 48" depth



72" width x 54" depth

# worksurface monitor mount component overview


The following outlines components and features of the Worksurface Monitor Mount.



**Screen Surface**  
Available 42" wide and 60" high and mounts to the end of a Meeting Table.

**Sensor Shelf**  
Has four individual sensor openings.


**Technology Enclosure**  
Used to house technology and a 3 outlet Power Bar.






## worksurface monitor mount basics

The Worksurface Monitor Mount mounts to the end of a meeting table and can be used in private meeting or open spaces. It is available with or without a Sensor Shelf.



No Tek Shelf



With Tek Shelf


### Worksurface Monitor Mount (CUWM)

- Mounts to the end of a meeting table
- Provides two options:
  - Without Tek Shelf
  - With Tek Shelf
- Available only in 42" wide x 60" high
- Can accommodate a District Standing Storage Fascia (tackable fabric or whiteboard) on back side


## planning with worksurface monitor mount

The following should be considered when planning with Worksurface Monitor Mounts.

### worksurface monitor mount (CUWM)




- The Monitor Mount requires a minimum of 27" width between the table legs to avoid interference with the screen brackets
- It is **not** suitable for 24" wide worksurfaces
- Can only be used on a 29" high table




Maximum monitor size is 42" wide


132




Must be mounted to fixed table. Cannot mount to any height adjustable surfaces or a table with casters.



Cannot be mounted on a sliding worksurface.



Cannot be mounted on a oval table




- **Cannot** be used as a table supporting structural member only as an add on piece
- **Cannot** be used where there is a spreader between table legs (example District Legs)


## planning with worksurface monitor mount (continued)

### power routing


Power routing can be done by three options:



Power is routed down the front of the screen directly to the floor




Power is routed through the Technology Enclosure directly to the floor





Power is routed down the front of the screen, along the bottom of the Interpret table, routes through CLUBtalk

## CLUBtalk finishes

The following outlines the finish options available for CLUBtalk.




- 1 Table Tops are available in: Seamless, Foundation Laminate, Flintwood or Natural Venners.  
Edges are available in: Bullnose Trim (2), Straight Trim (6), Flintwood Straight (7), Seamless Eased (E), Seamless Flat Edge (G), Seamless Full Knife Edge (X) Table
- 2 Legs: Painted Foundation, Painted Mica, Chrome
- 3 Access Door Module & Door Trim Finish: Foundation, Mica, Accent
- 4 Optional Tek Box: Painted platinum on the sides, Clear Anodized on the front & Lids



- 5 Surround on Mobile Cart: Seamless, Foundation Laminate, Flintwood, Natural Venner. Finish to match on both sides of surround
- 6 Optional Camera Shelf: Painted Platinum
- 7 Post on Mobile Cart: Painted Platinum
- 8 Optional Identifiers: Graphic Steel
- 9 Handles: Clear Anodized

## CLUBtalk finishes (continued)

The following outlines the finish options available for Worksurface Monitor Mount and 13" Modular Table.














- 1 Mounting Brackets: Platinum only
- 2 Screen: Source Laminate, Seamless Color, Flintwood, Natural Veneer
- 3 Tek Shelf: Foundation, Mica
- 4 Levellers: Foundation, Mica


grain direction

When planning with finishes it is important to note the grain direction for each finish on both the CLUBtalk Tables and the surround for the cart.


CLUBtalk tables

	Grain Direction			
Square Table (CUS)	 42" width	 48" width	 54" width	
Trapezoid Table (CUZ)	 48" depth x 48" width A (width B defaults to 36")	 48" depth x 54" width A (width B defaults to 42")	 48" depth x 72" width A (width B defaults to 60")	 54" depth x 72" width A (width B defaults to 60")
Rectangular Table (CUR)	 48" width x 60" depth	 54" width x 72" depth	 60" width x 48" depth	 72" width x 54" depth

CLUBtalk mobile cart surrounds



workspace monitor mount





storage



# storage

*AUDIENCE®* CREDENZA STORAGE BASICS . . . . .140

*AUDIENCE®* CREDENZA CONFIGURATIONS . . . . .141

LOCKS & KEYS CHART . . . . .142

*AUDIENCE®* A.V. CART BASICS . . . . .143

*AUDIENCE®* HOSPITALITY CART BASICS . . . . .144

PROJECT STORAGE BASICS . . . . .145

PROJECT STORAGE CONFIGURATIONS . . . . .146

EDGE TRIM STYLE OVERVIEW . . . . .147

WOOD FINISH DETAILS . . . . .148


# audience credenza storage basics

*Audience Credenzas* comes in a variety of configurations, sizes and finishes to help compliment any meeting or boardroom room storage requirements.

- ❗ Locks can be keyed alike or keyed random (not available on glass doors)
- An optional Waste Receptacle can be specified with all *Audience Credenza* storage units (not available on glass doors)


## *Audience Credenzas* (AFCV\_, AFCL\_, AFCF\_)

- Available in Laminate, Veneer or Flintwood
- Available in four different door/drawer configurations
- Available with solid or glass doors in finishes to match the *Audience A.V.* or Hospitality Carts



I40


Platinum Stem  
Polished Leveler



Leveler

## Handle Styles

- Not available on glass doors
- Available in Platinum or Ebony colors




Rectangular (B)



Contemporary (C)

## Finishes


- Veneer Credenzas are available in a selection of Natural Veneers
- Laminate Credenzas are available in a selection of Source Laminates
- Flintwood Credenzas are available in a selection of Flintwood stains
- Solid Doors and drawers will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame



## Credenza Top (AFCT)

- Is to be used in conjunction with the AFCV, AFCF or AFCL Credenzas
- Must be specified separately for every Credenza ordered
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight Trim (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)


Optional **Grommets** can be specified left, centered, or right (grommet provides ventilation)



# *audience credenza configurations*


Four different configurations of Credenzas are available (Doors (A), Single Drawer (B), Doors & Drawers (C) and middle Drawers (D)); each are available in three case finish options – Laminate, Flintwood and Natural Veneer.

door configurations (a)




*Audience Credenza with Doors (AFC\_A)*

single drawer configurations (b)




*Audience Credenza with Single Drawer (AFC\_B)*

doors and drawers configuration (c)



*Audience Credenza with Doors and Drawers (AFC\_C)*














middle drawers configuration (d)



*Audience Credenza with Middle Drawers (AFC\_D)*

## locks &amp; keys chart

The following chart indicates the location of the lockable doors and drawers.

product code	dimensions (width)					
	32"	48"	64" or 72"	80" or 90"		
AFC_A	n/a					
Number of Locks	—	2	—	2	—	—
AFC_B	n/a		n/a			
Number of Locks	—	3	—	3	—	1
AFC_C	n/a					
Number of Locks	—	4	2	4	2	2
AFC_D	n/a		n/a			
Number of Locks	—	3	—	3	—	1
AFT_		n/a	n/a	n/a		
Number of Locks	1	—	—	—	—	—
APM_A		n/a	n/a	n/a		
Number of Locks	1	—	—	—	—	—
APM_B		n/a	n/a	n/a		
Number of Locks	2	1	—	—	—	—

 Lockable Doors only  Lockable Drawers only  Not Lockable


# audience a.v. cart basics

The *Audience A.V. Cart* is a mobile or stationary unit that houses all audio and video equipment within one location.

❗ Locks can be keyed alike or keyed random (not available on glass doors)


## Audience A.V. Carts (AFTV, AFTL, AFTF)

- Available in Laminate, Veneer or Flintwood
- Available with solid or glass doors in finishes to match the *Audience* Credenzas or Hospitality Carts




## A.V. Cart Top (AFTT)

- Is to be used in conjunction with the *Audience A.V. Carts* (AFTV, AFTF or AFTL)
- Must be specified separately for every *Audience A.V. Cart* specified
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight Trim (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)



## Handle Styles

- Not available on glass doors
- Available in Platinum or Ebony colors




Rectangular (B)



Contemporary (C)


Can be specified with casters or levelers



Leveler



Caster




Hole pattern accommodates most 21"–32" flat LCD Monitor TV's

Fastens to spacer between top and case

## Finishes

- Veneer Carts are available in a selection of Natural Veneers
- Laminate Carts are available in a selection of Source Laminates
- Flintwood Carts are available in a selection of Flintwood stains
- Solid Doors will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame




# audience hospitality cart basics

The *Audience Hospitality Cart* is a mobile server that compliments all *Audience* storage table products.

- ❗ Locks can be keyed alike or keyed random (not available on glass doors)
- An optional Waste Receptacle can be specified with all *Audience* Hospitality Carts (not available on glass doors)


## *Audience* Hospitality Carts (AFMV, AFML, AFMF)

- Available in Laminate, Veneer or Flintwood
- Can be specified with doors or a combination of doors and drawers (Combination shown)
- Doors can be specified solid or glass in finishes to match the *Audience* Credenzas and A.V. Carts



## Handle Style

- Not available on glass doors
- Available in Platinum or Ebony colors



Rectangular (B)



Contemporary (C)


## Finishes

- Veneer Carts are available in a selection of Natural Veneers
- Laminate Carts are available in a selection of Source Laminates
- Flintwood Carts are available in a selection of Flintwood stains
- Solid Doors and drawer will be finished to match the case
- Glass Doors are Frosted (FT) and finished in a clear Anodized frame

Come with Casters


## Hospitality Cart Top (AFMT)

- To be used in conjunction with the *Audience* Hospitality Carts (AFML, AFMF or AFMV)
- Must be specified separately for every *Audience* Hospitality Cart specified
- Can be specified in Foundation Laminates, Seamless Colors, Flintwood stains and Natural Veneers
- Edge trims can be specified in Straight (6), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)



- With the leaf extended, the unit can be brought to tables for easy serving
- When parked in a corner the hospitality cart acts as a small credenza ideal for smaller meeting rooms
- The unit can be wheeled out when further space is needed

- The optional **Waste Receptacle Unit** when specified, opens when the door is opened
- It is mounted by the user via instructions supplied
- Finished in Aluminum
- Also available in Credenzas



*Audience* Hospitality Carts come with a push bar for easy mobility



# project storage basics

Project storage units are constructed of metal and are offered in a variety of sizes and configurations that can be used within workstations or collaborative spaces.

❗ Locks can be keyed alike or keyed random

## Project Carts (AFAS, AFAM, AFAL)

- Three sizes are offered: small, medium and large
- Small Project Carts can be specified open or with doors
- Medium and Large Project Carts can also be specified open or with doors however, can also be specified with combination doors and drawers




## Finishes

- Post, case and front finishes are available in a selection of Satin, Satin Mica, Textured or Textured Mica colors
- Shelf will be finished to match the case
- Top surface can be specified in Foundation Laminates, Seamless Colors, Flintwood stains or Natural Veneers
- Edge trims can be specified in Flat Trim (8), Flintwood Straight (7), Seamless Flat Edge (G), Seamless Full Knife Edge (X), Seamless Eased Edge (E), Flat Edge (G), Full Knife Edge (H), Solid Full Knife Edge (X) or Solid Eased Edge (E)


# project storage configurations

Project carts are available with a variety of options including Open, with Doors and Drawers.


## small project cart



AFAS




Open Shelf (S)




Door (D)


## medium project cart




AFAM



Open Shelf (S)




Doors (D)




Doors and Drawers (R)


## large project cart




AFAL



Open Shelf (S)



Doors (D)























Doors and Drawers (R)



# edge trim style overview

The chart below indicates which edge trim styles can be specified with all storage surface finishes.

- ❗ All edge finishes will automatically default to match the surface finish selected, with the exception of the Straight Trim (6) and Flat Trim (8) which requires that an edge finish be chosen
- Audience* Boardroom Storage tops are 1 1/4" thick
- Project Cart Storage tops are 1" thick

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneers	Non-User Edge
Boardroom Storage Tops	Straight Trim (6) 		n/a	n/a	n/a	Straight Trim (6)
	All Edges					
Project Cart Storage Tops	Flat Trim (8) 		n/a	n/a	n/a	Flat Trim (8)
	All Edges					
	Flintwood Straight Trim (7) 	n/a	n/a		n/a	Flintwood Straight Trim (7)
	All Edges					
	Seamless Flat Edge (G) 	n/a		n/a	n/a	Seamless Flat Edge (G)
	All Edges					
	Seamless Full Knife Edge (X) 	n/a		n/a	n/a	Finished in a coordinating Flat edge
	User Edge Only					
	Seamless Eased Edge (E) 	n/a		n/a	n/a	Finished in a coordinating Flat edge
	User Edge Only					
	Flat Edge (G) 	n/a	n/a	n/a		Flat Edge (G)
	All Edges					
	Full Knife Edge (H) 	n/a	n/a	n/a		Finished in a coordinating Flat edge
	User Edge Only					
	Solid Full Knife Edge (X) 	n/a	n/a	n/a		Finished in a coordinating Flat edge
	User Edge Only					
	Solid Eased Edge (E) 	n/a	n/a	n/a		Finished in a coordinating Flat edge
	User Edge Only					

# wood finish details

**The following provides details on Teknion's Flintwoods and Natural Veneers.**

### flintwood & natural veneer

Different wood species offer unique texture and grain. Due to the natural properties of wood, grain pattern and finish color variation can be expected. Teknion provides a coordinated color match between individual product lines.

The variation in technology between Teknion's wood manufacturing facilities and the veneers that are utilized will cause fluctuation in the fill rates and sheen levels. All Flintwood worksurfaces and storage tops are closed pore. All Flintwood used in a vertical application is open pore (Table base infill, Storage Units Case, Focus Board). Natural Veneer in all applications is open pore.

Exposure to direct sunlight should be avoided as UV rays may cause the veneer color to change. Adding new product to an existing installation might result in color variations due to light exposure and aging of the original product. For more information on Teknion wood and cleaning instructions please see Teknion's Fabrics and Finishes program.



work tools

# work tools

FOCUS WALL™ BASICS . . . . .152

DRYWALL RESTRICTIONS . . . . .153

ADJACENCY CONDITIONS . . . . .154

FOCUS WALL™ LINKING STRIPS . . . . .155

FOCUS BOARD™ BASICS . . . . .156

# focus wall basics

Focus Walls provide a vertical writable or tackable surface for collaborative environments.

- The 48" height matches up with the datum heights of the Altos working wall for applications where dry wall meets perpendicular to an Altos wall
- The 42" height is most appropriate for use in private dry wall offices and can be mounted from worksurface height to line up with casegood datum lines

## Focus Wall Frame (AFWF)


- Package of all pieces necessary to make an empty frame in which to hold a whiteboard, tackboard or combination
- Frame is required for every Focus Wall. The Whiteboard (AFWW) or Tackboard (AFWT) cannot be used on their own
- The Focus Wall is for application onto dry-wall. It cannot be applied to an Altos Wall
- Designed to support compatible Personal Organizers (PAX) (all except PAX90, PAX91, PAX97 and PAX98) and 6" Shelf System (FMS)
- Frame, Marker Tray and Flip Chart Hooks have a clear Anodized finish

## Focus Wall Whiteboard (AFWW)

- Fits into the Focus Wall Frame in order to provide an erasable message board
- Must be specified in the same height and width as the Focus Wall Frame if a full Whiteboard is desired
- Whiteboard is a high quality Porcelain:
  - This product accepts magnets
  - Only dry erase markers can be used


## Focus Wall Tackboard (AFWT)

- Fits into the Focus Wall Frame in order to provide a takable work tool
- Must be specified in the same height and width as the Focus Wall Frame
- Combination Whiteboard/Tackboard, the total sum should equal the width of the Focus Wall Frame in which the Whiteboard/Tackboard is being applied
- Available in all Teknion Panel Fabrics




# drywall restrictions

The following illustrations demonstrate installation restrictions and are necessary to know in order to accurately specify Focus Wall lengths appropriate for each room and conditions.



The distance between the end of the Focus Wall and the perpendicular wall should be a minimum of 3"



When two Focus Walls are mounted on perpendicular walls, both must be placed a minimum of 5" from the wall


# adjacency conditions

Focus Walls can be specified with a variety of combinations of Tackboards and Whiteboards.

⚠ When specifying the Focus Wall Tackboard (AFWT), adjacency conditions must be specified to ensure that the appropriate amount of linking strips are provided for the application desired

### Full Tackboard


When a full tackboard is desired, Adjacency Condition "N" (Not adjacent to another Whiteboard or Tackboard) should be selected



### Tackboard/Whiteboard Combination (or Tackboard/Tackboard combination of 2 different fabrics)


When a combination Tackboard/Whiteboard/Tackboard is desired (with Whiteboard the middle), Adjacency condition "S" (Adjacent to one Whiteboard or Tackboard of another fabric) should be selected for each tackboard.

Note: When separated by a Whiteboard, each tackboard should be specified separately (For example 2 x 48" not 96")



### Tackboard Whiteboard Combination (or Tackboard/Tackboard combination of 2 different fabrics)

When a combination Whiteboard/Tackboard/Whiteboard is desired (with 2 Whiteboards on the ends), Adjacency condition "D" should be selected





# focus wall linking strips

The following chart indicates the number of panels and linking strips provided.

⚠ Although the maximum width available for both the Focus Wall Whiteboard (AFWW) and Focus Wall Tackboard (AFWT) is 20' (240"), the maximum width of a single panel of whiteboard is 8' (96") and of a tackboard is 4' (48"): Larger sizes comprise of various sized panels totalling the width specified in the product code: Linking strips are required to connect these panels together and automatically come with the order when the Whiteboard or Tackboard is specified in sizes larger than 96" (Whiteboard) or 48" (Tackboard).

## Whiteboard (AFWW)

Specified Width	Panels Provided	Linking Strips Provided
24" – 96"	1 Panel	none
102" – 192"	2 Panels of equal width	1
198" – 240"	3 Panels (middle is 96", sides are equal width)	2

## Tackboard (AFWT)




Specified Width	Panels Provided	Linking Strips Provided
12" – 48"	1 Panel	none
54" – 96"	2 Panels of equal width	1
102" – 144"	3 Panels (middle is 48", sides are of equal width)	2
150" – 192"	4 Panels (2 middles are 48", sides are of equal width)	3
198" – 240"	5 Panels (3 middles are 48", sides are equal width)	4

## focus board basics

The Focus Board is a self-contained, closeable, whiteboard which provided a writable work tool.

### Focus Board (AFWB)

- No other components within this section (Frame, Whiteboard, Tackboard etc) need to be specified for the Focus Board to function
- A blocking arm comes on each door to lock it into a 180° position when open
- Has an aesthetic tie to the *Audience* Boardroom furniture



# teknion

[www.teknion.com](http://www.teknion.com)

IN CANADA:

1150 Flint Road  
Toronto, Ontario  
M3J 2J5 Canada  
Tel 866.teknion  
866.835.6466

IN THE USA:

350 Fellowship Road  
Mt Laurel, New Jersey  
08054 USA  
Tel 877.teknion  
877.835.6466

OTHER OFFICES LOCATED IN:

Europe, South and Central America  
Middle East, Asia and Russia  
For regional contact information  
go to [www.teknion.com](http://www.teknion.com)

CAN/US/INT 10-24

©Teknion 2016

®, ™ trade marks of Teknion  
Corporation and/or its subsidiaries or  
licensed to it. Patents may be pending.

Some products may not be available in  
all markets. Contact your local  
Teknion Representative for availability.

OCT16-TAB-AG