

CM1021 – SOLO™



Type: Project:

VisaLighting.com/products/Solo

Fill in shaded boxes using information listed below

Order Code: **CM1021**
MODEL

A SOURCE **B** VOLTAGE **C** FINISH **D** DIFFUSER OPTION **E** OPTION(S)




Use this flush mount fixture in any space for a crisp, clean look. The design features a matte white acrylic dome and a metal ring available in painted or metal finishes.

DIMENSIONS

W = Width H = Height

W	17-3/8"	(441 mm)
H	5-1/2"	(140 mm)



A SOURCE (Select one) **B** VOLTAGE

MVOLT fixture accepts 120 through 277 input voltage

Fluorescent Sources		Voltage
3LF13	13w twin tube 4-pin, 2GX7 base	Select MVOLT
3QF26	26w quad, 4-pin G24q-3 base	Select MVOLT or 347V
2N40	40w A-19, medium base	120V

C FINISHES (Select one Trim Finish)

See page 3 for color chart

Powder Coat Painted Finishes (Standard)

AG7038 Agate Grey	CVBL Cove Blue	GW9002 Grey White	PB1035 Pearl Beige
BMAT Bronze Matte	CW9001 Cream White	HTHR Heather	RUST Rust
BRNZ Bronze	GLIM Glimmer	JB9005 Jet Black	SUNG Sungold
BSIL Blade Silver	GSIL Graphite Silver	OBRZ Old Bronze	TW9016 Traffic White

Metal Finishes (Premium)

BA Brushed Aluminum	BZA Brushed Bronze Alternative	RBA Rustic Brass Alternative
BBA Brushed Brass Alternative	CB Polished Chrome	SN Satin Nickel
BCA Brushed Chrome Alternative	OBA Oil-Rubbed Bronze Alternative	SNA Satin Nickel Alternative
BCB Brushed Chrome	PB Polished Brass	
BUA Brushed Copper Alternative	PRA Pewter Alternative	

D DIFFUSER OPTION

Diffuser is matte white acrylic unless ABA option is selected

- ABA** Hand Painted Alabaster Alternative

Options continued on Page 2



XPS



ETL Listed



5 Year Warranty

CM1021 – SOLO™



Options continued


AF Option



OPTIONS (Multiple Selections Allowed)

- ⚠ Option availability may be interdependent with Voltage, Source or Other Options**
- AF** Add Finial. Addition of **AF** option increases H dimension (height) by 1-1/8"
 - CPM** Canopy painted to match trim finish (canopy is painted white standard).
Available with **DIM(A)**, **DIM(EB)**, **DIM(L)** or **IEM**
 - DCC** Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
 - **DIM(A)** Advance Mark 10 fluorescent dimming, specify 120V or 277V, not available with LF source
 - **DIM(EB)** Lutron H3D EcoSystem digital link fluorescent dimming, not available with LF source
 - **DIM(L)** Lutron H3D 3-wire fluorescent dimming, not available with LF source
 - IEM** Integral emergency battery pack for fluorescent, specify 120V or 277V
 - **MRI** MRI room application, incandescent only
 - RB** Pre-ship recessed components (XEM junction box)
 - REM** Remote emergency battery pack for fluorescent, not available with 347V
 - XEM** Emergency battery pack mounted in provided recessed box for fluorescent (replaces standard junction box)
 - XPS** Express 10 day shipping. Items marked with a bullet (•) are not available with XPS


Photometrics




Technical Information

- High power factor electronic ballast (fluorescent)
- Use coated lamps for incandescent applications
- MRI option allows use in magnetic resonance imaging rooms (incandescent only)
- Easy tool-less relamping
- Mounts over standard electrical junction box (by others) with provided hardware
- XEM option replaces standard junction box with proprietary junction box The XEM junction box is available as a ship-ahead component for rough-in if needed
- Auxiliary mounting holes and hardware provided
- Heavy gauge spun metal trim
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
 - ◆ UV stable
 - ◆ UL-94 HB Flame Class rated
- No VOC powder coat paints; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior application


Relative Scale Drawing



CM1021-DIM



CM1021-IEM



Canopy Detail for DIM options




DIM options increase H (height) dimension by 2-1/2",
IEM option increases H (height) dimension by 3-1/2"
Canopy is painted white standard unless **CPM** option is specified

CM1021 – SOLO™



Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#)
 For additional information see VisaLighting.com/materials-finishes

Painted Finishes (Standard)



Metal Finishes (Premium)

