

Trundle™ & St. Germain™




E&A Credit Union
Port Huron, MI
Architect: Thompson-Phelan Group, Inc.
Photo by: Mia Photography

Features

- 5 year product warranty
- MRI option enables use in magnetic resonance imaging (MRI) rooms (CM1518 and CM1554)
- Compact scale
- Fabricated metal housing with internal reinforcing corner extrusions (CM1574)
- Internal shadow panel creates a 3 dimensional effect (CM1574)
- Tempered sandblasted glass side panels (CM1574)
- Solid metal trim bar available in various finishes (CM1518 and CM1554)
- Accent colors available between band and trim bar (CM1518 and CM1554)
- Oven cured no VOC acrylic powder coat for painted finishes; oven cured low VOC clear coat on metal finishes
- 1/8" thick white acrylic diffuser with matte finish, UV stable, UL-94 HB Flame Class rated
- Fluorescent, HID or incandescent source
- Easy tool-less relamping
- Fluorescent source includes downlight enhancing reflector
- High power factor electronic ballast (fluorescent). Fixture labeled for specified lamp wattage to satisfy energy code requirements
- Remote high power factor ballast standard for HID source, 10' maximum ballast to source distance
- Mounts to standard electrical junction box (by others) with provided hardware
- ETL listed to UL standards (US and Canada) for indoor damp locations. Not recommended for exterior applications

Suggested Variations

- Custom color or material
- Increase overall height
- Add accents to diffuser or trim
- Sloped ceiling adapter
- Fused circuit protection



Order Code Example					
CM1518	—	1TF26 (MVOLT)	—	BA — GLIM	— ABA — DCC
Model Number	Source	Finishes	Diffuser Options	Options	
		Canopy/Trim	Top Band		
TRUNDLE CM1518		(Painted) BA BB BBA BCA • BU • BZA CUA OBA PRA RBA SNA	(Painted) BA BB BBA BCA • BU • BZA CUA OBA PRA RBA SNA	Diffuser is matte white acrylic if no option is selected	
TRUNDLE CM1554	* 1TF32 1N60 1T50PAR20 1PH39PAR20			ABA	DCC • MRI REM XPS
ST. GERMAIN CM1574	* 1TF32 1N60	(Painted) BA BB • BU • BZ		Diffuser is sandblasted glass	DCC REM XPS

Dimensions

W	6-3/4"	(168 mm)
H	9-1/8"	(654 mm)


W	6-3/8"	(162 mm)
H	9"	(229 mm)

W	6-3/4"	(171 mm)
H	8-3/4"	(222 mm)


Line Drawings

W = Width H = Height


TRUNDLE
CM1518



TRUNDLE
CM1554



ST. GERMAIN
CM1574



Abbreviation Key

- Indicated Finish or Option is not available with XPS
- * Configuration operates TF26 or TF32 sources and can be labeled up to the highest wattage allowed

Source (Voltage)

Specify Voltage or MVOLT	
MVOLT fixture accepts 120 through 277 input voltage	
* TF26	26w triple, 4-pin GX24q-3 base, FLR (MVOLT)
* TF32	32w triple, 4-pin GX24q-3 base, FLR (MVOLT)
N60	60w A-19, medium base, INC (120V)
T50PAR20	50w PAR20, medium base, halogen (120V)
PH39PAR20	39w PAR20, medium base, MH (120V; 277V)

Finishes (see inside back cover)

(Painted)	Color Code Required - see color chart
BA	Brushed Aluminum
BB	Brushed Brass
BBA	Brushed Brass Alternative
BCA	Brushed Chrome Alternative
• BU	Brushed Copper
• BZ	Brushed Bronze
BZA	Brushed Bronze Alternative
CUA	Brushed Copper Alternative
OBA	Oil-Rubbed Bronze Alternative
PRA	Pewter Alternative
RBA	Rustic Brass Alternative
SNA	Satin Nickel Alternative

Diffuser Options

Diffuser is matte white acrylic unless other diffuser option is selected

- ABA Hand Painted Alabaster Alternative


Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
• MRI	MRI room application, incandescent only
REM	Remote emergency battery pack for fluorescent
XPS	Express 10 day shipment

Photometrics and 3D Modeling

Complete BIM, Sketchup, and Photometric files for these models can be downloaded from www.visalighting.com

IES File Number	LER	Report
CM1518-1TF32	28	07999
CM1554-1TF32	28	07999
CM1574-1TF32	28	07999



Door Height = 7'
Ceiling Height = 9'
Silhouette Height = 6'



Painted Finishes (standard)

Specify color code when ordering.

Individual paint and finish samples are available upon request. For additional information see VisaLighting.com/material-finishes

Acrylic Powder Coat


TW9016
Traffic White
(RAL9016)

CW9001
Cream
(RAL9001)

GW9002
Grey White
(RAL9002)


JB9005
Jet Black
(RAL9005)

AG7038
Agate Grey
(RAL7038)

HTHR
Heather

CVBL
Cove Blue

Polyester Powder Coat


BSIL
Blade Silver

GSIL
Graphite Silver

GLIM
Glimmer

SUNG
Sungold

BRNZ
Bronze

OBRZ
Old Bronze

BMAT
Bronze Matte

PB1035
Pearl Beige
(RAL1035)

RUST
Rust

Metal Finishes (premium options)

For accurate metal matching use BHMA standard or request finish samples.

Individual paint and finish samples are available upon request. For additional information see VisaLighting.com/material-finishes

BA
Brushed Aluminum

BB
Brushed Brass
(BHMA606)

BBA
Brushed Brass
Alternative

BCA
Brushed Chrome
Alternative

BCB
Brushed Chrome
(BHMA626)

BSS
Brushed Stainless
Steel (BHMA630)

BU
Brushed Copper

BZ
Brushed Bronze
(BHMA612)

BZA
Brushed Bronze
Alternative

CB
Polished Chrome
(BHMA625)

CUA
Brushed Copper
Alternative

GFA
Grinder Finished
Aluminum

OBA
Oil-Rubbed
Bronze Alternative

PB
Polished Brass
(BHMA605)

PRA
Pewter
Alternative

PSS
Polished Stainless
Steel (BHMA629)

RBA
Rustic Brass
Alternative

SF
Brushed Textured
Stainless Steel

SN
Satin Nickel
(BHMA619)

SNA
Satin Nickel
Alternative

VG
Verdigris Patina
over Copper

Other Materials (premium options)

Wood


CW
Cherry Wood

NM
Natural Mahogany

WB
White Birch

ABA
Hand-Painted
Alabaster Alternative

Alabaster


GD
Opal White Glass

Glass


PGD
Patterned Glass
Diffuser

GIA
Glacier Ice Acrylic


OKA
Orange Krush
Acrylic



WMA
White Mist Acrylic

Colored Acrylic

Lumicor®


AR
Arctic Crush

PP
Paper Leaf

BCG
Blue Crushed Glass

TT
Tiger Taipei

OLIN
Oyster Linen Acrylic

SL
Silver Spun

CCG
Clear Crushed Glass