




AVELINA MEETING TABLES

designed by ramsey madsen
and jim conto

SIN #711-11

PRODUCT FEATURES:

- Available in two heights: 29" and 42".
- Depth options include: 20", 30", 36" and 42".
- Length sizes include: 60", 72", 96", 120", 144" and 192".
- Tables offered in veneer, laminate and Formica Colorcore® 2.
- Corian top also available.
- Tables with 20" depth are intended for use against a wall or divider.
Signature edge detail featured on one side only.
- Table lengths of 120" and greater will require a center panel base.
- All panel bases feature adjustable glides as standard for leveling purposes.
- End panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- Select technology options for top surface and/or side-mount placement available on all sizes, please refer to pages 4-6 for options.
Power units cannot be installed on center panel bases.
- Two-tone wood finishing available (exterior surface one color, interior surface another color), please add \$300 list for 1-piece tops and \$600 List for 2-piece tops and specify finishes. Edge finish will be the interior surface color.



VENEER TABLE FEATURES:

- Available in Maple, Walnut and White Oak wood species.
- Veneer direction will run cross-grain on all table sizes.
- All standard wood finishes available on selected wood species (note: #26 Ebony on Maple not available).
- For custom wood finishes, please add one-time upcharge of \$400 List per color per order.

LAMINATE TABLE FEATURES:

- Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- Wood species and finish must be specified for the table interior surface, which will also be applied to the edge.
- Laminate wood grain direction will run lengthwise on all table sizes.
- Available in all standard laminates.
- For custom laminates, contact Customer Service for pricing.

AVELINA MEETING TABLES

designed by ramsey madsen
and jim contoio



SIN #711-11

FORMICA COLORCORE® 2 FEATURES:

- Features the same high performance characteristics as laminates with the added dimension of solid through color (i.e. eliminates the dark line associated with laminate edges).
- Offered in 949C-58 White Matte color only.
- Applied to entire exterior surface only (cannot be used in combination with veneer exterior end panel bases).
- Wood species and finish must be specified for the table interior surface, which will also be applied to the edge.
- To order in Colorcore 2, please specify and add \$300 list for 1-piece tops and \$500 List for 2-piece tops (add upcharge to applicable interior surface wood species column).

CORIAN® TOP FEATURES:


- Corian is affixed to table top only and increases overall table height by $\frac{1}{2}$ ". Please note that a $\frac{1}{8}$ " reveal will be present.
- Corian not available on table edges or on panel bases.
- Wood species and finish must be specified for panel bases.
- For Corian top, specify "-CO" after model number with color selection and add upcharge to applicable table pricing.
- Custom Corian colors available, please contact Customer Service for pricing.

CORIAN® COLORS:

Designer White	Sahara (T)
Rain Cloud	Sonora
Linen	Platinum (T)
Witch Hazel	Deep Night Sky

T = Terra Collection from Dupont.

Corian® is a registered trademark of Dupont.



SHIPPING/ASSEMBLY:


- **All tables ship blanket-wrap.**
- If cartoning is required, a 5% upcharge will be applied to each applicable product. Contact Customer Service for additional information.
- Tables 96" in length and under ship in one piece.
- Tables 120" in length and over ship in two sections.
- All tables that are shipped in more than one piece will include a table joint connector to attach sections together.
- Limited field assembly is required as bases are pre-assembled to table tops.

NOTES:


- 20" depth tables are intended for use against a wall or divider.
- Table lengths of 120" and greater will include a center panel base.
- For Corian top, specify "-CO" after model number with color selection and add upcharge to applicable table pricing.
- When ordering laminate, Colorcore 2 or Corian, interior surface wood species and finish must be specified.
- Refer to page 1 for Colorcore 2 and two-tone finishing upcharges.

SPECIFY:

1. Model number
2. Wood species
3. Exterior surface finish
4. Interior surface finish, as applicable
5. Options, as applicable



REPRESENTS 60", 72" AND 96" TABLE LENGTHS, WITH 29" OR 42" HEIGHTS



REPRESENTS 120", 144" AND 192" TABLE LENGTHS, WITH 29" OR 42" HEIGHTS (INCLUDES CENTER PANEL BASE)

AVELINA MEETING TABLES

designed by ramsey madsen
and jim contoio



SIN #711-11

	MODEL NUMBER	MAPLE OR LAMINATE EXTERIOR WITH MAPLE INTERIOR	WALNUT, WHITE OAK OR LAMINATE EXTERIOR WITH WALNUT OR WHITE OAK INTERIOR	CORIAN TOP (-CO) Add upcharge to applicable wood species column	WEIGHT For veneer, laminate and Colorcore 2 tables only
20" Depth, 29" Height					
20 D x 60 L x 29 H	A-206029	4533	5110	1193	142
20 D x 72 L x 29 H	A-207229	4803	5412	1431	151
20 D x 96 L x 29 H	A-209629	5094	5740	1908	165
20 D x 120 L x 29 H	A-2012029	6420	6866	2385	256
20 D x 144 L x 29 H	A-2014429	6668	7172	2862	269
20 D x 192 L x 29 H	A-2019229	7390	7985	3816	289
20" Depth, 42" Height					
20 D x 60 L x 42 H	A-206042	4715	5312	1193	153
20 D x 72 L x 42 H	A-207242	4983	5599	1431	163
20 D x 96 L x 42 H	A-209642	5277	5952	1908	177
20 D x 120 L x 42 H	A-2012042	6824	7400	2385	287
20 D x 144 L x 42 H	A-2014442	7218	7827	2862	301
20 D x 192 L x 42 H	A-2019242	7689	8496	3816	321
30" Depth, 29" Height					
30 D x 60 L x 29 H	A-306029	5109	5729	1788	156
30 D x 72 L x 29 H	A-307229	5442	6097	2147	169
30 D x 96 L x 29 H	A-309629	5731	6399	2862	183
30 D x 120 L x 29 H	A-3012029	7926	8702	3578	280
30 D x 144 L x 29 H	A-3014429	8294	9142	4293	198
30 D x 192 L x 29 H	A-3019229	8904	9798	5724	318
30" Depth, 42" Height					
30 D x 60 L x 42 H	A-306042	5780	6507	1788	193
30 D x 72 L x 42 H	A-307242	6121	6873	2147	205
30 D x 96 L x 42 H	A-309642	6510	7290	2862	221
30 D x 120 L x 42 H	A-3012042	8536	9394	3578	347
30 D x 144 L x 42 H	A-3014442	8878	9812	4293	364
30 D x 192 L x 42 H	A-3019242	9553	10547	5724	388

AVELINA MEETING TABLES

designed by ramsey madsen
and jim contoio




SIN #711-11

NOTES:


- Table lengths of 120" and greater will include a center panel base.
- For Corian top, specify "-CO" after model number with color selection and add upcharge to applicable table pricing.
- When ordering laminate, Colorcore 2 or Corian, interior surface wood species and finish must be specified.
- Refer to page 1 for Colorcore 2 and two-tone finishing upcharges.

SPECIFY:

- Model number
- Wood species
- Exterior surface finish
- Interior surface finish, as applicable
- Options, as applicable



REPRESENTS 60", 72" AND 96"
TABLE LENGTHS, WITH 29" OR
42" HEIGHTS



REPRESENTS 120", 144" AND 192"
TABLE LENGTHS, WITH 29" OR
42" HEIGHTS (INCLUDES CENTER
PANEL BASE)

		MAPLE OR LAMINATE EXTERIOR WITH MAPLE INTERIOR	WALNUT, WHITE OAK OR LAMINATE EXTERIOR WITH WALNUT OR WHITE OAK INTERIOR	CORIAN TOP (-CO) Add upcharge to applicable wood species column	WEIGHT For veneer, laminate and Colorcore 2 tables only
36" Depth, 29" Height					
36 D x 60 L x 29 H	A-366029	5625	6296	2465	176
36 D x 72 L x 29 H	A-367229	5956	6652	2958	188
36 D x 96 L x 29 H	A-369629	6355	7079	3944	204
36 D x 120 L x 29 H	A-3612029	8559	9471	4929	315
36 D x 144 L x 29 H	A-3614429	9018	9973	5915	332
36 D x 192 L x 29 H	A-3619229	9678	10688	7887	356
36" Depth, 42" Height					
36 D x 60 L x 42 H	A-366042	5911	6631	2465	193
36 D x 72 L x 42 H	A-367242	6229	6989	2958	205
36 D x 96 L x 42 H	A-369642	6620	7399	3944	222
36 D x 120 L x 42 H	A-3612042	9278	10301	4929	357
36 D x 144 L x 42 H	A-3614442	9731	10793	5915	373
36 D x 192 L x 42 H	A-3619242	10307	11334	7887	398
42" Depth, 29" Height					
42 D x 60 L x 29 H	A-426029	5868	6564	2882	184
42 D x 72 L x 29 H	A-427229	6203	6941	3451	196
42 D x 96 L x 29 H	A-429629	6523	7277	4601	210
42 D x 120 L x 29 H	A-4212029	9246	10259	5751	334
42 D x 144 L x 29 H	A-4214429	9790	10855	6901	352
42 D x 192 L x 29 H	A-4219229	10532	11673	9201	371
42" Depth, 42" Height					
42 D x 60 L x 42 H	A-426042	6139	6907	2882	201
42 D x 72 L x 42 H	A-427242	6472	7266	3451	214
42 D x 96 L x 42 H	A-429642	6845	7655	4601	230
42 D x 120 L x 42 H	A-4212042	10038	11171	5751	377
42 D x 144 L x 42 H	A-4214442	10474	11745	6901	395
42 D x 192 L x 42 H	A-4219242	11330	12609	9201	418

NOTES:







- All units below are corded and available for top surface and/or side-mount placement. Refer to pages 8-9 for daisy chain options.
- Power units cannot be positioned above center panel bases nor can they be installed onto center panel bases themselves.
- Side-mount placement can be on inside or outside of end panel bases.
- **Please specify if power unit is to be placed on table top, inside base panel or outside base panel.**
- Cord length should be taken into account when specifying electrical placement.
- **Power source location must be identified.**
- Refer to page 10 for power unit standard locations.
- End panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.

AVELINA MEETING TABLES

designed by ramsey madsen
and jim contoio



SIN #711-11

MODEL #	PRODUCT SPECIFICATIONS	LIST
PB1	Power Band 1 <ul style="list-style-type: none"> ■ Dimensions: 5³/₄" W x 2¹/₂" D ■ Metallic Silver finish ■ One (1) outlet and two (2) USB charging ports ■ 108" electrical cord (only length available) ■ UL Listed 	397
		
PB2	Power Band 2 <ul style="list-style-type: none"> ■ Dimensions: 5³/₄" W x 2¹/₂" D ■ Metallic Silver finish ■ Two (2) outlets ■ 108" electrical cord (only length available) ■ UL Listed 	309
		
PB3	Power Band 3 <ul style="list-style-type: none"> ■ Dimensions: 6¹/₂" W x 2¹/₂" D ■ Metallic Silver finish ■ Two (2) outlets and two (2) USB charging ports ■ 108" electrical cord (only length available) ■ UL Listed 	412
		
PP1	Portal Power 1 <ul style="list-style-type: none"> ■ Dimensions: 5¹/₄" W x 4¹/₄" D ■ Touch latch lid with Satin Nickel finish ■ Unit features one simplex outlet with 72" electrical cord and one RJ-45 jack (Cat 6) with 72" patch cable ■ 120" length cord available, please specify and add \$30 List ■ UL listed 	588
		
PP2	Portal Power 2 <ul style="list-style-type: none"> ■ Dimensions: 5¹/₄" W x 4¹/₄" D ■ Touch latch lid with Satin Nickel finish ■ Unit features two simplex outlets with 72" electrical cord ■ 120" length cord available, please specify and add \$30 List ■ UL listed 	521
		
PP3	Portal Power 3 <ul style="list-style-type: none"> ■ Dimensions: 5¹/₄" W x 4¹/₄" D ■ Touch latch lid with Satin Nickel finish ■ Unit features one simplex outlet with 72" electrical cord and dual USB charging ports ■ 120" length cord available, please specify and add \$30 List ■ UL listed 	618
		

AVELINA MEETING TABLES

designed by ramsey madsen
and jim contoio



SIN #711-11

NOTES:

- All units below are corded and available for top surface placement only. Refer to pages 8-9 for daisy chain options.
- Power units cannot be positioned above center panel bases.
- Cord length should be taken into account when specifying electrical placement.
- **Power source location must be identified.**
- End panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- For the following technology units, please reference A/V jack combination options below. The price of individual A/V jacks must be added to the Base Model unit price listed below.
- Please contact Customer Service for faceplate/jack combinations that may not be referenced herein.
- Select units show open port positions which, once A/V jacks are purchased, can be reconfigured with different A/V jacks as needed.
- A/V jacks and faceplates snap into opening(s) in metal housing of Base Model units.

MODEL #	PRODUCT SPECIFICATIONS	LIST
PP4 	Portal Power 4 <ul style="list-style-type: none"> ■ Dimensions: 8⁵/₁₆" W x 4¹/₄" D ■ Touch latch lid with clear anodized aluminum finish ■ Two (2) 15 amp simplex outlets and two (2) open ports ■ 72" electrical cord, no A/V jacks included ■ 120" length cord available, please specify and add \$30 List ■ UL Listed 	552
PP6 	Portal Power 6 <ul style="list-style-type: none"> ■ Dimensions: 9¹³/₁₆" W x 4¹/₄" D ■ Touch latch lid with clear anodized aluminum finish ■ Three (3) 15 amp simplex outlets and three (3) open ports ■ 72" electrical cord, no A/V jacks included ■ 120" length cord available, please specify and add \$30 List ■ UL Listed 	588
PP7 	Portal Power 7 <ul style="list-style-type: none"> ■ Dimensions: 6³/₄" W x 4³/₈" D ■ Touch latch lid with clear anodized aluminum finish ■ Two (2) 15 amp simplex outlets and two (2) USB charging ports ■ 72" electrical cord ■ 120" length cord available, please specify and add \$30 List ■ UL Listed <p>PP4, PP6 and PP7 units available for top surface mount placement only.</p>	639

FACEPLATE CONFIGURATION OPTIONS

ID#	PART #	A/V JACK DESCRIPTION(S)	LIST
1)	Q1	(1) RJ-45 (Cat 5e), punchdown	\$31
2)	Q2	(1) RJ-45 (Cat 6), male/female pre-terminated, 72" long	\$83
3)	Q3	(1) RJ-45 (Cat 6), male/female pre-terminated, 120" long	\$83
4)	Q4	15 pin HD VGA with male/female cable, 72" long	\$83
5)	Q5	15 pin HD VGA with male/female cable, 120" long	\$98
6)	Q6	3.5mm Mini-Stereo jack with male/female cable, 120" long	\$31
7)	Q9	HDMI Corded Coupler, 18" long	\$78

Refer to page 10 for power unit standard locations.

NOTES:

- All units below are corded and available for top surface placement only. Refer to pages 8-9 for daisy chain options.
- Power units cannot be positioned above center panel bases.
- Cord length should be taken into account when specifying electrical placement.
- **Power source location must be identified.**
- End panel bases, center panel bases and underside of tables feature removable panels for wire management accessibility.
- For the following technology units, please reference A/V jack combination options below. The price of individual A/V jacks must be added to the Base Model unit price listed below.
- Please contact Customer Service for faceplate/jack combinations that may not be referenced herein.
- Select units show open port positions which, once A/V jacks are purchased, can be reconfigured with different A/V jacks as needed.
- A/V jacks and faceplates snap into opening(s) in metal housing of Base Model units.

AVELINA MEETING TABLES

designed by ramsey madsen
and jim contoio



SIN #711-11

MODEL #	PRODUCT SPECIFICATIONS	LIST
AP4	Alternate Portal 4 <ul style="list-style-type: none"> ■ Dimensions: 16¹/₂" W x 4¹/₂" D ■ Touch latch lid with clear anodized aluminum finish ■ Four (4) 15 amp simplex outlets and four (4) open ports ■ 72" electrical cord, no A/V jacks included ■ 120" length cord available, please specify and add \$30 List ■ UL Listed 	1092
LP4	Linear Portal <ul style="list-style-type: none"> ■ Dimensions: 16¹/₂" W x 4¹/₂" D ■ Touch latch lid with clear anodized aluminum finish ■ Four (4) 15 amp simplex outlets and four (4) open ports ■ 72" electrical cord, no A/V jacks included ■ 120" length cord available, please specify and add \$30 List ■ UL Listed <p>AP4 and LP4 power units available for top surface mount placement only.</p>	1092

FACEPLATE CONFIGURATION OPTIONS

ID#	PART #	A/V JACK DESCRIPTION(S)	LIST
1)	Q1	(1) RJ-45 (Cat 5e), punchdown	\$31
2)	Q2	(1) RJ-45 (Cat 6), male/female pre-terminated, 72" long	\$83
3)	Q3	(1) RJ-45 (Cat 6), male/female pre-terminated, 120" long	\$83
4)	Q4	15 pin HD VGA with male/female cable, 72" long	\$83
5)	Q5	15 pin HD VGA with male/female cable, 120" long	\$98
6)	Q6	3.5mm Mini-Stereo jack with male/female cable, 120" long	\$31
7)	Q9	HDMI Corded Coupler, 18" long	\$78

Refer to page 10 for power unit standard locations.






AVELINA MEETING TABLES

designed by ramsey madsen
and jim contoio

NOTES:

- Daisy chain units are required when more than one electrical unit is specified on one top.
- To determine jumper cable length, measure length from edge of electrical unit to end of table.
- Every connection point must be a female-to-male or male-to-female connection (all daisy chain power units feature male ends).

SIN #711-11

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST												
POWER BANDS WITH DAISY CHAIN FEATURE MALE ENDS														
PB2-DC 	Power Band 2 Daisy Chain <ul style="list-style-type: none"> ▪ Dimensions: 5³/₄" W x 2¹/₂" D ▪ Metallic Silver finish ▪ Unit features two simplex outlets ▪ UL listed 	425												
PB3-DC 	Power Band 3 Daisy Chain <ul style="list-style-type: none"> ▪ Dimensions: 6¹/₂" W x 2¹/₂" D ▪ Metallic Silver finish ▪ Unit features two simplex outlets and two USB charging ports ▪ UL listed 	525												
PB4-DC 	Power Band 4 Daisy Chain <ul style="list-style-type: none"> ▪ Dimensions: 10¹/₂" W x 2¹/₂" D ▪ Metallic Silver finish ▪ Unit features two simplex outlets, two USB charging ports and cut-out for an A/V faceplate ▪ For available A/V faceplate options, please refer to Power/Data Technology price list ▪ UL Listed 	555												
PB-ST-CD-72 	Power Band Starter Cable, 72" Long, Corded Plug Infeed <ul style="list-style-type: none"> ▪ Must select either corded or hardwire starter cable which goes from power source in wall or floor to first Power Band Unit 	200												
PB-ST-CD-() 	Power Band Starter Cable, Hardwire Infeed <ul style="list-style-type: none"> ▪ Must select either corded or hardwire starter cable which goes from power source in wall or floor to first Power Band Unit <table> <tr> <th>MODEL</th><th>LENGTH</th><th>LIST</th></tr> <tr> <td>PB-ST-HW-72</td><td>72"</td><td>135</td></tr> <tr> <td>PB-ST-HW-108</td><td>108"</td><td>170</td></tr> <tr> <td>PB-ST-HW-120</td><td>120"</td><td>180</td></tr> </table>	MODEL	LENGTH	LIST	PB-ST-HW-72	72"	135	PB-ST-HW-108	108"	170	PB-ST-HW-120	120"	180	
MODEL	LENGTH	LIST												
PB-ST-HW-72	72"	135												
PB-ST-HW-108	108"	170												
PB-ST-HW-120	120"	180												


NOTES:

- Daisy chain units are required when more than one electrical unit is specified on one top.
- To determine jumper cable length, measure length from edge of electrical unit to end of table.
- Every connection point must be a female-to-male or male-to-female connection (all daisy chain power units feature male ends).

AVELINA
MEETING TABLES

designed by ramsey madsen
and jim contoia

SIN #711-11

MODEL NUMBER	PRODUCT SPECIFICATIONS	LIST																					
PB-FF-()	<p>Power Band Jumper Cables, Female to Female</p> <ul style="list-style-type: none">▪ Typically used to connect 2 units together▪ For additional lengths in 12" increments, please add \$20 List per foot <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FF-30</td><td>30"</td><td>115</td></tr><tr><td>PB-FF-36</td><td>36"</td><td>115</td></tr><tr><td>PB-FF-48</td><td>48"</td><td>125</td></tr><tr><td>PB-FF-54</td><td>54"</td><td>130</td></tr><tr><td>PB-FF-60</td><td>60"</td><td>135</td></tr><tr><td>PB-FF-72</td><td>72"</td><td>145</td></tr></table>	MODEL	LENGTH	LIST	PB-FF-30	30"	115	PB-FF-36	36"	115	PB-FF-48	48"	125	PB-FF-54	54"	130	PB-FF-60	60"	135	PB-FF-72	72"	145	
MODEL	LENGTH	LIST																					
PB-FF-30	30"	115																					
PB-FF-36	36"	115																					
PB-FF-48	48"	125																					
PB-FF-54	54"	130																					
PB-FF-60	60"	135																					
PB-FF-72	72"	145																					
PB-FM-()	<p>Power Band Jumper Cables, Female to Male</p> <ul style="list-style-type: none">▪ Typically used to connect 2 units together▪ For additional lengths in 12" increments, please add \$20 List per foot <table><tr><th>MODEL</th><th>LENGTH</th><th>LIST</th></tr><tr><td>PB-FM-30</td><td>30"</td><td>120</td></tr><tr><td>PB-FM-36</td><td>36"</td><td>115</td></tr><tr><td>PB-FM-48</td><td>48"</td><td>125</td></tr><tr><td>PB-FM-54</td><td>54"</td><td>130</td></tr><tr><td>PB-FM-60</td><td>60"</td><td>135</td></tr><tr><td>PB-FM-72</td><td>72"</td><td>145</td></tr></table>	MODEL	LENGTH	LIST	PB-FM-30	30"	120	PB-FM-36	36"	115	PB-FM-48	48"	125	PB-FM-54	54"	130	PB-FM-60	60"	135	PB-FM-72	72"	145	
MODEL	LENGTH	LIST																					
PB-FM-30	30"	120																					
PB-FM-36	36"	115																					
PB-FM-48	48"	125																					
PB-FM-54	54"	130																					
PB-FM-60	60"	135																					
PB-FM-72	72"	145																					
PB-T	<p>Power Band T-Connector</p> <ul style="list-style-type: none">▪ Used when power is needed to go in two directions▪ Features 2 male ends and 1 female end 	155																					

AVELINA MEETING TABLES



designed by ramsey madsen
and jim contoio




SIN #711-11

POWER UNIT STANDARD LOCATIONS

Table Top Positioning



Side Panel (inside & outside)



2 Power Units

W X L	A	B
20" x 60"	20"	5"
20" x 72"	24"	5"
20" x 96"	32"	5"
20" x 120"	40"	5"
20" x 144"	48"	5"
20" x 192"	64"	5"
30" x 60"	20"	15"
30" x 72"	24"	15"
30" x 96"	32"	15"
30" x 120"	40"	15"
30" x 144"	48"	15"
30" x 192"	64"	15"
36" x 60"	20"	18"
36" x 72"	24"	18"
36" x 96"	32"	18"
36" x 120"	40"	18"
36" x 144"	48"	18"
36" x 192"	64"	18"
42" x 60"	20"	21"
42" x 72"	24"	21"
42" x 96"	32"	21"
42" x 120"	40"	21"
42" x 144"	48"	21"
42" x 192"	64"	21"

3 Power Units

W X L	A	B
20" x 60"	15"	5"
20" x 72"	18"	5"
20" x 96"	24"	5"
30" x 60"	15"	15"
30" x 72"	18"	15"
30" x 96"	24"	15"
36" x 60"	15"	18"
36" x 72"	18"	18"
36" x 96"	24"	18"
42" x 60"	15"	21"
42" x 72"	18"	21"
42" x 96"	24"	21"

1 Power Unit

W X L	A	B
20" x 29"	10.25"	5"
30" x 29"	10.25"	15"
36" x 29"	10.25"	18"
42" x 29"	10.25"	21"
20" x 42"	10.25"	5"
30" x 42"	10.25"	15"
36" x 42"	10.25"	18"
42" x 42"	10.25"	21"

For custom power unit placement, please contact Customer Service to verify location can be accommodated.